

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Ms. Megan Meckley  
Arcadis US Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 12/3/2024 7:10:13 AM

## JOB DESCRIPTION

Ford LTP

## JOB NUMBER

240-215500-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
12/3/2024 7:10:13 AM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	11
QC Sample Results . . . . .	12
QC Association Summary . . . . .	16
Lab Chronicle . . . . .	17
Certification Summary . . . . .	18
Chain of Custody . . . . .	19

# Definitions/Glossary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215500-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Arcadis US Inc.  
Project: Ford LTP

Job ID: 240-215500-1

**Job ID: 240-215500-1**

**Eurofins Cleveland**

## Job Narrative 240-215500-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 11/22/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.2°C.

### GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

# Method Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215500-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Sample Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215500-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-215500-1	TRIP BLANK_85	Water	11/20/24 00:00	11/22/24 08:00
240-215500-2	MW-213S_112024	Water	11/20/24 12:15	11/22/24 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215500-1

**Client Sample ID: TRIP BLANK\_85**

**Lab Sample ID: 240-215500-1**

No Detections.

**Client Sample ID: MW-213S\_112024**

**Lab Sample ID: 240-215500-2**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.61	J	1.0	0.46	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215500-1

**Client Sample ID: TRIP BLANK\_85**

**Lab Sample ID: 240-215500-1**

Date Collected: 11/20/24 00:00

Matrix: Water

Date Received: 11/22/24 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/26/24 03:52	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/26/24 03:52	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/26/24 03:52	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/26/24 03:52	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/26/24 03:52	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/26/24 03:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	125		62 - 137		11/26/24 03:52	1
4-Bromofluorobenzene (Surr)	78		56 - 136		11/26/24 03:52	1
Toluene-d8 (Surr)	93		78 - 122		11/26/24 03:52	1
Dibromofluoromethane (Surr)	110		73 - 120		11/26/24 03:52	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215500-1

**Client Sample ID: MW-213S\_112024**

**Lab Sample ID: 240-215500-2**

Date Collected: 11/20/24 12:15

Matrix: Water

Date Received: 11/22/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/28/24 04:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		68 - 127					11/28/24 04:08	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/25/24 23:09	1
<b>cis-1,2-Dichloroethene</b>	<b>0.61</b>	<b>J</b>	1.0	0.46	ug/L			11/25/24 23:09	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/25/24 23:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/25/24 23:09	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/25/24 23:09	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/25/24 23:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		62 - 137					11/25/24 23:09	1
4-Bromofluorobenzene (Surr)	101		56 - 136					11/25/24 23:09	1
Toluene-d8 (Surr)	102		78 - 122					11/25/24 23:09	1
Dibromofluoromethane (Surr)	99		73 - 120					11/25/24 23:09	1

# Surrogate Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215500-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-215498-A-2 MSD	Matrix Spike Duplicate	105	93	94	96
240-215498-C-2 MS	Matrix Spike	111	96	98	99
240-215500-1	TRIP BLANK_85	125	78	93	110
240-215500-2	MW-213S_112024	109	101	102	99
240-215503-B-2 MS	Matrix Spike	100	103	102	95
240-215503-C-2 MSD	Matrix Spike Duplicate	101	103	104	95
LCS 240-636697/4	Lab Control Sample	113	102	102	103
LCS 240-636698/4	Lab Control Sample	99	103	103	93
MB 240-636697/7	Method Blank	124	87	98	111
MB 240-636698/7	Method Blank	105	101	101	94

**Surrogate Legend**

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (68-127)
240-215500-2	MW-213S_112024	107
240-215598-B-2 MS	Matrix Spike	106
240-215598-B-2 MSD	Matrix Spike Duplicate	97
LCS 240-637038/5	Lab Control Sample	99
MB 240-637038/7	Method Blank	106

**Surrogate Legend**

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215500-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-636697/7

Matrix: Water

Analysis Batch: 636697

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/25/24 21:11	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/25/24 21:11	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/25/24 21:11	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/25/24 21:11	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/25/24 21:11	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/25/24 21:11	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	124		62 - 137		11/25/24 21:11	1
4-Bromofluorobenzene (Surr)	87		56 - 136		11/25/24 21:11	1
Toluene-d8 (Surr)	98		78 - 122		11/25/24 21:11	1
Dibromofluoromethane (Surr)	111		73 - 120		11/25/24 21:11	1

Lab Sample ID: LCS 240-636697/4

Matrix: Water

Analysis Batch: 636697

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	26.5		ug/L		106	63 - 134
cis-1,2-Dichloroethene	25.0	26.2		ug/L		105	77 - 123
Tetrachloroethene	25.0	26.9		ug/L		108	76 - 123
trans-1,2-Dichloroethene	25.0	27.4		ug/L		110	75 - 124
Trichloroethene	25.0	24.5		ug/L		98	70 - 122
Vinyl chloride	12.5	14.3		ug/L		114	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	113		62 - 137
4-Bromofluorobenzene (Surr)	102		56 - 136
Toluene-d8 (Surr)	102		78 - 122
Dibromofluoromethane (Surr)	103		73 - 120

Lab Sample ID: 240-215498-A-2 MSD

Matrix: Water

Analysis Batch: 636697

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	25.3		ug/L		101	56 - 135	4	26
cis-1,2-Dichloroethene	2.6		25.0	28.3		ug/L		103	66 - 128	1	14
Tetrachloroethene	1.0	U	25.0	24.7		ug/L		99	62 - 131	9	20
trans-1,2-Dichloroethene	1.0	U	25.0	27.0		ug/L		108	56 - 136	1	15
Trichloroethene	1.0	U	25.0	24.5		ug/L		98	61 - 124	3	15
Vinyl chloride	1.0	U	12.5	13.7		ug/L		110	43 - 157	4	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	105		62 - 137
4-Bromofluorobenzene (Surr)	93		56 - 136
Toluene-d8 (Surr)	94		78 - 122

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215500-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 240-215498-A-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 636697**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD Qualifier</i>	<i>MSD Limits</i>
<i>Dibromofluoromethane (Surr)</i>	96		73 - 120

**Lab Sample ID: 240-215498-C-2 MS**  
**Matrix: Water**  
**Analysis Batch: 636697**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MS Result</i>	<i>MS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>
1,1-Dichloroethene	1.0	U	25.0	26.3		ug/L		105	56 - 135
cis-1,2-Dichloroethene	2.6		25.0	28.0		ug/L		101	66 - 128
Tetrachloroethene	1.0	U	25.0	27.0		ug/L		108	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	27.4		ug/L		109	56 - 136
Trichloroethene	1.0	U	25.0	25.2		ug/L		101	61 - 124
Vinyl chloride	1.0	U	12.5	13.2		ug/L		106	43 - 157

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS Qualifier</i>	<i>MS Limits</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	111		62 - 137
<i>4-Bromofluorobenzene (Surr)</i>	96		56 - 136
<i>Toluene-d8 (Surr)</i>	98		78 - 122
<i>Dibromofluoromethane (Surr)</i>	99		73 - 120

**Lab Sample ID: MB 240-636698/7**  
**Matrix: Water**  
**Analysis Batch: 636698**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>MB Result</i>	<i>MB Qualifier</i>	<i>RL</i>	<i>MDL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/25/24 22:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/25/24 22:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/25/24 22:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/25/24 22:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/25/24 22:46	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/25/24 22:46	1

<i>Surrogate</i>	<i>%Recovery</i>	<i>MB Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	105		62 - 137		11/25/24 22:46	1
<i>4-Bromofluorobenzene (Surr)</i>	101		56 - 136		11/25/24 22:46	1
<i>Toluene-d8 (Surr)</i>	101		78 - 122		11/25/24 22:46	1
<i>Dibromofluoromethane (Surr)</i>	94		73 - 120		11/25/24 22:46	1

**Lab Sample ID: LCS 240-636698/4**  
**Matrix: Water**  
**Analysis Batch: 636698**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>Spike Added</i>	<i>LCS Result</i>	<i>LCS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>
1,1-Dichloroethene	25.0	24.5		ug/L		98	63 - 134
cis-1,2-Dichloroethene	25.0	25.2		ug/L		101	77 - 123
Tetrachloroethene	25.0	23.7		ug/L		95	76 - 123
trans-1,2-Dichloroethene	25.0	23.4		ug/L		93	75 - 124
Trichloroethene	25.0	23.2		ug/L		93	70 - 122

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215500-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-636698/4

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 636698

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	12.5	12.4		ug/L		99	60 - 144

  

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	103		56 - 136
Toluene-d8 (Surr)	103		78 - 122
Dibromofluoromethane (Surr)	93		73 - 120

Lab Sample ID: 240-215503-B-2 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 636698

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	25.0	20.8		ug/L		83	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	22.6		ug/L		90	66 - 128
Tetrachloroethene	1.0	U	25.0	18.2		ug/L		73	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	20.0		ug/L		80	56 - 136
Trichloroethene	1.0	U	25.0	18.8		ug/L		75	61 - 124
Vinyl chloride	1.5		12.5	12.4		ug/L		87	43 - 157

  

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	100		62 - 137
4-Bromofluorobenzene (Surr)	103		56 - 136
Toluene-d8 (Surr)	102		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-215503-C-2 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 636698

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	21.1		ug/L		85	56 - 135	2	26
cis-1,2-Dichloroethene	1.0	U	25.0	22.7		ug/L		91	66 - 128	0	14
Tetrachloroethene	1.0	U	25.0	18.9		ug/L		76	62 - 131	4	20
trans-1,2-Dichloroethene	1.0	U	25.0	20.5		ug/L		82	56 - 136	3	15
Trichloroethene	1.0	U	25.0	19.3		ug/L		77	61 - 124	2	15
Vinyl chloride	1.5		12.5	13.8		ug/L		98	43 - 157	11	24

  

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		62 - 137
4-Bromofluorobenzene (Surr)	103		56 - 136
Toluene-d8 (Surr)	104		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215500-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-637038/7**  
**Matrix: Water**  
**Analysis Batch: 637038**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/27/24 22:16	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		68 - 127					11/27/24 22:16	1

**Lab Sample ID: LCS 240-637038/5**  
**Matrix: Water**  
**Analysis Batch: 637038**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	7.60		ug/L		76	75 - 121
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	99		68 - 127				

**Lab Sample ID: 240-215598-B-2 MS**  
**Matrix: Water**  
**Analysis Batch: 637038**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	8.33		ug/L		83	20 - 180
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	106		68 - 127						

**Lab Sample ID: 240-215598-B-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 637038**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	9.06		ug/L		91	20 - 180	8	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	97		68 - 127								

# QC Association Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215500-1

## GC/MS VOA

### Analysis Batch: 636697

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215500-1	TRIP BLANK_85	Total/NA	Water	8260D	
MB 240-636697/7	Method Blank	Total/NA	Water	8260D	
LCS 240-636697/4	Lab Control Sample	Total/NA	Water	8260D	
240-215498-A-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	
240-215498-C-2 MS	Matrix Spike	Total/NA	Water	8260D	

### Analysis Batch: 636698

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215500-2	MW-213S_112024	Total/NA	Water	8260D	
MB 240-636698/7	Method Blank	Total/NA	Water	8260D	
LCS 240-636698/4	Lab Control Sample	Total/NA	Water	8260D	
240-215503-B-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-215503-C-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

### Analysis Batch: 637038

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215500-2	MW-213S_112024	Total/NA	Water	8260D SIM	
MB 240-637038/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-637038/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-215598-B-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-215598-B-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	



# Lab Chronicle

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215500-1

**Client Sample ID: TRIP BLANK\_85**

**Lab Sample ID: 240-215500-1**

Date Collected: 11/20/24 00:00

Matrix: Water

Date Received: 11/22/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636697	LEE	EET CLE	11/26/24 03:52

**Client Sample ID: MW-213S\_112024**

**Lab Sample ID: 240-215500-2**

Date Collected: 11/20/24 12:15

Matrix: Water

Date Received: 11/22/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636698	LEE	EET CLE	11/25/24 23:09
Total/NA	Analysis	8260D SIM		1	637038	R5XG	EET CLE	11/28/24 04:08

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Accreditation/Certification Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215500-1

## Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-25
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-25
West Virginia DEP	State	210	12-31-24



### Chain of Custody Record

TestAmerica Laboratory location: Brighton --- 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

<b>Client Contact</b>			<b>Regulatory program:</b> DW NPDES RCRA Other										<b>TestAmerica Laboratories, Inc.</b>									
Company Name: Arcadis			Client Project Manager: Kris Hinskey			Site Contact: Christina Weaver			Lab Contact: Mike DelMonico			COC No:										
Address: 28550 Cabot Drive, Suite 500			Telephone: 248-994-2240			Telephone: 248-994-2240			Telephone: 330-497-9396			1 of 1 COCs										
City/State/Zip: Novi, MI, 48377			Email: kristoffer.hinskey@arcadis.com			<b>Analysis Turnaround Time</b>			<b>Analyses</b>					For lab use only								
Phone: 248-994-2240			Sampler Name: <i>Kent Kesper</i>			TAT if different from below 10 day ✓ 3 weeks 2 weeks 1 week 2 days 1 day								Walk-in client								
Project Name: Ford LTP			Method of Shipment/Carrier:											Lab sampling								
Project Number: 30206169.0401.03			Shipping/Tracking No:											Job/SDG No								
PO # US3410018772														Sample Specific Notes / Special Instructions:								
Sample Identification	Sample Date	Sample Time	Matrix					Containers & Preservatives					Filtered Sample (Y/N) Composite=C / Grab=G									
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc							NaOH	Unpres.	Other:	
TRIP BLANK_ 85	---	---	1					1							NG	X	X	X	X	X	X	1 Trip Blank
MW-2135-112024	11/20/24	1215	6					6							NG	X	X	X	X	X	X	3 VOAs for 8260D 3 VOAs for 8260D SIM



MICHIGAN  
190

**Possible Hazard Identification**  
 Non-Hazard  flammable  Irritant  Poison B  Unknown

**Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)**  
 Return to Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

**Special Instructions/QC Requirements & Comments:**

Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728  
 Level IV Reporting requested.

Relinquished by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 11/20/24 1643	Received by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 11/20/24 1643
Relinquished by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 11/21/24 1225	Received by: <i>[Signature]</i>	Company: BETA	Date/Time: 11/21/24 12:20
Relinquished by: <i>[Signature]</i>	Company: BETA	Date/Time: 11/21/24 12:30	Received by: <b>JESSE MOROSKO</b>	Company: EMD	Date/Time: 11/22/24 0820

©2008 TestAmerica Laboratories, Inc. All rights reserved.  
 TestAmerica & Design™ are trademarks of TestAmerica Laboratories, Inc.



Eurofins - Cleveland Sample Receipt Form/Narrative Login # \_\_\_\_\_  
 Barberton Facility Cooler unpacked by: \_\_\_\_\_

Client ARCADIS Site Name \_\_\_\_\_  
 Cooler Received on 11/21/24 Opened on 11/21/24  
 JLABOSKO

RedEx: 1<sup>st</sup> Grd Exp UFS FAS W/point Client-Drop Off \_\_\_\_\_ Eurofins Courier \_\_\_\_\_ Other \_\_\_\_\_  
 Receipt After-hours Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

Eurofins Cooler # EC Foam Box \_\_\_\_\_ Client Cooler \_\_\_\_\_ Box \_\_\_\_\_ Other \_\_\_\_\_  
 Packing material used. Bubble Wrap  Foam  Plastic Bag \_\_\_\_\_ None \_\_\_\_\_ Other \_\_\_\_\_

COOLANT: Water Blue Ice \_\_\_\_\_ Dry Ice \_\_\_\_\_ Water \_\_\_\_\_ None \_\_\_\_\_  
 See Multiple Cooler Form

1 Cooler temperature upon receipt \_\_\_\_\_  
 IR GUN # 17 (CF TD.1 °C) Observed Cooler Temp. 31 °C Corrected Cooler Temp 32 °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity \_\_\_\_\_ (Yes) No (No)  
 -Were the seals on the outside of the cooler(s) signed & dated? (Yes) No (No) NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? (Yes) (No) NA  
 -Were tamper/custody seals intact and uncompromised? (Yes) (No) NA

Tests that are not checked for pH by Receiving:  
 VOAs  
 Oil and Grease  
 TOC

3 Shippers' packing slip attached to the cooler(s)? (Yes) (No)  
 4 Did custody papers accompany the sample(s)? (Yes) (No)  
 5 Were the custody papers relinquished & signed in the appropriate place? (Yes) (No)  
 6 Was/were the person(s) who collected the samples clearly identified on the COC? (Yes) (No)  
 7 Did all bottles arrive in good condition (Unbroken)? (Yes) (No)  
 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? (Yes) (No)  
 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? (Yes) (No)  
 10 Were correct bottle(s) used for the test(s) indicated? (Yes) (No)  
 11 Sufficient quantity received to perform indicated analyses? (Yes) (No)  
 12. Are these work share samples and all listed on the COC?  
 If yes, Questions 13-17 have been checked at the originating laboratory  
 13 Were all preserved sample(s) at the correct pH upon receipt? Yes No (NA) pH Strip Lot# HC448976  
 14. Were VOAs on the COC? (Yes) (No)  
 15 Were air bubbles >6 mm in any VOA vials?  Larger than this. (Yes) (No) NA  
 16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 03211 (Yes) (No)  
 17 Was a LL Hg or Me Hg trip blank present? (Yes) (No)

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
 Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page Samples processed by: \_\_\_\_\_

19. SAMPLE CONDITION  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory  
 Time preserved \_\_\_\_\_ Preservative(s) added/Lot number(s) \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen \_\_\_\_\_



11/22/2024

# Login Container Summary Report

240-215500

12/3/2024

## Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>	<u>Preservation</u>	<u>Preservation</u>
			<u>pH</u>	<u>Temp</u>	<u>Added</u>
					<u>Lot Number</u>
TRIP BLANK_85	240-215500-A-1	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-213S_112024	240-215500-A-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-213S_112024	240-215500-B-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-213S_112024	240-215500-C-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-213S_112024	240-215500-D-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-213S_112024	240-215500-E-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-213S_112024	240-215500-G-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____

# DATA VERIFICATION REPORT



December 04, 2024

Megan Meckley  
Arcadis  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728  
Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil  
Project number: 30206169.0401.04\_WA-03  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Cleveland  
Laboratory submittal: 215500-1  
Sample date: 2024-11-20  
Report received by CADENA: 2024-12-03  
Initial Data Verification completed by CADENA: 2024-12-04  
Number of Samples:2  
Sample Matrices:Water  
Test Categories:GCMS VOC  
**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.



# Analytical Results Summary

**CADENA Project ID:** E203728

**Laboratory:** Eurofins Environment Testing LLC - Cleveland

**Laboratory Submittal:** 215500-1

<b>Sample Name:</b>	TRIP BLANK_85	MW-213S_112024
<b>Lab Sample ID:</b>	2402155001	2402155002
<b>Sample Date:</b>	11/20/2024	11/20/2024

Analyte	Cas No.	Report		Units	Valid Qualifier	Report		Units	Valid Qualifier
		Result	Limit			Result	Limit		
<b>GC/MS VOC</b>									
<u>OSW-8260D</u>									
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	0.61	1.0	ug/l	J
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>									
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---