

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 12/4/2024 6:59:11 AM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-215598-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
12/4/2024 6:59:11 AM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	15
Lab Chronicle	16
Certification Summary	17
Chain of Custody	18

Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215598-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis US Inc.
Project: Ford LTP

Job ID: 240-215598-1

Job ID: 240-215598-1

Eurofins Cleveland

Job Narrative 240-215598-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 11/23/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.2°C and 5.0°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215598-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215598-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-215598-1	TRIP BLANK_136	Water	11/21/24 00:00	11/23/24 08:00
240-215598-2	MW-14_112124	Water	11/21/24 13:09	11/23/24 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215598-1

Client Sample ID: TRIP BLANK_136

Lab Sample ID: 240-215598-1

No Detections.

Client Sample ID: MW-14_112124

Lab Sample ID: 240-215598-2

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215598-1

Client Sample ID: TRIP BLANK_136

Lab Sample ID: 240-215598-1

Date Collected: 11/21/24 00:00

Matrix: Water

Date Received: 11/23/24 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/02/24 14:05	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/02/24 14:05	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/02/24 14:05	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/02/24 14:05	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/02/24 14:05	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/02/24 14:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		62 - 137		12/02/24 14:05	1
4-Bromofluorobenzene (Surr)	77		56 - 136		12/02/24 14:05	1
Toluene-d8 (Surr)	89		78 - 122		12/02/24 14:05	1
Dibromofluoromethane (Surr)	100		73 - 120		12/02/24 14:05	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215598-1

Client Sample ID: MW-14_112124

Lab Sample ID: 240-215598-2

Date Collected: 11/21/24 13:09

Matrix: Water

Date Received: 11/23/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/27/24 22:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		68 - 127					11/27/24 22:39	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/02/24 14:25	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/02/24 14:25	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/02/24 14:25	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/02/24 14:25	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/02/24 14:25	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/02/24 14:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		62 - 137					12/02/24 14:25	1
4-Bromofluorobenzene (Surr)	69		56 - 136					12/02/24 14:25	1
Toluene-d8 (Surr)	87		78 - 122					12/02/24 14:25	1
Dibromofluoromethane (Surr)	104		73 - 120					12/02/24 14:25	1

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215598-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-215598-1	TRIP BLANK_136	112	77	89	100
240-215598-2	MW-14_112124	112	69	87	104
240-215598-2 MS	MW-14-MS_112124	110	97	100	103
240-215598-2 MSD	MW-14-MSD_112124	105	89	92	96
LCS 240-637152/4	Lab Control Sample	107	91	92	99
MB 240-637152/7	Method Blank	116	77	87	104

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(68-127)
240-215598-2	MW-14_112124	106
240-215598-2 MS	MW-14-MS_112124	106
240-215598-2 MSD	MW-14-MSD_112124	97
LCS 240-637038/5	Lab Control Sample	99
MB 240-637038/7	Method Blank	106

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215598-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-637152/7

Matrix: Water

Analysis Batch: 637152

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/02/24 11:45	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/02/24 11:45	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/02/24 11:45	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/02/24 11:45	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/02/24 11:45	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/02/24 11:45	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	116		62 - 137		12/02/24 11:45	1
4-Bromofluorobenzene (Surr)	77		56 - 136		12/02/24 11:45	1
Toluene-d8 (Surr)	87		78 - 122		12/02/24 11:45	1
Dibromofluoromethane (Surr)	104		73 - 120		12/02/24 11:45	1

Lab Sample ID: LCS 240-637152/4

Matrix: Water

Analysis Batch: 637152

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	28.8		ug/L		115	63 - 134
cis-1,2-Dichloroethene	25.0	27.0		ug/L		108	77 - 123
Tetrachloroethene	25.0	26.2		ug/L		105	76 - 123
trans-1,2-Dichloroethene	25.0	29.0		ug/L		116	75 - 124
Trichloroethene	25.0	25.7		ug/L		103	70 - 122
Vinyl chloride	12.5	11.8		ug/L		94	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	107		62 - 137
4-Bromofluorobenzene (Surr)	91		56 - 136
Toluene-d8 (Surr)	92		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

Lab Sample ID: 240-215598-2 MS

Matrix: Water

Analysis Batch: 637152

Client Sample ID: MW-14-MS_112124

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	25.0	27.9		ug/L		111	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	26.0		ug/L		104	66 - 128
Tetrachloroethene	1.0	U	25.0	26.7		ug/L		107	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	27.4		ug/L		110	56 - 136
Trichloroethene	1.0	U	25.0	25.4		ug/L		101	61 - 124
Vinyl chloride	1.0	U	12.5	11.8		ug/L		95	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	110		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	100		78 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215598-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-215598-2 MS
Matrix: Water
Analysis Batch: 637152

Client Sample ID: MW-14-MS_112124
Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	103		73 - 120

Lab Sample ID: 240-215598-2 MSD
Matrix: Water
Analysis Batch: 637152

Client Sample ID: MW-14-MSD_112124
Prep Type: Total/NA

Analyte	Sample		Spike Added	MSD		Unit	D	%Rec	%Rec		RPD	
	Result	Qualifier		Result	Qualifier				Limits	RPD	Limit	
1,1-Dichloroethene	1.0	U	25.0	29.8		ug/L		119	56 - 135	7	26	
cis-1,2-Dichloroethene	1.0	U	25.0	26.7		ug/L		107	66 - 128	3	14	
Tetrachloroethene	1.0	U	25.0	27.6		ug/L		110	62 - 131	3	20	
trans-1,2-Dichloroethene	1.0	U	25.0	28.2		ug/L		113	56 - 136	3	15	
Trichloroethene	1.0	U	25.0	26.3		ug/L		105	61 - 124	4	15	
Vinyl chloride	1.0	U	12.5	13.1		ug/L		105	43 - 157	10	24	

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	105		62 - 137
4-Bromofluorobenzene (Surr)	89		56 - 136
Toluene-d8 (Surr)	92		78 - 122
Dibromofluoromethane (Surr)	96		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-637038/7
Matrix: Water
Analysis Batch: 637038

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/27/24 22:16	1

	MB	MB		Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits			
1,2-Dichloroethane-d4 (Surr)	106		68 - 127		11/27/24 22:16	1

Lab Sample ID: LCS 240-637038/5
Matrix: Water
Analysis Batch: 637038

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec	
		Result	Qualifier				Limits	RPD
1,4-Dioxane	10.0	7.60		ug/L		76	75 - 121	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		68 - 127

Lab Sample ID: 240-215598-2 MS
Matrix: Water
Analysis Batch: 637038

Client Sample ID: MW-14-MS_112124
Prep Type: Total/NA

Analyte	Sample		Spike Added	MS		Unit	D	%Rec	%Rec	
	Result	Qualifier		Result	Qualifier				Limits	RPD
1,4-Dioxane	2.0	U	10.0	8.33		ug/L		83	20 - 180	

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215598-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

	<i>MS</i>	<i>MS</i>	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	106		68 - 127

Lab Sample ID: 240-215598-2 MSD
Matrix: Water
Analysis Batch: 637038

Client Sample ID: MW-14-MSD_112124
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample</i>	<i>Sample</i>	<i>Spike</i>	<i>MSD</i>	<i>MSD</i>				<i>%Rec</i>		<i>RPD</i>	
	<i>Result</i>	<i>Qualifier</i>	<i>Added</i>	<i>Result</i>	<i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>Limits</i>	<i>RPD</i>	<i>Limit</i>	
1,4-Dioxane	2.0	U	10.0	9.06		ug/L		91	20 - 180	8	20	

	<i>MSD</i>	<i>MSD</i>	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	97		68 - 127

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215598-1

GC/MS VOA

Analysis Batch: 637038

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215598-2	MW-14_112124	Total/NA	Water	8260D SIM	
MB 240-637038/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-637038/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-215598-2 MS	MW-14-MS_112124	Total/NA	Water	8260D SIM	
240-215598-2 MSD	MW-14-MSD_112124	Total/NA	Water	8260D SIM	

Analysis Batch: 637152

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215598-1	TRIP BLANK_136	Total/NA	Water	8260D	
240-215598-2	MW-14_112124	Total/NA	Water	8260D	
MB 240-637152/7	Method Blank	Total/NA	Water	8260D	
LCS 240-637152/4	Lab Control Sample	Total/NA	Water	8260D	
240-215598-2 MS	MW-14-MS_112124	Total/NA	Water	8260D	
240-215598-2 MSD	MW-14-MSD_112124	Total/NA	Water	8260D	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215598-1

Client Sample ID: TRIP BLANK_136

Lab Sample ID: 240-215598-1

Date Collected: 11/21/24 00:00

Matrix: Water

Date Received: 11/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637152	LEE	EET CLE	12/02/24 14:05

Client Sample ID: MW-14_112124

Lab Sample ID: 240-215598-2

Date Collected: 11/21/24 13:09

Matrix: Water

Date Received: 11/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637152	LEE	EET CLE	12/02/24 14:25
Total/NA	Analysis	8260D SIM		1	637038	R5XG	EET CLE	11/27/24 22:39

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215598-1

Laboratory: Eurofins Cleveland


All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-25
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-25
West Virginia DEP	State	210	12-31-24

Chain of Custody Record

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact			Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other														TestAmerica Laboratories, Inc.																		
Company Name: Arcadis			Client Project Manager: Kris Hinskey				Site Contact: Christina Weaver				Lab Contact: Mike DelMonico				COC No:																				
Address: 28550 Cabot Drive, Suite 500			Telephone: 248-994-2240				Telephone: 248-994-2240				Telephone: 330-497-9396				1 of 1 COCs																				
City/State/Zip: Novi, MI, 48377			Email: kristoffer.hinskey@arcadis.com				Analysis Turnaround Time	Composite=C / Grab=G	Analyses								For lab use only																		
Phone: 248-994-2240			Sampler Name: Rebecca Costigan				TAT if different from below				Filtered Sample (V/N)	Composite=C / Grab=G	1,1-DCE 8260D cis-1,2-DCE 8260D Trans-1,2-DCE 8260D PCE 8260D TOE 8260D Vinyl Chloride 8260D 1,4-Dioxane 8260D SIM								Walk-in client														
Project Name: Ford LTP			Method of Shipment/Carrier:				10 day														Lab sampling														
Project Number: 30206169.0401.03			Shipping/Tracking No:				1 week														Job/SDG No:														
PO # US3410018772							2 days																												
Sample Identification			Sample Date	Sample Time	Matrix					Containers & Preservatives													Sample Specific Notes / Special Instructions:												
					Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc	NaOH	Unpres	Other:																		
TRIP BLANK_130			---	---	1							1							NG	X	X	X	X	X	X										1 Trip Blank
MW-14-112124			11/21/24	1309	6							6							NG	X	X	X	X	X	X									3 VOAs for 8260D 3 VOAs for 8260D SIM	
MW-14-MS-112124			11/21/24	1309	6							6							NG	X	X	X	X	X	X									RCW MS/MSD	
MW-14-MSD-112124			11/21/24	1309	6							6							NG	X	X	X	X	X	X									RCW MS/MSD	
RC 11/21/24																																			



240-215598 CO

©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design™ are trademarks of TestAmerica Laboratories, Inc.

Eurofins - Cleveland Sample Receipt Form/Narrative Login # _____
 Barbeque Facility

Client ATCO Site Name _____ Cooler unpacked by JC
 Cooler Received on 11-23-24 Opened on 11-23-24

FedEx: 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other _____
 Receipt After-hours Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # EC Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT Wet Ice Blue Ice Dry Ice Water None

1 Cooler temperature upon receipt _____ °C Corrected Cooler Temp: _____ °C
 IR GUN # 21 (CF 0.2) Observed Cooler Temp. _____ °C
 See Multiple Cooler Form

Tests that are not checked for pH by Receiving: _____
 VOA's _____
 Oil and Grease _____
 TOC _____

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ No _____
 -Were the seals on the outside of the cooler(s) signed & dated? Yes Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/Methg)? Yes Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes Yes No NA
 - 3 Shippers' packing slip attached to the cooler(s)? Yes Yes No NA
 - 4 Did custody papers accompany the sample(s)? Yes Yes No NA
 - 5 Were the custody papers relinquished & signed in the appropriate place? Yes Yes No NA
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes Yes No NA
 - 7 Did all bottles arrive in good condition (Unbroken)? Yes Yes No NA
 - 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes Yes No NA
 - 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes Yes No NA
 - 10 Were correct bottle(s) used for the test(s) indicated? Yes Yes No NA
 - 11 Sufficient quantity received to perform indicated analyses? Yes Yes No NA
 12. Are these work share samples and all listed on the COC? Yes Yes No NA
 - If Yes, Questions 13-17 have been checked at the originating laboratory
 - 13 Were all preserved sample(s) at the correct pH upon receipt? Yes Yes No NA pH Strip Lot# HC448976
 - 14 Were VOAs on the COC? Yes Yes No NA
 - 15 Were air bubbles >6 mm in any VOA vials? Yes Yes No NA
 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # NO Yes Yes No NA
 Larger than this.
 - 17 Was a LL Hg or Me Hg trip blank present? Yes Yes No NA
- Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by _____

19. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container
 Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory
 Time preserved. _____ Preservative(s) added/Lot number(s). _____
 VOA Sample Preservation - Date/Time VOAs Frozen. _____

Login # : _____

Eurofins Cleveland Sample Receipt Multiple Cooler Form

Cooler Description (Circle)	IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)
EC Client Box Other	IR GUN #: 21	4.8	5.0	Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #: 1	2.0	2.2	Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None
EC Client Box Other	IR GUN #:			Water Blue Ice Dry Ice Water None

See Temperature Excursion Form

Temperature readings

Client Sample ID	Lab ID	Container Type	Container	Preservation	Preservation
			pH	Temp	Added
					Lot Number
TRRP BLANK_136	240-215598-A-1	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-A-2	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-A-2 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-A-2 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-B-2	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-B-2 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-B-2 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-C-2	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-C-2 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-C-2 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-D-2	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-D-2 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-D-2 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-E-2	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-E-2 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-E-2 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-F-2 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-F-2 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-14_112124	240-215598-G-2	Voa Vial 40ml - Hydrochloric Acid			

DATA VERIFICATION REPORT



December 04, 2024

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil
Project number: 30206169.0401.04_WA-03
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 215598-1
Sample date: 2024-11-21
Report received by CADENA: 2024-12-04
Initial Data Verification completed by CADENA: 2024-12-04
Number of Samples:2
Sample Matrices:Water
Test Categories:GCMS VOC
Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 215598-1

Sample Name: TRIP BLANK_136	MW-14_112124
Lab Sample ID: 2402155981	2402155982
Sample Date: 11/21/2024	11/21/2024

Analyte	Cas No.	Report		Valid		Report		Valid		
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	
GC/MS VOC										
<u>OSW-8260D</u>										
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	
<u>OSW-8260DSIM</u>										
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	