

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Ms. Megan Meckley  
Arcadis US Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 12/9/2024 7:55:32 AM

## JOB DESCRIPTION

Ford LTP

## JOB NUMBER

240-215601-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
12/9/2024 7:55:32 AM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	13
QC Sample Results . . . . .	14
QC Association Summary . . . . .	19
Lab Chronicle . . . . .	20
Certification Summary . . . . .	21
Chain of Custody . . . . .	22

# Definitions/Glossary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
H	Sample was prepped or analyzed beyond the specified holding time. This does not meet regulatory requirements.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Arcadis US Inc.  
Project: Ford LTP

Job ID: 240-215601-1

**Job ID: 240-215601-1**

**Eurofins Cleveland**

## Job Narrative 240-215601-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 11/23/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.2°C and 5.0°C.

### GC/MS VOA

Method 8260D: The continuing calibration verification (CCV) associated with batch 240-637621 recovered above the upper control limit for Vinyl chloride. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: MW-221S\_112124 (240-215601-3) and MW-120\_112124 (240-215601-4).

Method 8260D: No MS/MSD reported with tune as sample analysis resulted in internal standard failure which requires re analysis of the sample.

Method 8260D: The following sample(s) was analyzed outside of analytical holding time due to instrument issues that caused the surrogates to not meet requirements and therefore need re analyzed outside of holding time

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

# Method Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Sample Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-215601-1	TRIP BLANK_73	Water	11/21/24 00:00	11/23/24 08:00
240-215601-2	MW-39_112124	Water	11/21/24 10:45	11/23/24 08:00
240-215601-3	MW-221S_112124	Water	11/21/24 14:27	11/23/24 08:00
240-215601-4	MW-120_112124	Water	11/21/24 16:15	11/23/24 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

## Client Sample ID: TRIP BLANK\_73

Lab Sample ID: 240-215601-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Trichloroethene	0.46	J	1.0	0.44	ug/L	1			8260D	Total/NA

## Client Sample ID: MW-39\_112124

Lab Sample ID: 240-215601-2

No Detections.

## Client Sample ID: MW-221S\_112124

Lab Sample ID: 240-215601-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
1,4-Dioxane	2.5		2.0	0.86	ug/L	1			8260D SIM	Total/NA
cis-1,2-Dichloroethene	1.6		1.0	0.46	ug/L	1			8260D	Total/NA

## Client Sample ID: MW-120\_112124

Lab Sample ID: 240-215601-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Trichloroethene	3.6	H	1.0	0.44	ug/L	1			8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

**Client Sample ID: TRIP BLANK\_73**

**Lab Sample ID: 240-215601-1**

Date Collected: 11/21/24 00:00

Matrix: Water

Date Received: 11/23/24 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/01/24 17:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/01/24 17:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 17:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/01/24 17:38	1
<b>Trichloroethene</b>	<b>0.46</b>	<b>J</b>	1.0	0.44	ug/L			12/01/24 17:38	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/01/24 17:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		62 - 137		12/01/24 17:38	1
4-Bromofluorobenzene (Surr)	80		56 - 136		12/01/24 17:38	1
Toluene-d8 (Surr)	92		78 - 122		12/01/24 17:38	1
Dibromofluoromethane (Surr)	106		73 - 120		12/01/24 17:38	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

**Client Sample ID: MW-39\_112124**

**Lab Sample ID: 240-215601-2**

Date Collected: 11/21/24 10:45

Matrix: Water

Date Received: 11/23/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/02/24 21:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		68 - 127					12/02/24 21:08	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/01/24 17:58	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/01/24 17:58	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 17:58	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/01/24 17:58	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 17:58	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/01/24 17:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		62 - 137					12/01/24 17:58	1
4-Bromofluorobenzene (Surr)	75		56 - 136					12/01/24 17:58	1
Toluene-d8 (Surr)	88		78 - 122					12/01/24 17:58	1
Dibromofluoromethane (Surr)	100		73 - 120					12/01/24 17:58	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

**Client Sample ID: MW-221S\_112124**

**Lab Sample ID: 240-215601-3**

Date Collected: 11/21/24 14:27

Matrix: Water

Date Received: 11/23/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.5		2.0	0.86	ug/L			12/02/24 19:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		68 - 127					12/02/24 19:57	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/04/24 18:28	1
cis-1,2-Dichloroethene	1.6		1.0	0.46	ug/L			12/04/24 18:28	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 18:28	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/04/24 18:28	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 18:28	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/04/24 18:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		62 - 137					12/04/24 18:28	1
4-Bromofluorobenzene (Surr)	77		56 - 136					12/04/24 18:28	1
Toluene-d8 (Surr)	95		78 - 122					12/04/24 18:28	1
Dibromofluoromethane (Surr)	101		73 - 120					12/04/24 18:28	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

**Client Sample ID: MW-120\_112124**

**Lab Sample ID: 240-215601-4**

Date Collected: 11/21/24 16:15

Matrix: Water

Date Received: 11/23/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/02/24 20:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		68 - 127					12/02/24 20:20	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U H	1.0	0.49	ug/L			12/06/24 11:57	1
cis-1,2-Dichloroethene	1.0	U H	1.0	0.46	ug/L			12/06/24 11:57	1
Tetrachloroethene	1.0	U H	1.0	0.44	ug/L			12/06/24 11:57	1
trans-1,2-Dichloroethene	1.0	U H	1.0	0.51	ug/L			12/06/24 11:57	1
<b>Trichloroethene</b>	<b>3.6</b>	<b>H</b>	1.0	0.44	ug/L			12/06/24 11:57	1
Vinyl chloride	1.0	U H	1.0	0.45	ug/L			12/06/24 11:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		62 - 137					12/06/24 11:57	1
4-Bromofluorobenzene (Surr)	74		56 - 136					12/06/24 11:57	1
Toluene-d8 (Surr)	93		78 - 122					12/06/24 11:57	1
Dibromofluoromethane (Surr)	105		73 - 120					12/06/24 11:57	1

# Surrogate Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-215601-1	TRIP BLANK_73	112	80	92	106
240-215601-2	MW-39_112124	110	75	88	100
240-215601-2 MS	MW-39-MS_112124	105	96	95	97
240-215601-2 MSD	MW-39-MSD_112124	99	83	90	93
240-215601-3	MW-221S_112124	115	77	95	101
240-215601-4	MW-120_112124	111	74	93	105
240-215868-B-1 MS	Matrix Spike	96	89	90	93
240-215868-B-1 MSD	Matrix Spike Duplicate	93	87	91	91
LCS 240-637115/4	Lab Control Sample	108	94	97	102
LCS 240-637621/5	Lab Control Sample	97	88	95	90
LCS 240-637825/7	Lab Control Sample	93	90	97	92
MB 240-637115/7	Method Blank	121	89	101	110
MB 240-637621/10	Method Blank	106	78	94	93
MB 240-637825/12	Method Blank	109	78	92	99

**Surrogate Legend**

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (68-127)
240-215601-2	MW-39_112124	112
240-215601-2 MS	MW-39-MS_112124	111
240-215601-2 MSD	MW-39-MSD_112124	107
240-215601-3	MW-221S_112124	113
240-215601-4	MW-120_112124	113
LCS 240-637230/5	Lab Control Sample	111
MB 240-637230/7	Method Blank	107

**Surrogate Legend**

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-637115/7

Matrix: Water

Analysis Batch: 637115

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/01/24 13:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/01/24 13:18	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 13:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/01/24 13:18	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 13:18	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/01/24 13:18	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	121		62 - 137		12/01/24 13:18	1
4-Bromofluorobenzene (Surr)	89		56 - 136		12/01/24 13:18	1
Toluene-d8 (Surr)	101		78 - 122		12/01/24 13:18	1
Dibromofluoromethane (Surr)	110		73 - 120		12/01/24 13:18	1

Lab Sample ID: LCS 240-637115/4

Matrix: Water

Analysis Batch: 637115

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	28.3		ug/L		113	63 - 134
cis-1,2-Dichloroethene	25.0	26.6		ug/L		106	77 - 123
Tetrachloroethene	25.0	27.2		ug/L		109	76 - 123
trans-1,2-Dichloroethene	25.0	28.7		ug/L		115	75 - 124
Trichloroethene	25.0	25.4		ug/L		102	70 - 122
Vinyl chloride	12.5	12.4		ug/L		99	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	108		62 - 137
4-Bromofluorobenzene (Surr)	94		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Lab Sample ID: 240-215601-2 MS

Matrix: Water

Analysis Batch: 637115

Client Sample ID: MW-39-MS\_112124

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	25.0	24.9		ug/L		100	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	23.7		ug/L		95	66 - 128
Tetrachloroethene	1.0	U	25.0	24.2		ug/L		97	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	25.0		ug/L		100	56 - 136
Trichloroethene	1.0	U	25.0	23.3		ug/L		93	61 - 124
Vinyl chloride	1.0	U	12.5	11.4		ug/L		91	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	105		62 - 137
4-Bromofluorobenzene (Surr)	96		56 - 136
Toluene-d8 (Surr)	95		78 - 122

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 240-215601-2 MS**  
**Matrix: Water**  
**Analysis Batch: 637115**

**Client Sample ID: MW-39-MS\_112124**  
**Prep Type: Total/NA**

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	97		73 - 120

**Lab Sample ID: 240-215601-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 637115**

**Client Sample ID: MW-39-MSD\_112124**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
1,1-Dichloroethene	1.0	U	25.0	27.8		ug/L		111	56 - 135	11	26
cis-1,2-Dichloroethene	1.0	U	25.0	25.3		ug/L		101	66 - 128	7	14
Tetrachloroethene	1.0	U	25.0	26.2		ug/L		105	62 - 131	8	20
trans-1,2-Dichloroethene	1.0	U	25.0	26.6		ug/L		106	56 - 136	6	15
Trichloroethene	1.0	U	25.0	24.8		ug/L		99	61 - 124	6	15
Vinyl chloride	1.0	U	12.5	11.3		ug/L		90	43 - 157	0	24

  

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	83		56 - 136
Toluene-d8 (Surr)	90		78 - 122
Dibromofluoromethane (Surr)	93		73 - 120

**Lab Sample ID: MB 240-637621/10**  
**Matrix: Water**  
**Analysis Batch: 637621**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/04/24 16:12	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/04/24 16:12	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 16:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/04/24 16:12	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 16:12	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/04/24 16:12	1

  

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	106		62 - 137		12/04/24 16:12	1
4-Bromofluorobenzene (Surr)	78		56 - 136		12/04/24 16:12	1
Toluene-d8 (Surr)	94		78 - 122		12/04/24 16:12	1
Dibromofluoromethane (Surr)	93		73 - 120		12/04/24 16:12	1

**Lab Sample ID: LCS 240-637621/5**  
**Matrix: Water**  
**Analysis Batch: 637621**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
1,1-Dichloroethene	25.0	26.4		ug/L		106	63 - 134
cis-1,2-Dichloroethene	25.0	24.6		ug/L		98	77 - 123
Tetrachloroethene	25.0	28.2		ug/L		113	76 - 123
trans-1,2-Dichloroethene	25.0	25.5		ug/L		102	75 - 124
Trichloroethene	25.0	24.8		ug/L		99	70 - 122

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-637621/5

Matrix: Water

Analysis Batch: 637621

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	12.5	16.1		ug/L		129	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	88		56 - 136
Toluene-d8 (Surr)	95		78 - 122
Dibromofluoromethane (Surr)	90		73 - 120

Lab Sample ID: MB 240-637825/12

Matrix: Water

Analysis Batch: 637825

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/06/24 10:59	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/06/24 10:59	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/06/24 10:59	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/06/24 10:59	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/06/24 10:59	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/06/24 10:59	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		62 - 137		12/06/24 10:59	1
4-Bromofluorobenzene (Surr)	78		56 - 136		12/06/24 10:59	1
Toluene-d8 (Surr)	92		78 - 122		12/06/24 10:59	1
Dibromofluoromethane (Surr)	99		73 - 120		12/06/24 10:59	1

Lab Sample ID: LCS 240-637825/7

Matrix: Water

Analysis Batch: 637825

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	25.5		ug/L		102	63 - 134
cis-1,2-Dichloroethene	25.0	24.7		ug/L		99	77 - 123
Tetrachloroethene	25.0	29.9		ug/L		120	76 - 123
trans-1,2-Dichloroethene	25.0	25.2		ug/L		101	75 - 124
Trichloroethene	25.0	23.6		ug/L		94	70 - 122
Vinyl chloride	12.5	12.2		ug/L		98	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		62 - 137
4-Bromofluorobenzene (Surr)	90		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	92		73 - 120



# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-215868-B-1 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637825

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Trichloroethene	520		500	939		ug/L		83	61 - 124
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>						
1,2-Dichloroethane-d4 (Surr)	96		62 - 137						
4-Bromofluorobenzene (Surr)	89		56 - 136						
Toluene-d8 (Surr)	90		78 - 122						
Dibromofluoromethane (Surr)	93		73 - 120						

Lab Sample ID: 240-215868-B-1 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637825

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Trichloroethene	520		500	878		ug/L		71	61 - 124	7	15
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>								
1,2-Dichloroethane-d4 (Surr)	93		62 - 137								
4-Bromofluorobenzene (Surr)	87		56 - 136								
Toluene-d8 (Surr)	91		78 - 122								
Dibromofluoromethane (Surr)	91		73 - 120								

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-637230/7

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637230

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/02/24 14:29	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	107		68 - 127					12/02/24 14:29	1

Lab Sample ID: LCS 240-637230/5

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637230

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.80		ug/L		88	75 - 121
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				
1,2-Dichloroethane-d4 (Surr)	111		68 - 127				

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-215601-2 MS

Matrix: Water

Analysis Batch: 637230

Client Sample ID: MW-39-MS\_112124

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	
1,4-Dioxane	2.0	U	10.0	8.96		ug/L		90	20 - 180	
<b>Surrogate</b>	<b>%Recovery</b>	<b>MS Qualifier</b>	<b>MS Limits</b>							
1,2-Dichloroethane-d4 (Surr)	111		68 - 127							

Lab Sample ID: 240-215601-2 MSD

Matrix: Water

Analysis Batch: 637230

Client Sample ID: MW-39-MSD\_112124

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	7.84		ug/L		78	20 - 180	13	20
<b>Surrogate</b>	<b>%Recovery</b>	<b>MSD Qualifier</b>	<b>MSD Limits</b>								
1,2-Dichloroethane-d4 (Surr)	107		68 - 127								

# QC Association Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

## GC/MS VOA

### Analysis Batch: 637115

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215601-1	TRIP BLANK_73	Total/NA	Water	8260D	
240-215601-2	MW-39_112124	Total/NA	Water	8260D	
MB 240-637115/7	Method Blank	Total/NA	Water	8260D	
LCS 240-637115/4	Lab Control Sample	Total/NA	Water	8260D	
240-215601-2 MS	MW-39-MS_112124	Total/NA	Water	8260D	
240-215601-2 MSD	MW-39-MSD_112124	Total/NA	Water	8260D	

### Analysis Batch: 637230

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215601-2	MW-39_112124	Total/NA	Water	8260D SIM	
240-215601-3	MW-221S_112124	Total/NA	Water	8260D SIM	
240-215601-4	MW-120_112124	Total/NA	Water	8260D SIM	
MB 240-637230/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-637230/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-215601-2 MS	MW-39-MS_112124	Total/NA	Water	8260D SIM	
240-215601-2 MSD	MW-39-MSD_112124	Total/NA	Water	8260D SIM	

### Analysis Batch: 637621

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215601-3	MW-221S_112124	Total/NA	Water	8260D	
MB 240-637621/10	Method Blank	Total/NA	Water	8260D	
LCS 240-637621/5	Lab Control Sample	Total/NA	Water	8260D	

### Analysis Batch: 637825

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215601-4	MW-120_112124	Total/NA	Water	8260D	
MB 240-637825/12	Method Blank	Total/NA	Water	8260D	
LCS 240-637825/7	Lab Control Sample	Total/NA	Water	8260D	
240-215868-B-1 MS	Matrix Spike	Total/NA	Water	8260D	
240-215868-B-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

# Lab Chronicle

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

## Client Sample ID: TRIP BLANK\_73

Lab Sample ID: 240-215601-1

Date Collected: 11/21/24 00:00

Matrix: Water

Date Received: 11/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637115	LEE	EET CLE	12/01/24 17:38

## Client Sample ID: MW-39\_112124

Lab Sample ID: 240-215601-2

Date Collected: 11/21/24 10:45

Matrix: Water

Date Received: 11/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637115	LEE	EET CLE	12/01/24 17:58
Total/NA	Analysis	8260D SIM		1	637230	R5XG	EET CLE	12/02/24 21:08

## Client Sample ID: MW-221S\_112124

Lab Sample ID: 240-215601-3

Date Collected: 11/21/24 14:27

Matrix: Water

Date Received: 11/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637621	MS	EET CLE	12/04/24 18:28
Total/NA	Analysis	8260D SIM		1	637230	R5XG	EET CLE	12/02/24 19:57

## Client Sample ID: MW-120\_112124

Lab Sample ID: 240-215601-4

Date Collected: 11/21/24 16:15

Matrix: Water

Date Received: 11/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637825	MS	EET CLE	12/06/24 11:57
Total/NA	Analysis	8260D SIM		1	637230	R5XG	EET CLE	12/02/24 20:20

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# Accreditation/Certification Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215601-1

## Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-25
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-25
West Virginia DEP	State	210	12-31-24

Chain of Custody Record

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact				Regulatory program: DW NPDES RCRA Other																TestAmerica Laboratories, Inc.				
Company Name: Arcadis				Client Project Manager: Kris Hinskey				Site Contact: Christina Weaver				Lab Contact: Mike DelMonico				COC No:								
Address: 28550 Cabot Drive, Suite 500				Telephone: 248-994-2240				Telephone: 248-994-2240				Telephone: 330-497-9396				1 of 1 COCs								
City/State/Zip: Novi, MI, 48377				Email: kristoffer.hinskey@arcadis.com				Analysis Turnaround Time				Analyses				For lab use only								
Phone: 248-994-2240				Sampler Name: Meghan Lee				TAT at different from below				10 day				Walk-in client								
Project Name: Ford LTP				Method of Shipment/Carrier:				1 week				2 days				Lab sampling								
Project Number: 30206169.0401.03				Shipping/Tracking No:				2 days				1 day				Job/SDG No:								
PO # US3410018772																								
Sample Identification			Sample Date	Sample Time	Matrix					Containers & Preservatives					Filtered Sample (Y/N)					Sample Specific Notes / Special Instructions:				
					Air	Aqueous	Soil/sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Unpres	Other:	Composite-C / Grab-G	1,1-DCE 8260D	cis-1,2-DCE 8260D		Trans-1,2-DCE 8260D	PCE 8260D	TCE 8260D	Vinyl Chloride 8260D
TRIP BLANK_73			---	---	1					1					NG X X X X X X					1 Trip Blank				
MW-39-112124			11/21/24	1045	Q					Q					NG X X X X X X					3 VOAs for 8260D 3 VOAs for 8260D SIM				
MW-39-M9-112124			11/21/24	1045	Q					Q					NG Y X X X X X					Run MS/MSD				
MW-39-M9D-112124			11/21/24	1045	Q					Q					NG X X X X X X					Run MS/MSD				
<del>MW-2215-112124</del>			<del>11/21/24</del>	<del>1045</del>	<del>MNL</del>					<del></del>					<del></del>					<del>MNL 11/21/24</del>				
MW-2215-112124			11/21/24	1427	Q					Q					NG X X X X X X									
MW-120-112124			11/21/24	1015	Q					Q					NG X X X X X X									
															MNL 11/21/24									



Possible Hazard Identification:  Non-Hazard  flammable  skin Irritant  Poison B  Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month):  Return to Client  Disposal By Lab  Archive For: \_\_\_\_\_ Months

Special Instructions/QC Requirements & Comments: onsite

Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728  
Level IV Reporting requested.

Relinquished by: <i>Meghan Lee Megan Lee</i>	Company: <i>Arcadis</i>	Date/Time: <i>11/21/24 1750</i>	Received by: <i>Novi Cold Storage</i>	Company: <i>Arcadis</i>	Date/Time: <i>11/21/24 1750</i>
Relinquished by: <i>John Owens</i>	Company: <i>ARCADIS</i>	Date/Time: <i>11/22/24 1428</i>	Received by: <i>John Owens</i>	Company: <i>EETA</i>	Date/Time: <i>11/22/24 1420</i>
Relinquished by: <i>John Owens</i>	Company: <i>EETA</i>	Date/Time: <i>11/22/24 1430</i>	Received in Laboratory by: <i>J Collins</i>	Company: <i>EETA</i>	Date/Time: <i>11/23/24 800</i>

©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.



**Eurofins Cleveland Sample Receipt Form/Narrative**  
**Barberton Facility**

Login # \_\_\_\_\_

Client ATCUBS

Site Name \_\_\_\_\_

Cooler unpacked by: JC

Cooler Received on 11-23-24

Opened on 11-23-24

FedEx: 1<sup>st</sup> Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other \_\_\_\_\_

Receipt After-hours Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

Eurofins Cooler # EC ~~Seams-Box~~ Client Cooler Box Other \_\_\_\_\_

Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_

COOLANT Wet Top Blue Ice Dry Ice Water None \_\_\_\_\_

1 Cooler temperature upon receipt \_\_\_\_\_ °C

IR GUN # 21 (CF 0.2 °C) Observed Cooler Temp. \_\_\_\_\_ °C Corrected Cooler Temp. \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity \_\_\_\_\_ Yes No NA

-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA

-Were tamper/custody seals on the bottle(s) or bottle kits (LIHg/MeHg)? Yes No NA

-Were tamper/custody seals intact and uncompromised? Yes No NA

3 Shippers' packing slip attached to the cooler(s)? Yes No

4 Did custody papers accompany the sample(s)? Yes No

5 Were the custody papers relinquished & signed in the appropriate place? Yes No

6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes No

7 Did all bottles arrive in good condition (Unbroken)? Yes No

8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No

9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No

10 Were correct bottle(s) used for the test(s) indicated? Yes No

11 Sufficient quantity received to perform indicated analyses? Yes No

12. Are these work share samples and all listed on the COC? Yes No

If yes, Questions 13-17 have been checked at the originating laboratory

13 Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strp Lot# HC448976

14 Were VOAs on the COC? Yes No NA

15 Were air bubbles >6 mm in any VOA vials?  Larger than this. Yes No NA

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # NA Yes No

17 Was a LI. Hg or Me Hg trip blank present? Yes No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_

Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page Samples processed by: \_\_\_\_\_

**19. SAMPLE CONDITION**

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.

Sample(s) \_\_\_\_\_ were received in a broken container

Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter (Notify PM)

**20. SAMPLE PRESERVATION**

Sample(s) \_\_\_\_\_ were further preserved in the laboratory

Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen. \_\_\_\_\_

Tests that are not checked for pH by Receiving: VOAs Oil and Grease TOC

Login #: \_\_\_\_\_

**Eurofins - Cleveland Sample Receipt Multiple Cooler Form**

**Cooler Description (Circle)**

**IR Gun # (Circle)**

**Observed Temp °C**

**Corrected Temp °C**

**Coolant (Circle)**

Cooler Description (Circle)	IR Gun # (Circle)	Observed Temp °C	Corrected Temp °C	Coolant (Circle)
EC Client Box Other	IR GUN #: 21	4.8	5.0	<del>Water</del> Blue Ice Dry Ice
EC Client Box Other	IR GUN #: 1	2.0	2.2	<del>Water</del> Blue Ice Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice
EC Client Box Other	IR GUN #: _____			Water None Dry Ice

See Temperature Excursion Form



Temperature readings:

Client Sample ID	Lab ID	Container Type	Container pH	Preservation Temp	Preservation Added	Preservation Lot Number
TRIP BLANK_73	240-215601-A-1	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-A-2	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-A-2 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-A-2 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-B-2	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-B-2 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-B-2 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-C-2	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-C-2 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-C-2 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-D-2	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-D-2 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-D-2 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-E-2	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-E-2 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-E-2 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-F-2 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-F-2 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-39_112124	240-215601-G-2	Voa Vial 40ml - Hydrochloric Acid				
MW-221S_112124	240-215601-A-3	Voa Vial 40ml - Hydrochloric Acid				
MW-221S_112124	240-215601-B-3	Voa Vial 40ml - Hydrochloric Acid				
MW-221S_112124	240-215601-C-3	Voa Vial 40ml - Hydrochloric Acid				
MW-221S_112124	240-215601-D-3	Voa Vial 40ml - Hydrochloric Acid				
MW-221S_112124	240-215601-E-3	Voa Vial 40ml - Hydrochloric Acid				
MW-221S_112124	240-215601-F-3	Voa Vial 40ml - Hydrochloric Acid				
MW-120_112124	240-215601-A-4	Voa Vial 40ml - Hydrochloric Acid				
MW-120_112124	240-215601-B-4	Voa Vial 40ml - Hydrochloric Acid				
MW-120_112124	240-215601-C-4	Voa Vial 40ml - Hydrochloric Acid				
MW-120_112124	240-215601-D-4	Voa Vial 40ml - Hydrochloric Acid				
MW-120_112124	240-215601-E-4	Voa Vial 40ml - Hydrochloric Acid				
MW-120_112124	240-215601-F-4	Voa Vial 40ml - Hydrochloric Acid				

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample ID

Lab ID

Container Type

Container   Preservation   Preservation  
pH   Temp   Added   Lot Number

# DATA VERIFICATION REPORT



December 09, 2024

Megan Meckley  
Arcadis  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil

Project number: 30206169.0401.04\_WA-03

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 215601-1

Sample date: 2024-11-21

Report received by CADENA: 2024-12-09

Initial Data Verification completed by CADENA: 2024-12-02

Number of Samples:4

Sample Matrices:Water

Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

The following minor QC exceptions or missing information were noted:

HTQ - GCMS VOC sample -004 analyses were performed outside of reference holding time so all associated results should be considered to be estimated and qualified with J flags if detected and UJ flags if non-detect.

GCMS VOC TRIP blank had a detection below the RL for the following analyte: TRICHLOROETHENE. Qualification of client sample results was not required based on this TRIP blank detection.

GCMS VOC QC batch CCV response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Qualified Results Summary

**CADENA Project ID:** E203728

**Laboratory:** Eurofins Environment Testing LLC - Cleveland

**Laboratory Submittal:** 215601-1

**Sample Name:** MW-120\_112124

**Lab Sample ID:** 2402156014

**Sample Date:** 11/21/2024

Analyte	Cas No.	Report		Valid		
		Result	Limit	Units	Qualifier	
<b>GC/MS VOC</b>						
<u>OSW-8260D</u>						
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	UJ	
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	UJ	
Tetrachloroethene	127-18-4	ND	1.0	ug/l	UJ	
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	UJ	
Trichloroethene	79-01-6	3.6	1.0	ug/l	J	
Vinyl chloride	75-01-4	ND	1.0	ug/l	UJ	

# Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 215601-1

<b>Sample Name:</b>	TRIP BLANK_73	MW-39_112124	MW-221S_112124	MW-120_112124
<b>Lab Sample ID:</b>	2402156011	2402156012	2402156013	2402156014
<b>Sample Date:</b>	11/21/2024	11/21/2024	11/21/2024	11/21/2024

Analyte	Cas No.	TRIP BLANK_73				MW-39_112124				MW-221S_112124				MW-120_112124			
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier

**GC/MS VOC**

OSW-8260D

1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	UJ
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	1.6	1.0	ug/l	---	ND	1.0	ug/l	UJ
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	UJ
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	UJ
Trichloroethene	79-01-6	0.46	1.0	ug/l	J	ND	1.0	ug/l	---	ND	1.0	ug/l	---	3.6	1.0	ug/l	J
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	UJ

OSW-8260DSIM

1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	2.5	2.0	ug/l	---	ND	2.0	ug/l	---
-------------	----------	--	--	--	--	----	-----	------	-----	-----	-----	------	-----	----	-----	------	-----