

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 12/9/2024 7:56:27 AM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-215602-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
12/9/2024 7:56:27 AM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	20
Lab Chronicle	21
Certification Summary	22
Chain of Custody	23

Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis US Inc.
Project: Ford LTP

Job ID: 240-215602-1

Job ID: 240-215602-1

Eurofins Cleveland

Job Narrative 240-215602-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 11/23/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.2°C and 5.0°C.

GC/MS VOA

Method 8260D: The continuing calibration verification (CCV) associated with batch 240-637621 recovered above the upper control limit for Vinyl chloride. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated sample is impacted: MW-15-59D_112124 (240-215602-2).

Method 8260D: No MS/MSD reported with tune as sample analysis resulted in internal standard failure which requires re analysis of the sample.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-215602-1	TRIP BLANK_105	Water	11/21/24 00:00	11/23/24 08:00
240-215602-2	MW-15-59D_112124	Water	11/21/24 10:45	11/23/24 08:00
240-215602-3	MW-15-60D_112124	Water	11/21/24 12:30	11/23/24 08:00
240-215602-4	MW-15-61D_112124	Water	11/21/24 15:35	11/23/24 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Client Sample ID: TRIP BLANK_105

Lab Sample ID: 240-215602-1

No Detections.

Client Sample ID: MW-15-59D_112124

Lab Sample ID: 240-215602-2

No Detections.

Client Sample ID: MW-15-60D_112124

Lab Sample ID: 240-215602-3

No Detections.

Client Sample ID: MW-15-61D_112124

Lab Sample ID: 240-215602-4

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Client Sample ID: TRIP BLANK_105

Lab Sample ID: 240-215602-1

Date Collected: 11/21/24 00:00

Matrix: Water

Date Received: 11/23/24 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/01/24 18:58	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/01/24 18:58	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 18:58	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/01/24 18:58	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 18:58	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/01/24 18:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	121		62 - 137		12/01/24 18:58	1
4-Bromofluorobenzene (Surr)	93		56 - 136		12/01/24 18:58	1
Toluene-d8 (Surr)	104		78 - 122		12/01/24 18:58	1
Dibromofluoromethane (Surr)	114		73 - 120		12/01/24 18:58	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Client Sample ID: MW-15-59D_112124

Lab Sample ID: 240-215602-2

Date Collected: 11/21/24 10:45

Matrix: Water

Date Received: 11/23/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/02/24 20:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		68 - 127					12/02/24 20:44	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/04/24 18:09	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/04/24 18:09	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 18:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/04/24 18:09	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 18:09	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/04/24 18:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		62 - 137					12/04/24 18:09	1
4-Bromofluorobenzene (Surr)	78		56 - 136					12/04/24 18:09	1
Toluene-d8 (Surr)	93		78 - 122					12/04/24 18:09	1
Dibromofluoromethane (Surr)	99		73 - 120					12/04/24 18:09	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Client Sample ID: MW-15-60D_112124

Lab Sample ID: 240-215602-3

Date Collected: 11/21/24 12:30

Matrix: Water

Date Received: 11/23/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/03/24 18:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		68 - 127					12/03/24 18:51	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/01/24 19:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/01/24 19:18	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 19:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/01/24 19:18	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 19:18	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/01/24 19:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		62 - 137					12/01/24 19:18	1
4-Bromofluorobenzene (Surr)	78		56 - 136					12/01/24 19:18	1
Toluene-d8 (Surr)	90		78 - 122					12/01/24 19:18	1
Dibromofluoromethane (Surr)	98		73 - 120					12/01/24 19:18	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Client Sample ID: MW-15-61D_112124

Lab Sample ID: 240-215602-4

Date Collected: 11/21/24 15:35

Matrix: Water

Date Received: 11/23/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/03/24 14:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		68 - 127					12/03/24 14:09	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/05/24 15:05	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/05/24 15:05	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/05/24 15:05	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/05/24 15:05	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/05/24 15:05	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/05/24 15:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		62 - 137					12/05/24 15:05	1
4-Bromofluorobenzene (Surr)	78		56 - 136					12/05/24 15:05	1
Toluene-d8 (Surr)	93		78 - 122					12/05/24 15:05	1
Dibromofluoromethane (Surr)	98		73 - 120					12/05/24 15:05	1

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-215602-1	TRIP BLANK_105	121	93	104	114
240-215602-2	MW-15-59D_112124	114	78	93	99
240-215602-3	MW-15-60D_112124	110	78	90	98
240-215602-3 MS	MW-15-60D-MS_112124	100	83	92	93
240-215602-3 MSD	MW-15-60D-MSD_112124	110	97	100	103
240-215602-4	MW-15-61D_112124	111	78	93	98
240-215663-E-2 MS	Matrix Spike	99	89	92	92
240-215663-E-2 MSD	Matrix Spike Duplicate	94	89	90	90
LCS 240-637115/4	Lab Control Sample	108	94	97	102
LCS 240-637621/5	Lab Control Sample	97	88	95	90
LCS 240-637744/5	Lab Control Sample	93	89	99	91
MB 240-637115/7	Method Blank	121	89	101	110
MB 240-637621/10	Method Blank	106	78	94	93
MB 240-637744/10	Method Blank	104	76	95	94

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (68-127)
240-215601-B-2 MS	Matrix Spike	111
240-215601-B-2 MSD	Matrix Spike Duplicate	107
240-215602-2	MW-15-59D_112124	98
240-215602-3	MW-15-60D_112124	106
240-215602-3 MS	MW-15-60D-MS_112124	105
240-215602-3 MSD	MW-15-60D-MSD_112124	107
240-215602-4	MW-15-61D_112124	104
LCS 240-637230/5	Lab Control Sample	111
LCS 240-637398/5	Lab Control Sample	104
MB 240-637230/7	Method Blank	107
MB 240-637398/7	Method Blank	108

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-637115/7

Matrix: Water

Analysis Batch: 637115

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/01/24 13:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/01/24 13:18	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 13:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/01/24 13:18	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 13:18	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/01/24 13:18	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	121		62 - 137		12/01/24 13:18	1
4-Bromofluorobenzene (Surr)	89		56 - 136		12/01/24 13:18	1
Toluene-d8 (Surr)	101		78 - 122		12/01/24 13:18	1
Dibromofluoromethane (Surr)	110		73 - 120		12/01/24 13:18	1

Lab Sample ID: LCS 240-637115/4

Matrix: Water

Analysis Batch: 637115

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	28.3		ug/L		113	63 - 134
cis-1,2-Dichloroethene	25.0	26.6		ug/L		106	77 - 123
Tetrachloroethene	25.0	27.2		ug/L		109	76 - 123
trans-1,2-Dichloroethene	25.0	28.7		ug/L		115	75 - 124
Trichloroethene	25.0	25.4		ug/L		102	70 - 122
Vinyl chloride	12.5	12.4		ug/L		99	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	108		62 - 137
4-Bromofluorobenzene (Surr)	94		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Lab Sample ID: 240-215602-3 MS

Matrix: Water

Analysis Batch: 637115

Client Sample ID: MW-15-60D-MS_112124

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	25.0	27.7		ug/L		111	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	25.7		ug/L		103	66 - 128
Tetrachloroethene	1.0	U	25.0	25.0		ug/L		100	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	27.0		ug/L		108	56 - 136
Trichloroethene	1.0	U	25.0	24.2		ug/L		97	61 - 124
Vinyl chloride	1.0	U	12.5	11.6		ug/L		93	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	100		62 - 137
4-Bromofluorobenzene (Surr)	83		56 - 136
Toluene-d8 (Surr)	92		78 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-215602-3 MS

Matrix: Water

Analysis Batch: 637115

Client Sample ID: MW-15-60D-MS_112124

Prep Type: Total/NA

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	93		73 - 120

Lab Sample ID: 240-215602-3 MSD

Matrix: Water

Analysis Batch: 637115

Client Sample ID: MW-15-60D-MSD_112124

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
1,1-Dichloroethene	1.0	U	25.0	28.5		ug/L		114	56 - 135	3	26
cis-1,2-Dichloroethene	1.0	U	25.0	26.7		ug/L		107	66 - 128	4	14
Tetrachloroethene	1.0	U	25.0	26.3		ug/L		105	62 - 131	5	20
trans-1,2-Dichloroethene	1.0	U	25.0	27.4		ug/L		110	56 - 136	2	15
Trichloroethene	1.0	U	25.0	25.3		ug/L		101	61 - 124	4	15
Vinyl chloride	1.0	U	12.5	12.7		ug/L		102	43 - 157	9	24

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	110		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	103		73 - 120

Lab Sample ID: MB 240-637621/10

Matrix: Water

Analysis Batch: 637621

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/04/24 16:12	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/04/24 16:12	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 16:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/04/24 16:12	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 16:12	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/04/24 16:12	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	106		62 - 137		12/04/24 16:12	1
4-Bromofluorobenzene (Surr)	78		56 - 136		12/04/24 16:12	1
Toluene-d8 (Surr)	94		78 - 122		12/04/24 16:12	1
Dibromofluoromethane (Surr)	93		73 - 120		12/04/24 16:12	1

Lab Sample ID: LCS 240-637621/5

Matrix: Water

Analysis Batch: 637621

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
1,1-Dichloroethene	25.0	26.4		ug/L		106	63 - 134
cis-1,2-Dichloroethene	25.0	24.6		ug/L		98	77 - 123
Tetrachloroethene	25.0	28.2		ug/L		113	76 - 123
trans-1,2-Dichloroethene	25.0	25.5		ug/L		102	75 - 124
Trichloroethene	25.0	24.8		ug/L		99	70 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-637621/5

Matrix: Water

Analysis Batch: 637621

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	12.5	16.1		ug/L		129	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	88		56 - 136
Toluene-d8 (Surr)	95		78 - 122
Dibromofluoromethane (Surr)	90		73 - 120

Lab Sample ID: MB 240-637744/10

Matrix: Water

Analysis Batch: 637744

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/05/24 14:07	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/05/24 14:07	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/05/24 14:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/05/24 14:07	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/05/24 14:07	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/05/24 14:07	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		62 - 137		12/05/24 14:07	1
4-Bromofluorobenzene (Surr)	76		56 - 136		12/05/24 14:07	1
Toluene-d8 (Surr)	95		78 - 122		12/05/24 14:07	1
Dibromofluoromethane (Surr)	94		73 - 120		12/05/24 14:07	1

Lab Sample ID: LCS 240-637744/5

Matrix: Water

Analysis Batch: 637744

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	24.2		ug/L		97	63 - 134
cis-1,2-Dichloroethene	25.0	23.9		ug/L		96	77 - 123
Tetrachloroethene	25.0	28.1		ug/L		112	76 - 123
trans-1,2-Dichloroethene	25.0	23.4		ug/L		94	75 - 124
Trichloroethene	25.0	22.8		ug/L		91	70 - 122
Vinyl chloride	12.5	11.9		ug/L		95	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		62 - 137
4-Bromofluorobenzene (Surr)	89		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	91		73 - 120

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-215663-E-2 MS
Matrix: Water
Analysis Batch: 637744

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier					
1,1-Dichloroethene	5.0	U	125	111		ug/L		89		56 - 135
cis-1,2-Dichloroethene	5.3		125	121		ug/L		92		66 - 128
Tetrachloroethene	5.0	U	125	120		ug/L		96		62 - 131
trans-1,2-Dichloroethene	5.0	U	125	112		ug/L		89		56 - 136
Trichloroethene	5.0	U	125	112		ug/L		90		61 - 124
Vinyl chloride	81		62.5	113		ug/L		52		43 - 157
MS MS										
Surrogate	%Recovery	Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)	99		62 - 137							
4-Bromofluorobenzene (Surr)	89		56 - 136							
Toluene-d8 (Surr)	92		78 - 122							
Dibromofluoromethane (Surr)	92		73 - 120							

Lab Sample ID: 240-215663-E-2 MSD
Matrix: Water
Analysis Batch: 637744

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	Limits	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier						Limit	
1,1-Dichloroethene	5.0	U	125	115		ug/L		92		56 - 135	4	26
cis-1,2-Dichloroethene	5.3		125	120		ug/L		92		66 - 128	0	14
Tetrachloroethene	5.0	U	125	118		ug/L		95		62 - 131	1	20
trans-1,2-Dichloroethene	5.0	U	125	112		ug/L		90		56 - 136	0	15
Trichloroethene	5.0	U	125	112		ug/L		90		61 - 124	0	15
Vinyl chloride	81		62.5	121		ug/L		65		43 - 157	7	24
MSD MSD												
Surrogate	%Recovery	Qualifier	Limits									
1,2-Dichloroethane-d4 (Surr)	94		62 - 137									
4-Bromofluorobenzene (Surr)	89		56 - 136									
Toluene-d8 (Surr)	90		78 - 122									
Dibromofluoromethane (Surr)	90		73 - 120									

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-637230/7
Matrix: Water
Analysis Batch: 637230

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/02/24 14:29	1
MB MB									
Surrogate	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	107		68 - 127						

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-637230/5

Matrix: Water

Analysis Batch: 637230

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.80		ug/L		88	75 - 121
Surrogate	%Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	111		68 - 127				

Lab Sample ID: 240-215601-B-2 MS

Matrix: Water

Analysis Batch: 637230

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	8.96		ug/L		90	20 - 180
Surrogate	%Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	111		68 - 127						

Lab Sample ID: 240-215601-B-2 MSD

Matrix: Water

Analysis Batch: 637230

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	7.84		ug/L		78	20 - 180	13	20
Surrogate	%Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	107		68 - 127								

Lab Sample ID: MB 240-637398/7

Matrix: Water

Analysis Batch: 637398

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/03/24 13:22	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		68 - 127					12/03/24 13:22	1

Lab Sample ID: LCS 240-637398/5

Matrix: Water

Analysis Batch: 637398

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.18		ug/L		92	75 - 121
Surrogate	%Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	104		68 - 127				

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-215602-3 MS

Matrix: Water

Analysis Batch: 637398

Client Sample ID: MW-15-60D-MS_112124

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	7.97		ug/L		80	20 - 180
Surrogate	%Recovery	MS Qualifier	MS Limits						
1,2-Dichloroethane-d4 (Surr)	105		68 - 127						

Lab Sample ID: 240-215602-3 MSD

Matrix: Water

Analysis Batch: 637398

Client Sample ID: MW-15-60D-MSD_112124

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	8.20		ug/L		82	20 - 180	3	20
Surrogate	%Recovery	MSD Qualifier	MSD Limits								
1,2-Dichloroethane-d4 (Surr)	107		68 - 127								

QC Association Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

GC/MS VOA

Analysis Batch: 637115

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215602-1	TRIP BLANK_105	Total/NA	Water	8260D	
240-215602-3	MW-15-60D_112124	Total/NA	Water	8260D	
MB 240-637115/7	Method Blank	Total/NA	Water	8260D	
LCS 240-637115/4	Lab Control Sample	Total/NA	Water	8260D	
240-215602-3 MS	MW-15-60D-MS_112124	Total/NA	Water	8260D	
240-215602-3 MSD	MW-15-60D-MSD_112124	Total/NA	Water	8260D	

Analysis Batch: 637230

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215602-2	MW-15-59D_112124	Total/NA	Water	8260D SIM	
MB 240-637230/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-637230/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-215601-B-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-215601-B-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 637398

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215602-3	MW-15-60D_112124	Total/NA	Water	8260D SIM	
240-215602-4	MW-15-61D_112124	Total/NA	Water	8260D SIM	
MB 240-637398/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-637398/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-215602-3 MS	MW-15-60D-MS_112124	Total/NA	Water	8260D SIM	
240-215602-3 MSD	MW-15-60D-MSD_112124	Total/NA	Water	8260D SIM	

Analysis Batch: 637621

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215602-2	MW-15-59D_112124	Total/NA	Water	8260D	
MB 240-637621/10	Method Blank	Total/NA	Water	8260D	
LCS 240-637621/5	Lab Control Sample	Total/NA	Water	8260D	

Analysis Batch: 637744

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215602-4	MW-15-61D_112124	Total/NA	Water	8260D	
MB 240-637744/10	Method Blank	Total/NA	Water	8260D	
LCS 240-637744/5	Lab Control Sample	Total/NA	Water	8260D	
240-215663-E-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-215663-E-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Client Sample ID: TRIP BLANK_105

Lab Sample ID: 240-215602-1

Date Collected: 11/21/24 00:00

Matrix: Water

Date Received: 11/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637115	LEE	EET CLE	12/01/24 18:58

Client Sample ID: MW-15-59D_112124

Lab Sample ID: 240-215602-2

Date Collected: 11/21/24 10:45

Matrix: Water

Date Received: 11/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637621	MS	EET CLE	12/04/24 18:09
Total/NA	Analysis	8260D SIM		1	637230	R5XG	EET CLE	12/02/24 20:44

Client Sample ID: MW-15-60D_112124

Lab Sample ID: 240-215602-3

Date Collected: 11/21/24 12:30

Matrix: Water

Date Received: 11/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637115	LEE	EET CLE	12/01/24 19:18
Total/NA	Analysis	8260D SIM		1	637398	R5XG	EET CLE	12/03/24 18:51

Client Sample ID: MW-15-61D_112124

Lab Sample ID: 240-215602-4

Date Collected: 11/21/24 15:35

Matrix: Water

Date Received: 11/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637744	MS	EET CLE	12/05/24 15:05
Total/NA	Analysis	8260D SIM		1	637398	R5XG	EET CLE	12/03/24 14:09

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215602-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-25
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-25
West Virginia DEP	State	210	12-31-24

Chain of Custody Record

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact			Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other														TestAmerica Laboratories, Inc.							
Company Name: Arcadis			Client Project Manager: Kris Hinsky				Site Contact: Christina Weaver				Lab Contact: Mike DelMonico				COC No:									
Address: 28550 Cabot Drive, Suite 500			Telephone: 248-994-2240				Telephone: 248-994-2240				Telephone: 330-497-9396				1 of 1 COCs									
City/State/Zip: Novi, MI, 48377			Email: kristoffer.hinsky@arcadis.com				Analysis Turnaround Time				Analyses				For lab use only									
Phone: 248-994-2240			Sampler Name: Garrett LINK				TAT if different from below								Walk-in client									
Project Name: Ford LTP			Method of Shipment/Carrier:				10 day <input checked="" type="checkbox"/> 3 weeks								Lab sampling									
Project Number: 30206169.0401.03			Shipping/Tracking No:				<input type="checkbox"/> 2 weeks								Job/SDG No:									
PO # US3410018772							<input type="checkbox"/> 1 week																	
							<input type="checkbox"/> 2 days																	
							<input type="checkbox"/> 1 day																	
Sample Identification	Sample Date	Sample Time	Matrix					Containers & Preservatives					Filtered Sample (Y/N)	Composite-C/Grab-G	1,1-DCE 8260D	cis-1,2-DCE 8260D	Trans-1,2-DCE 8260D	PCE 8260D	TCE 8260D	Vinyl Chloride 8260D	1,4-Dioxane 8260D SIM	Sample Specific Notes / Special Instructions:		
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH											Unpres	Other:
TRIP BLANK_ 105	---	---	1					1						NG	X	X	X	X	X	X				1 Trip Blank
MW-15-59D-112124	11/21/24	1045	6					6					NG	X	X	X	X	X	X	X			3 VOAs for 8260D 3 VOAs for 8260D SIM	
MW-15-60D-112124	11/21/24	12:30	6					6					NG	X	X	X	X	X	X	X			Recent Sample Perform (MS/MS)	
MW-15-60D-MS-112124	11/21/24	1230	6					6					NG	X	X	X	X	X	X	X				
MW-15-60D-MSD-112124	11/21/24	1230	6					6					NG	X	X	X	X	X	X	X				
MW-15-61D-112124	11/21/24	1535	6					6					NG	X	X	X	X	X	X	X				
Possible Hazard Identification			Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)																					
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown			<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																					
Special Instructions/QC Requirements & Comments:																								
Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728 Level IV Reporting requested.																								
Relinquished by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 11/21/24 16:40	Received by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 11/21/24 1640																			
Relinquished by: <i>[Signature]</i>	Company: ARCADIS	Date/Time: 11/22/24 1420	Received by: <i>[Signature]</i>	Company: ECTA	Date/Time: 11/22/24 1420																			
Relinquished by: <i>[Signature]</i>	Company: ECTA	Date/Time: 11/22/24 1430	Received in Laboratory by: <i>[Signature]</i>	Company: ECTA	Date/Time: 11/23/24 800																			



©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design™ are trademarks of TestAmerica Laboratories, Inc.

Eurofins - Cleveland Sample Receipt Form/Narrative
Barberton Facility

LogIn # _____

Client ATCO

Site Name _____

Cooler unpacked by: JC

Cooler Received on 11-23-24

Opened on 11-23-24

FedEx: 1st Grd Exp UPS PAS Waypoint Client Drop Off Eurofins Courier Other _____

Receipt After-hours' Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # EC Foam Box Client Cooler Box Other _____

Packing material used: Bubble Wrap Foam Plastic Bag None Other _____

COOLANT Wet Ice Blue Ice Dry Ice Water None _____

1 Cooler temperature upon receipt See Multiple Cooler Form

IR GUN # 21 (CF 0.2 °C) Observed Cooler Temp _____ °C Corrected Cooler Temp _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ Yes No

-Were the seals on the outside of the cooler(s) signed & dated? Yes ND NA

-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes ND NA

-Were tamper/custody seals intact and uncompromised? Yes ND NA

3 Shippers' packing slip attached to the cooler(s)? Yes ND NA

4. Did custody papers accompany the sample(s)? Yes ND NA

5 Were the custody papers relinquished & signed in the appropriate place? Yes ND NA

6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes ND NA

7 Did all bottles arrive in good condition (Unbroken)? Yes ND NA

8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes ND NA

9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?

10 Were correct bottle(s) used for the test(s) indicated? Yes ND NA

11 Sufficient quantity received to perform indicated analyses? Yes ND NA

12 Are these work share samples and all listed on the COC? Yes ND NA

If yes, Questions 13-17 have been checked at the originating laboratory

13 Were all preserved sample(s) at the correct pH upon receipt? Yes ND NA pH Strp Lot# HC448976

14 Were VOAs on the COC? Yes ND NA

15 Were air bubbles >6 mm in any VOA vials? Yes ND NA Larger than this.

16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # NA Yes ND NA

17 Was a LL Hg or Me Hg trip blank present? Yes ND NA

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container

Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory

Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen _____

Tests that are not checked for pH by Receiving: VOAs Oil and Grease TOC

LogIn Container Summary Report

240-215602

Temperature readings: _____

Client Sample ID	Lab ID	Container Type	Container	Preservation	Preservation
			pH	Temp	Added
					Lot Number
TRIP BLANK_105	240-215602-A-1	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-59D-112124_112124	240-215602-A-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-59D-112124_112124	240-215602-B-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-59D-112124_112124	240-215602-C-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-59D-112124_112124	240-215602-D-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-59D-112124_112124	240-215602-E-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-59D-112124_112124	240-215602-G-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-A-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-A-3 MS	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-A-3 MSD	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-B-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-B-3 MS	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-B-3 MSD	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-C-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-C-3 MSD	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-D-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-D-3 MS	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-D-3 MSD	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-E-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-E-3 MS	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-E-3 MSD	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-F-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-F-3 MS	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-60D-112124_112124	240-215602-F-3 MSD	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-61D-112124_112124	240-215602-A-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-61D-112124_112124	240-215602-B-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-61D-112124_112124	240-215602-C-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-61D-112124_112124	240-215602-D-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-61D-112124_112124	240-215602-E-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-15-61D-112124_112124	240-215602-F-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample ID

Lab ID

Container Type

Container Preservation Preservation
pH Temp Added Lot Number

DATA VERIFICATION REPORT



December 09, 2024

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil

Project number: 30206169.0401.04_WA-03

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 215602-1

Sample date: 2024-11-21

Report received by CADENA: 2024-12-09

Initial Data Verification completed by CADENA: 2024-12-09

Number of Samples:4

Sample Matrices:Water

Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch CCV response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 215602-1

Sample Name:	TRIP BLANK_105	MW-15-59D_112124	MW-15-60D_112124	MW-15-61D_112124
Lab Sample ID:	2402156021	2402156022	2402156023	2402156024
Sample Date:	11/21/2024	11/21/2024	11/21/2024	11/21/2024

Analyte	Cas No.	TRIP BLANK_105				MW-15-59D_112124				MW-15-60D_112124				MW-15-61D_112124			
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier

GC/MS VOC

OSW-8260D

1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---

OSW-8260DSIM

1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---
-------------	----------	--	--	--	--	----	-----	------	-----	----	-----	------	-----	----	-----	------	-----