ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley Arcadis US Inc. 28550 Cabot Drive Suite 500 Novi, Michigan 48377 Generated 12/5/2024 7:07:50 AM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-215603-1

Eurofins Cleveland 180 S. Van Buren Avenue Barberton OH 44203



Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization

Generated 12/5/2024 7:07:50 AM

Authorized for release by Michael DelMonico, Project Manager I <u>Michael.DelMonico@et.eurofinsus.com</u> (330)497-9396

Page 2 of 27

Client: Arcadis US Inc. Project/Site: Ford LTP

Laboratory Job ID: 240-215603-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	20
Lab Chronicle	21
Certification Summary	22
Chain of Custody	23

4

6

8

9

1 U

12

13

Definitions/Glossary

Client: Arcadis US Inc. Job ID: 240-215603-1

Project/Site: Ford LTP

Qualifiers

GC/MS VOA	
Qualifier	Qualifier Description

LCS and/or LCSD is outside acceptance limits, low biased.

Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
\tilde	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor

Detection Limit (DoD/DOE) DL

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

EDL Estimated Detection Limit (Dioxin) LOD Limit of Detection (DoD/DOE) Limit of Quantitation (DoD/DOE) 100

MCL EPA recommended "Maximum Contaminant Level" MDA Minimum Detectable Activity (Radiochemistry) MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit ML Minimum Level (Dioxin) MPN Most Probable Number MQL Method Quantitation Limit

Not Calculated NC

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent POS Positive / Present

PQL Practical Quantitation Limit

PRES Presumptive **Quality Control** QC

RER Relative Error Ratio (Radiochemistry)

Reporting Limit or Requested Limit (Radiochemistry) RL

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) TEQ Toxicity Equivalent Quotient (Dioxin)

TNTC Too Numerous To Count

Case Narrative

Client: Arcadis US Inc. Project: Ford LTP

Job ID: 240-215603-1 Eurofins Cleveland

Job Narrative 240-215603-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these
 situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise
 specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 11/23/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.2°C and 5.0°C.

GC/MS VOA

Method 8260D: No Ms/MSD due to instrument failure. TRIP BLANK 83 (240-215603-1)

Method 8260D: The continuing calibration verification (CCV) analyzed in batch 240-636934 was outside the method criteria for the following analyte(s): Vinyl chloride. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

Method 8260D: The laboratory control sample (LCS) analyzed in batch 240-636934 was below the recovery control criteria for the following analyte(s): Vinyl chloride. This variance only affects results measured above the reporting limit. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. This demonstrates the analyte reporting limit is valid, and it is acceptable to report ND results (non-detects). The samples associated with the LCS were non-detects for the affected analytes; therefore, the results were reported. The following sample is impacted: MW-200_112124 (240-215603-4).

MW-200 112124 (240-215603-4)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Page 5 of 27 12/5/2024

2

Job ID: 240-215603-1

3

4

5

7

8

9

10

12

13

Method Summary

Client: Arcadis US Inc.

Project/Site: Ford LTP

Job ID: 240-215603-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

4

J

7

a

10

12

13

Sample Summary

Client: Arcadis US Inc.

Project/Site: Ford LTP

Job ID: 240-215603-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-215603-1	TRIP BLANK_83	Water	11/21/24 00:00	11/23/24 08:00
240-215603-2	MW-56_112124	Water	11/21/24 09:30	11/23/24 08:00
240-215603-3	MW-218S_112124	Water	11/21/24 11:00	11/23/24 08:00
240-215603-4	MW-200_112124	Water	11/21/24 13:15	11/23/24 08:00
240-215603-5	MW-2008 112124	\Mater	11/21/24 14:15	11/23/24 08:00

J

Detection Summary

Client: Arcadis US Inc. Job ID: 240-215603-1

Client Sample ID: TRIP BLANK_83 Lab Sample ID: 240-215603-1

No Detections.

Project/Site: Ford LTP

Client Sample ID: MW-56_112124 Lab Sample ID: 240-215603-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	0.87	J	2.0	0.86	ug/L	1	_	8260D SIM	Total/NA
cis-1,2-Dichloroethene	1.3		1.0	0.46	ug/L	1		8260D	Total/NA

Client Sample ID: MW-218S_112124 Lab Sample ID: 240-215603-3

No Detections.

Client Sample ID: MW-200_112124 Lab Sample ID: 240-215603-4

No Detections.

Client Sample ID: MW-200S_112124 Lab Sample ID: 240-215603-5

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client: Arcadis US Inc. Job ID: 240-215603-1

Project/Site: Ford LTP

Date Received: 11/23/24 08:00

Client Sample ID: TRIP BLANK_83

Lab Sample ID: 240-215603-1 Date Collected: 11/21/24 00:00

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/27/24 20:03	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/27/24 20:03	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/27/24 20:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/27/24 20:03	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/27/24 20:03	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/27/24 20:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		62 - 137			_		11/27/24 20:03	1
4-Bromofluorobenzene (Surr)	93		56 ₋ 136					11/27/24 20:03	1
Toluene-d8 (Surr)	106		78 - 122					11/27/24 20:03	1
Dibromofluoromethane (Surr)	105		73 - 120					11/27/24 20:03	1

Client: Arcadis US Inc. Job ID: 240-215603-1

Project/Site: Ford LTP

Date Received: 11/23/24 08:00

Dibromofluoromethane (Surr)

Client Sample ID: MW-56_112124

Lab Sample ID: 240-215603-2 Date Collected: 11/21/24 09:30

Matrix: Water

11/30/24 21:01

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
1,4-Dioxane	0.87	J	2.0	0.86	ug/L			12/03/24 14:32	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		68 - 127					12/03/24 14:32	

1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L		11/30/24 21:01	1
cis-1,2-Dichloroethene	1.3		1.0	0.46	ug/L		11/30/24 21:01	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L		11/30/24 21:01	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L		11/30/24 21:01	1
Trichloroethene	1.0	U	1.0	0.44	ug/L		11/30/24 21:01	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L		11/30/24 21:01	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		62 - 137				11/30/24 21:01	1
4-Bromofluorobenzene (Surr)	86		56 ₋ 136				11/30/24 21:01	1
Toluene-d8 (Surr)	94		78 - 122				11/30/24 21:01	1

73 - 120

101

12/5/2024

Client: Arcadis US Inc. Job ID: 240-215603-1

Project/Site: Ford LTP

Surrogate

Toluene-d8 (Surr)

1,2-Dichloroethane-d4 (Surr)

4-Bromofluorobenzene (Surr)

Dibromofluoromethane (Surr)

Client Sample ID: MW-218S_112124

Date Collected: 11/21/24 11:00

%Recovery Qualifier

106

88

99

103

Lab Sample ID: 240-215603-3 Matrix: Water

Date Received: 11/23/24 08:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/03/24 14:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		68 - 127			_		12/03/24 14:56	1
Method: SW846 8260D - Volat Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Analyte	Result	Qualifier	RL			<u>D</u> _	Prepared	- <u> </u>	Dil Fac
		Qualifier U		MDL 0.49 0.46	ug/L	<u>D</u> -	Prepared	Analyzed 11/30/24 21:25 11/30/24 21:25	Dil Fac 1
Analyte 1,1-Dichloroethene	Result 1.0	Qualifier U	RL	0.49	ug/L ug/L	<u>D</u> -	Prepared	11/30/24 21:25	1 1 1
Analyte 1,1-Dichloroethene cis-1,2-Dichloroethene	Result 1.0 1.0	Qualifier U U U	1.0 1.0	0.49 0.46 0.44	ug/L ug/L	<u>D</u> -	Prepared	11/30/24 21:25 11/30/24 21:25	1 1 1 1
Analyte 1,1-Dichloroethene cis-1,2-Dichloroethene Tetrachloroethene	Result 1.0 1.0 1.0	Qualifier U U U U	1.0 1.0 1.0	0.49 0.46 0.44	ug/L ug/L ug/L ug/L	<u>D</u> -	Prepared	11/30/24 21:25 11/30/24 21:25 11/30/24 21:25	1 1 1 1 1

Limits

62 - 137

56 - 136

78 - 122

73 - 120

Dil Fac

Analyzed

11/30/24 21:25

11/30/24 21:25

11/30/24 21:25

11/30/24 21:25

Prepared

Client: Arcadis US Inc. Job ID: 240-215603-1

Project/Site: Ford LTP

Date Received: 11/23/24 08:00

1,2-Dichloroethane-d4 (Surr)

4-Bromofluorobenzene (Surr)

Dibromofluoromethane (Surr)

Toluene-d8 (Surr)

Client Sample ID: MW-200_112124

Lab Sample ID: 240-215603-4 Date Collected: 11/21/24 13:15

Matrix: Water

11/30/24 18:01

11/30/24 18:01

11/30/24 18:01

11/30/24 18:01

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/03/24 20:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		68 - 127			-		12/03/24 20:01	1
- Method: SW846 8260D - Vola	tile Organic Comp	ounds by G	C/MS						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/30/24 18:01	1
ais 1.2 Diablaraathana	1.0	U	1.0	0.46	ug/L			11/30/24 18:01	1
cis-1,2-Dichloroethene									
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/30/24 18:01	1
,	1.0		1.0		ug/L ug/L			11/30/24 18:01 11/30/24 18:01	1 1
Tetrachloroethene		U		0.51					1 1 1
Tetrachloroethene trans-1,2-Dichloroethene	1.0 1.0	U	1.0	0.51 0.44	ug/L			11/30/24 18:01	1 1 1

62 - 137

56 - 136

78 - 122

73 - 120

101

97

105

Client: Arcadis US Inc. Job ID: 240-215603-1

Project/Site: Ford LTP

Client Sample ID: MW-200S_112124

Lab Sample ID: 240-215603-5 Date Collected: 11/21/24 14:15

Matrix: Water

11/30/24 21:48

11/30/24 21:48

11/30/24 21:48

Date Received: 11/23/24 08:00

4-Bromofluorobenzene (Surr)

Dibromofluoromethane (Surr)

Toluene-d8 (Surr)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/03/24 15:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		68 - 127			_		12/03/24 15:19	1
- Method: SW846 8260D - Volat	ile Organic Comp	ounds by G	C/MS						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/30/24 21:48	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/30/24 21:48	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/30/24 21:48	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/30/24 21:48	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/30/24 21:48	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/30/24 21:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		62 - 137			_		11/30/24 21:48	

56 - 136

78 - 122

73 - 120

82

96

103

12/5/2024

Client: Arcadis US Inc. Job ID: 240-215603-1 Project/Site: Ford LTP

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water Prep Type: Total/NA

				Percent Sui	rrogate Rec
		DCA	BFB	TOL	DBFM
Lab Sample ID	Client Sample ID	(62-137)	(56-136)	(78-122)	(73-120)
240-215464-C-3 MS	Matrix Spike	100	106	104	97
240-215464-C-3 MSD	Matrix Spike Duplicate	96	97	101	92
240-215603-1	TRIP BLANK_83	105	93	106	105
240-215603-2	MW-56_112124	103	86	94	101
240-215603-3	MW-218S_112124	106	88	99	103
240-215603-4	MW-200_112124	101	97	105	89
240-215603-4 MS	MW-200-MS_112124	99	111	110	86
240-215603-4 MSD	MW-200-MSD_112124	99	111	111	86
240-215603-5	MW-200S_112124	105	82	96	103
LCS 240-636934/5	Lab Control Sample	97	106	109	86
LCS 240-636936/5	Lab Control Sample	99	102	109	98
LCS 240-637111/5	Lab Control Sample	98	103	104	95
MB 240-636934/9	Method Blank	101	105	105	87
MB 240-636936/9	Method Blank	102	93	100	101
MB 240-637111/9	Method Blank	105	89	98	101

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water Prep Type: Total/NA

			Percent Surrogate Recovery (Acceptance Limits)
		DCA	
Lab Sample ID	Client Sample ID	(68-127)	
240-215603-2	MW-56_112124	106	
240-215603-3	MW-218S_112124	105	
240-215603-4	MW-200_112124	99	
240-215603-4 MS	MW-200-MS_112124	110	
240-215603-4 MSD	MW-200-MSD_112124	106	
240-215603-5	MW-200S_112124	107	
LCS 240-637398/5	Lab Control Sample	104	
MB 240-637398/7	Method Blank	108	

DCA = 1,2-Dichloroethane-d4 (Surr)

Eurofins Cleveland

Client: Arcadis US Inc. Job ID: 240-215603-1

Project/Site: Ford LTP

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-636934/9

Matrix: Water

Analysis Batch: 636934

Client Sample ID: Method Blank
Prep Type: Total/NA

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/30/24 15:27	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/30/24 15:27	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/30/24 15:27	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/30/24 15:27	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/30/24 15:27	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/30/24 15:27	1

	MB MB				
Surrogate	%Recovery Qualific	er Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101	62 - 137		11/30/24 15:27	1
4-Bromofluorobenzene (Surr)	105	56 - 136		11/30/24 15:27	1
Toluene-d8 (Surr)	105	78 - 122		11/30/24 15:27	1
Dibromofluoromethane (Surr)	87	73 - 120		11/30/24 15:27	1

Lab Sample ID: LCS 240-636934/5

Matrix: Water

Analysis Batch: 636934

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	20.0	21.1		ug/L		106	63 - 134	
cis-1,2-Dichloroethene	20.0	17.8		ug/L		89	77 - 123	
Tetrachloroethene	20.0	23.1		ug/L		116	76 - 123	
trans-1,2-Dichloroethene	20.0	19.5		ug/L		97	75 - 124	
Trichloroethene	20.0	16.5		ug/L		83	70 - 122	
Vinyl chloride	20.0	11.7	*-	ug/L		59	60 - 144	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	106		56 ₋ 136
Toluene-d8 (Surr)	109		78 - 122
Dibromofluoromethane (Surr)	86		73 - 120

Lab Sample ID: 240-215603-4 MS Client Sample ID: MW-200-MS_112124 **Matrix: Water Prep Type: Total/NA**

Analysis Batch: 636934

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	1.0	U	20.0	19.7		ug/L		99	56 - 135	
cis-1,2-Dichloroethene	1.0	U	20.0	18.9		ug/L		94	66 - 128	
Tetrachloroethene	1.0	U	20.0	20.5		ug/L		103	62 - 131	
trans-1,2-Dichloroethene	1.0	U	20.0	19.5		ug/L		98	56 - 136	
Trichloroethene	1.0	U	20.0	15.5		ug/L		77	61 - 124	
Vinyl chloride	1.0	U *-	20.0	11.2		ug/L		56	43 - 157	

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	111		56 - 136
Toluene-d8 (Surr)	110		78 - 122

Eurofins Cleveland

12/5/2024

Client: Arcadis US Inc. Job ID: 240-215603-1

Project/Site: Ford LTP

Lab Sample ID: 240-215603-4 MS

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Matrix: Water

Analysis Batch: 636934

Client Sample ID: MW-200-MS_112124

Prep Type: Total/NA

MS MS

%Recovery Qualifier Surrogate Limits Dibromofluoromethane (Surr) 86 73 - 120

Lab Sample ID: 240-215603-4 MSD Client Sample ID: MW-200-MSD_112124 Prep Type: Total/NA

Matrix: Water

Analysis Batch: 636934

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
1,1-Dichloroethene	1.0	U	20.0	19.8		ug/L		99	56 - 135	0	26	
cis-1,2-Dichloroethene	1.0	U	20.0	18.5		ug/L		92	66 - 128	2	14	
Tetrachloroethene	1.0	U	20.0	20.1		ug/L		101	62 - 131	2	20	
trans-1,2-Dichloroethene	1.0	U	20.0	19.0		ug/L		95	56 - 136	3	15	
Trichloroethene	1.0	U	20.0	15.4		ug/L		77	61 - 124	1	15	
Vinyl chloride	1.0	U *-	20.0	12.5		ug/L		63	43 - 157	12	24	

MSD MSD

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	111		56 - 136
Toluene-d8 (Surr)	111		78 - 122
Dibromofluoromethane (Surr)	86		73 - 120

Lab Sample ID: MB 240-636936/9 Client Sample ID: Method Blank **Matrix: Water Prep Type: Total/NA**

Analysis Batch: 636936

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/27/24 11:36	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/27/24 11:36	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/27/24 11:36	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/27/24 11:36	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/27/24 11:36	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/27/24 11:36	1

MB MB

Surrogate	%Recovery	Qualifier Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102	62 - 13	7	11/27/24 11:36	1
4-Bromofluorobenzene (Surr)	93	56 - 13	6	11/27/24 11:36	1
Toluene-d8 (Surr)	100	78 - 12	2	11/27/24 11:36	1
Dibromofluoromethane (Surr)	101	73 - 12	0	11/27/24 11:36	1

Lab Sample ID: LCS 240-636936/5 **Client Sample ID: Lab Control Sample Matrix: Water** Prep Type: Total/NA

Analysis Batch: 636936

Spike	LCS	LCS			%Rec
Analyte Added	Result	Qualifier Unit	D	%Rec	Limits
1,1-Dichloroethene 1000	946	ug/L		95	63 - 134
cis-1,2-Dichloroethene 1000	949	ug/L		95	77 - 123
Tetrachloroethene 1000	1060	ug/L		106	76 - 123
trans-1,2-Dichloroethene 1000	968	ug/L		97	75 - 124
Trichloroethene 1000	977	ug/L		98	70 - 122

Eurofins Cleveland

Page 16 of 27

Client: Arcadis US Inc. Job ID: 240-215603-1

Project/Site: Ford LTP

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-636936/5

Matrix: Water

Analysis Batch: 636936

Spike LCS LCS %Rec Analyte Added Result Qualifier Unit %Rec Limits Vinyl chloride 1000 825 82 60 - 144 ug/L

LCS LCS Surrogate %Recovery Qualifier Limits 1,2-Dichloroethane-d4 (Surr) 99 62 - 137 56 - 136 4-Bromofluorobenzene (Surr) 102 Toluene-d8 (Surr) 78 - 122 109 Dibromofluoromethane (Surr) 73 - 120 98

Lab Sample ID: MB 240-637111/9

Matrix: Water

Analysis Batch: 637111

MB MB

Result Qualifier RL Dil Fac MDL Unit D Prepared Analyte Analyzed 1,1-Dichloroethene 1.0 U 1.0 0.49 ug/L 11/30/24 15:10 1.0 U 11/30/24 15:10 cis-1,2-Dichloroethene 1.0 0.46 ug/L Tetrachloroethene 1.0 U 1.0 0.44 ug/L 11/30/24 15:10 trans-1,2-Dichloroethene 11/30/24 15:10 1.0 U 1.0 0.51 ug/L Trichloroethene 11/30/24 15:10 1.0 U 1.0 0.44 ug/L Vinyl chloride 1.0 U 1.0 0.45 ug/L 11/30/24 15:10

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		62 - 137		11/30/24 15:10	1
4-Bromofluorobenzene (Surr)	89		56 - 136		11/30/24 15:10	1
Toluene-d8 (Surr)	98		78 - 122		11/30/24 15:10	1
Dibromofluoromethane (Surr)	101		73 - 120		11/30/24 15:10	1

Lab Sample ID: LCS 240-637111/5

Matrix: Water

Analysis Batch: 637111

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Client Sample ID: Lab Control Sample

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Type: Total/NA

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	1000	925		ug/L		92	63 - 134	
cis-1,2-Dichloroethene	1000	940		ug/L		94	77 - 123	
Tetrachloroethene	1000	978		ug/L		98	76 - 123	
trans-1,2-Dichloroethene	1000	931		ug/L		93	75 - 124	
Trichloroethene	1000	911		ug/L		91	70 - 122	
Vinyl chloride	1000	820		ug/L		82	60 - 144	

LCS LCS

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		62 - 137
4-Bromofluorobenzene (Surr)	103		56 - 136
Toluene-d8 (Surr)	104		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Eurofins Cleveland

Job ID: 240-215603-1

Client: Arcadis US Inc.
Project/Site: Ford LTP

Lab Sample ID: 240-215464-C-3 MS	Client Sample ID: Matrix Spike
Matrix: Water	Prep Type: Total/NA
Analysis Batch: 637111	

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Vinyl chloride	1.0	U	20.0	16.5		ug/L		82	43 - 157	
	MS	MS								
0	0/ 5	O !!!!	1 : :4							

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	100		62 - 137
4-Bromofluorobenzene (Surr)	106		56 ₋ 136
Toluene-d8 (Surr)	104		78 - 122
Dibromofluoromethane (Surr)	97		73 - 120

Lab Sample ID: 240-215464-C-3 MSD

Client Sample ID: Matrix Spike Duplicate
Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637111

Sample Sample Spike MSD MSD %Rec RPD

Analyte Result Qualifier Added Result Qualifier Unit D %Rec Limits RPD Limit

Vinyl chloride	1.0	U	20.0	15.5	ug/L	77	43 - 157	6	24
	MSD	MSD							
Surrogate	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	96		62 - 137						
4-Bromofluorobenzene (Surr)	97		56 ₋ 136						
Toluene-d8 (Surr)	101		78 - 122						
Dibromofluoromethane (Surr)	92		73 - 120						

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-637398/7

Matrix: Water

Client Sample ID: Method Blank
Prep Type: Total/NA

Analysis Batch: 637398

- 1	,									
		MB	MB							
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/03/24 13:22	1
		MB	MB							
	Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
	1,2-Dichloroethane-d4 (Surr)	108		68 - 127			_		12/03/24 13:22	1

Lab Sample ID: LCS 240-637398/5

Matrix: Water

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analysis Batch: 637398

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1 4-Dioxane	10.0	9 18		ua/l		92	75 121	

1,4-Dioxane			10.0	9.18	ug/L	 92	75 - 121	
	LCS	LCS						
Surrogate	%Recovery	Qualifier	Limits					
1,2-Dichloroethane-d4 (Surr)	104		68 - 127					

Eurofins Cleveland

2

4

6

8

10

12

13

QC Sample Results

Client: Arcadis US Inc. Job ID: 240-215603-1

Project/Site: Ford LTP

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-215603-4 MS Client Sample ID: MW-200-MS_112124 **Matrix: Water Prep Type: Total/NA**

Analysis Batch: 637398

Sample	Sample	Spike	MS	MS				%Rec		
Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits		
2.0	U	10.0	8.54		ug/L		85	20 - 180		_
MS	MS									
%Recovery	Qualifier	Limits								
110		68 - 127	-							
	Result 2.0 MS %Recovery	Sample Result 2.0 U MS MS %Recovery 110	Result Qualifier Added 2.0 U 10.0 MS MS %Recovery Qualifier Limits	Result Qualifier Added Result 2.0 U 10.0 8.54 MS MS %Recovery Qualifier Limits	Result Qualifier Added Result Qualifier 2.0 U 10.0 8.54 MS MS **Recovery Qualifier Limits**	Result Qualifier Added Result Qualifier Unit 2.0 U 10.0 8.54 ug/L ### MS ### Recovery	Result Qualifier Added Result Qualifier Unit D 2.0 U 10.0 8.54 ug/L ug/L MS MS **Recovery Qualifier Limits	Result Qualifier Added Result Qualifier Unit D %Rec 2.0 U 10.0 8.54 ug/L 85	Result Qualifier Added Result Qualifier Unit D %Rec Limits 2.0 U 10.0 8.54 ug/L 85 20 - 180 MS MS Recovery Qualifier Limits	Result Qualifier Added Result Qualifier Unit D %Rec Limits 2.0 U 10.0 8.54 ug/L 85 20 - 180 MS MS %Recovery Qualifier Limits

Client Sample ID: MW-200-MSD_112124 Lab Sample ID: 240-215603-4 MSD

Prep Type: Total/NA Matrix: Water

Analysis Batch: 637398

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0	8.77		ug/L		88	20 - 180	3	20

MSD MSD Surrogate %Recovery Qualifier Limits 1,2-Dichloroethane-d4 (Surr) 106 68 - 127

QC Association Summary

Client: Arcadis US Inc. Job ID: 240-215603-1 Project/Site: Ford LTP

GC/MS VOA

Analysis Batch: 636934

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215603-4	MW-200_112124	Total/NA	Water	8260D	
MB 240-636934/9	Method Blank	Total/NA	Water	8260D	
LCS 240-636934/5	Lab Control Sample	Total/NA	Water	8260D	
240-215603-4 MS	MW-200-MS_112124	Total/NA	Water	8260D	
240-215603-4 MSD	MW-200-MSD_112124	Total/NA	Water	8260D	

Analysis Batch: 636936

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215603-1	TRIP BLANK_83	Total/NA	Water	8260D	
MB 240-636936/9	Method Blank	Total/NA	Water	8260D	
LCS 240-636936/5	Lab Control Sample	Total/NA	Water	8260D	

Analysis Batch: 637111

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215603-2	MW-56_112124	Total/NA	Water	8260D	
240-215603-3	MW-218S_112124	Total/NA	Water	8260D	
240-215603-5	MW-200S_112124	Total/NA	Water	8260D	
MB 240-637111/9	Method Blank	Total/NA	Water	8260D	
LCS 240-637111/5	Lab Control Sample	Total/NA	Water	8260D	
240-215464-C-3 MS	Matrix Spike	Total/NA	Water	8260D	
240-215464-C-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 637398

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215603-2	MW-56_112124	Total/NA	Water	8260D SIM	
240-215603-3	MW-218S_112124	Total/NA	Water	8260D SIM	
240-215603-4	MW-200_112124	Total/NA	Water	8260D SIM	
240-215603-5	MW-200S_112124	Total/NA	Water	8260D SIM	
MB 240-637398/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-637398/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-215603-4 MS	MW-200-MS_112124	Total/NA	Water	8260D SIM	
240-215603-4 MSD	MW-200-MSD_112124	Total/NA	Water	8260D SIM	

Eurofins Cleveland

Job ID: 240-215603-1

Client: Arcadis US Inc. Project/Site: Ford LTP

Client Sample ID: TRIP BLANK_83

Lab Sample ID: 240-215603-1 Date Collected: 11/21/24 00:00

Matrix: Water

Batch Batch Dilution Batch Prepared Prep Type Туре Method Run Factor Number Analyst Lab or Analyzed 11/27/24 20:03 Total/NA Analysis 8260D 636936 AJS EET CLE

Client Sample ID: MW-56_112124 Lab Sample ID: 240-215603-2

Date Collected: 11/21/24 09:30 **Matrix: Water**

Date Received: 11/23/24 08:00

Date Received: 11/23/24 08:00

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	8260D		1	637111	AJS	EET CLE	11/30/24 21:01
Total/NA	Analysis	8260D SIM		1	637398	R5XG	EET CLE	12/03/24 14:32

Lab Sample ID: 240-215603-3 Client Sample ID: MW-218S_112124

Date Collected: 11/21/24 11:00 **Matrix: Water**

Date Received: 11/23/24 08:00

Batch Batch Dilution Batch Prepared Prep Type Type Method Run Factor **Number Analyst** or Analyzed Lab 11/30/24 21:25 8260D Total/NA Analysis 637111 AJS **EET CLE** 12/03/24 14:56 Total/NA Analysis 8260D SIM 637398 R5XG EET CLE 1

Client Sample ID: MW-200_112124 Lab Sample ID: 240-215603-4

Date Collected: 11/21/24 13:15 **Matrix: Water**

Date Received: 11/23/24 08:00

Batch Batch Dilution Batch Prepared Method or Analyzed Factor **Prep Type** Type Run Number Analyst Lab 11/30/24 18:01 Total/NA 8260D 636934 AJS Analysis EET CLE Total/NA 8260D SIM 637398 R5XG EET CLE 12/03/24 20:01 Analysis 1

Client Sample ID: MW-200S 112124 Lab Sample ID: 240-215603-5

Date Collected: 11/21/24 14:15 **Matrix: Water**

Date Received: 11/23/24 08:00

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	8260D		1	637111	AJS	EET CLE	11/30/24 21:48
Total/NA	Analysis	8260D SIM		1	637398	R5XG	EET CLE	12/03/24 15:19

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Eurofins Cleveland

Accreditation/Certification Summary

Client: Arcadis US Inc.

Project/Site: Ford LTP

Job ID: 240-215603-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
lowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-25
USDA	US Federal Programs	P330-18-00281	01-05-27
√irginia	NELAP	460175	09-14-25
West Virginia DEP	State	210	12-31-24

3

4

6

Ω

9

10

12

Chain of Custody Record

MICHIGAN 190

<u>TestAmerica</u>

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763 Client Contact Regulatory program: Other TestAmerica Laboratories, Inc. Company Name: Arcadis Lab Contact: Mike DelMonico Client Project Manager: Kris Hinskey Site Contact: Christina Weaver Address: 28550 Cabot Drive, Suite 500 Telephone: 248-994-2240 Telephone: 248-994-2240 Telephone: 330-497-9396 1 of 1 COCs City/State/Zip: Novi, MI, 48377 Analyses Analysis Turnaround Time Email: kristoffer.hinskey@arcadis.com For lab use only Phone: 248-994-2240 Walk-in client Sampler Name: TAT if different from below Project Name: Ford LTP 3 weeks Hanani Maryain ₹ 2 weeks Lab sampling Project Number: 30206169,0401.03 Method of Shipment/Carrier: 1 week 1,4-Dioxane 8260D SIM 2 days □ 1 day PO # US3410018772 Shipping/Tracking No: Job/SDG No Matrix Containers & Preservatives Sample Specific Notes / Sediment H2SO4 NaOH HNO3 Solid Special Instructions: Ξ ķ Sample Identification Sample Time TRIP BLANK_ 83 NG Х 1 Trip Blank 3 VOAs for 8260D MW-56_112124 11/21/24 0930 3 VOAs for 8260D SIM 6 6 11/21/24 1315 6 6 6 Run MS/MSD 11/21/24 1315 0 6 Run MS/MSD 1315 MW-2005_112124 11/21/24/1415 6 (B) 240-215603 COC Possible Hazard Identification Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) Non-Hazard lammable cin Irritant Poison B Jnknown Return to Client Disposal By Lab Archive For Special Instructions/QC Requirements & Comments: Onsite Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728 Level IV Reporting requested. Relinquished by Arcadis Ar acclis 1600 March Tarzer

02000, TestAmerica Laboratories, Inc. All rights reserved, TestAmerica & Design "* ere trademarks of TestAmerica Laboratories, Inc.

Relinguished by

1112424 1430

EETA

2

4

6

9

11

13

	Ш					Client	0000	
		Eurofins Cooler #	Receipt After-hours: Drop-off Date/Time	I E	6	뀰	III SZ	
		Ę	12	ے	ŏ	<u>a</u> .		
		0	ö		<u>~</u>	므		
	TO	E	-	X	M			
	2	2	7	IL.	\mathbf{z}			1
	ð.		>	T _A	Ğ,		こまれ	
a	Ε.	7	Ξ		ď	1		
0	09	ŏ	6	0	7.			
Ō	H	Ē	7	15	õ	\sim		
ř	12	ä		Δ.	Δ.	`-	\mathbf{O}	
5	7	#	9		0	>		
5	ä.		15	l G	P	ھا		
1	20	1_1	12	Ä	1	-	6.41	
		n	انا	I M (
_	120	1 U	יפו		-	_		
\frown	O	Ν.	18	١.	l t	1		
1	\ +7		Ŕ		L.,	!		l
0	17	1 1	ľĠ	שלון	P	1		
	猧	ſ.	Ħ	S	Ι',			
ี่ได้/	Æ]]	H		ب		關係。周	
w	9	η Ι	<u>ا</u>	77	1			
- 1	5	4	7		0 1		5	
- 1	G	9.	~	S	1			
щ	5	A	Ξ.					
=	17	MP .	ΙĦΑ	LA	T			
COOLANT: Wet Ice Blue Ice Dry Ice Water Mone	Packing material used: Bubble Wrap Foam Plastic Bag	Boam Box Client Cooler Box Other	(ก/	<1	Cooler Received on 11-23-24			
Ξ	۲.	1 0		(B)	۲ .	1		
Ö.		×	ш	ы	11			
•			H	IQ.	I/		(HILL)	
	T		١N	巨	V			
	8	C	١ ١	177	,	1		
U	5	Ħ		\sim	0	S		
ā	_	8		IJ	ਚੱ	Ξ.		
		7		١ <u>ټ</u>	0	G.		
\mathcal{C}		C		lä.	Opened on 1-23-21	Site Name		1
G	72	Ō.		Į ≅ .	ä.	يو		
	22	2		ΙÖ	0	벋		
	₩.	ũ		ᇋ	, p	i G		-
◁	C	•		ŀĕ	۔ ا			
~	A			صا		1 1		
Ħ	يم		- 1	l¥.	11			
4	09	ш		₩	()		11111	
	None	0			IY.	1		
•		×		_	L ~		13.5	1
4	Z			떨	~			
ਨ	2		ş	15	۱۵`.			
	ĕ		2	12		1 1		
(B		\sim	2	lg"		i 1		
		\mathbf{x}	Storage Location	13		i i		
		F	3				404400	
	0	4	Σ	6	1 1		建建筑	
	Other	ı	κ S	E	1			
	ĕ	H	22	귳.	•		6	
	7	1 1	ğ.	4			7 4	
	1	1 1	Ď				别说 = 7	
	l			FedEx: 1st Grd Exp UPS FAS (Waypoint) Client Drop Off Eurofins Courier Other				
				l'Al			THE REAL PROPERTY.	
	l			F				
	l			4				
	1				. 3	문	STEP EETS	
	1					ŏ		
					\simeq	<u></u>	# #	
	1	1 1	-11	l I	(3,	7		
		1 1	ш		`	E		
	l	1				Cooler unpacked by:		
	Į.					စ္		
	1	- 1				유		
	ı	- 1				6		
				. !		α.	# 17	
						O.	100 310	
						~	開閉	
							THE PER	
11.		-					BATTE !	
					i		14. 44.8	
		1		1				
				l				
							# 1 T T	
							計事性	
		ı				- 1		
		- 1			1		TO STATE OF THE PARTY OF	

Cooler temperature upon receipt Ĝ O, 2 °C) Observed Cooler Temp. Yone
See Multiple Cooler Form

°C Corrected Cooler Temp:

NA

Tests that are not checked for pH by

Receiving:

NA

VOAs Oil and Grease

12 Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity -Were tamper/custody seals intact and uncompromised? -Were the seals on the outside of the cooler(s) signed & dated? Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg):

Shippers' packing slip attached to the cooler(s)?

Did custody papers accompany the sample(s)?

Were the custody papers relinquished & signed in the appropriate place?

Was/were the person(s) who collected the samples clearly identified on the COC?

Did all bottles arrive in good condition (Unbroken)?

Were correct bottle(s) used for the test(s) indicated? Could all bottle labels (ID/Date/Time) be reconciled with the COC? For each sample, does the COC specify preservatives (MN), # of containers (XN)

sample type of grab/comp(3/N)?

Z

8

8 8 (\vec{a}) Z

Z

ZZ

X

ZY.

pH Strip Lot# HC448976

Page 24 of 27

11. Sufficient quantity received to perform indicated analyses? Are these work share samples and all listed on the COC? If yes, Questions 13-17 have been checked at the originating laboratory

Were all preserved sample(s) at the correct pH upon receipt?

Were VOAs on the COCT

Were air bubbles >6 mm in any VOA vials?

Was a VOA trip blank present in the cooler(s)? Trip Blank Lot# Blank Lot # NO

Was a LL Hg or Me Hg trip blank present?

Contacted PM

Date â via Verbal Voice Mail Other

Concerning

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page

Samples processed by:

19. SAMPLE CONDITION

Sample(s) Sample(s) Sample(s) were received after the recommended holding time had expired. were received with bubble >6 mm in diameter. (Notify PM) were received in a broken container.

SAMPLE PRESERVATION

Time preserved: Sample(s) Preservative(s) added/Lot number(s): were further preserved in the laboratory

VOA Sample Preservation -Date/Time VOAs Frozen:

Wettice Blueice Drylice	Wet ice B		IR GUN #:	Box Other	Client Bo	EC
è			R GUN #:	x Other	Cilent Box	e c
9			IR GUN #:	ox Other	Client Box	EC.
Wet Ice Blue Ice Dry Ice Water None			IR GUN #:	ox Other	Client Box	EC
Wet Ice Blue Ice Dry Ice Water None	-		IR GUN #:	ox Other	Client Box	03
Wet Ice Blue Ice Dry Ice Water None			IR GUN #:	Box Other	Client L	EC
Wet ice Blue Ice Dry Ice Water None			IR GUN #:	Box Other	Client Bo	53
Wet Ice Blue Ice Dry Ice Water None			IR GUN #:	hox Other	Client Bo	E.
Wet ice Blue ice Dry ice Water None			IR GUN #:	Box Other	Client Bo	23
Wet Ice Blue Ice Dry Ice Water None			IR GUN #:	Box Other	Client Bo	E.C.
Wet Ice Blue Ice Dry Ice Water Name	•		IR GUN #:	Box Other	Client Bo	EC
Wet Ice Blue Ice Dry Ice Water None			IR GUN #:	Box Other	Client Bo	EC
Wet Ice Blue Ice Dry Ice Water None			IR GUN #:	Box Other	Client Bo	EC
Wet Ice Blue Ice Dry Ice Water None			IR GUN #:	Box Other	Cilent B	EC
Wet ice Blue ice Dry ice			IR GUN #:	Box Other	Client Bo	EC.
Wet Ice Blue Ice Dry Ice: Water None			IR GUN #:	Box Other	Client Bo	EC
Wet Ice Blue Ice Dry Ice Water None			IR GUN #:	Box Other	Client Bo	EC.
Wet ice Blue ice Dry ice Water None			-IR GUN #:	Box Other	Client B	ñ
Wet Ice Blue Ice Dry Ice Water None			IR GUN #:	Box Other	Client B	EC.
Wet ice Blue ice Dry ice Water None			IR GUN #:	Box Other	Client B	EC.
Wet Ice Blue Ice Dry Ice Water None			IR GUN #:	Box Other	Client B	EC.
Wet Ice Blue Ice Dry Ice Water None			IR GUN #:	Box Other	Client B	EC.
Wet ice Blue ice Dry ice Water None			IR GUN #:	Box Other	Client B	EC.
Wet Ice Blue Ice Dry Ice Water None			IR GUN #:	Box Other	Client . B	EC
Wetice Blueice Dry Ice Water None			IR GUN #:	Box Other	Client B	EC
Wetice Blueice Dryice Water None			IR GUN #:	Box Other	Client Bo	EC
Wet Ice Blue Ice Dry Ice Water None			IR GUN #:	Box Other	Client Bo	23
Wetice Blueice Dryice Water None			IR GUN #:	Box Other	Client Bo	r.
Wet Ice Blue Ice Dry Ice Water None	1		IR GUN #:	Box Other	Client Bo	EC
Wet ice Blue ice Dry ice Water None			IR GUN #:	Box Other	Client Bo	EC
Wet ice Blue ice Dry ice Water None			IR GUN #:	Box Other	Citent Bo	EC
5		,	IR GUN #:	Box Other	Client Bo	EC
Welles Blue Ice Dry Ice Water None	2.2	2.0	IR GUN #:	Box Other	Client Bo	8
Welke Stue Ice Dry Ice Water None	5,0	8.11	IR GUN #: 2	Box Other	Client Bo	
Coolant (Circle)	Corrected Temp °C	Observed Temp °C	IR Gun # (Circle)	ription	Cooler Description (Circle)	Coc
The state of the s						

Login Container Summary Report

240-215603

12/5/2024

Temperature readings:

MW-200-112124 240-215603-B-4 Voa Vial 40ml - Hydrochloric Acid	Client Sample ID TRIP BLANK_83 MW-56-112124 MW-56-112124 MW-56-112124 MW-56-112124 MW-56-112124 MW-218S-112124 MW-218S-112124	Lab ID 240-215603-A-1 240-215603-A-2 240-215603-C-2 240-215603-D-2 240-215603-G-2 240-215603-G-2 240-215603-B-3 240-215603-B-3 240-215603-B-3 240-215603-B-3 240-215603-A-4 240-215603-A-4 MSD	Container Type Voa Vial 40ml - Hydrochloric Acid Voa Vial 40ml - Hydrochloric Acid	<u>Сопtainer</u> рН Тетр	Preservation Added	Preservation Preservation Lot Number 26 of 27
4	MW-200-112124	240-215603-A-4	Voa Vial 40ml - Hydrochloric Acid			
4	MW-200-112124 MW-200-112124	240-215603-A-4 MS 240-215603-A-4 MSD	Voa Vial 40ml - Hydrochloric Acid Voa Vial 40ml - Hydrochloric Acid			
4	MW-200-112124 MW-200-112124	240-215603-B-4 240-215603-B-4 MS	Voa Vial 40ml - Hydrochloric Acid Voa Vial 40ml - Hydrochloric Acid			4
4	MW-200-112124	240-215603-B-4 MSD	Voa Vial 40ml - Hydrochloric Acid			
4	MW-200-112124	240-215603-C-4 240-215603-C-4 MS	Voa Vial 40ml - Hydrochloric Acid			-
4	MW-200-112124	240-215603-C-4 MSD	Voa Vial 40ml - Hydrochloric Acid			
4	MW-200-112124	240-215603-D-4	Voa Vial 40ml - Hydrochloric Acid			
4	MW-200-112124 MW-200-112124	240-215603-D-4 MS 240-215603-D-4 MSD	Voa Vial 40ml - Hydrochloric Acid Voa Vial 40ml - Hydrochloric Acid			
4	MW-200-112124	240-215603-E-4	Voa Vial 40ml - Hydrochloric Acid			
4	MW-200-112124 MW-200-112124	240-215603-E-4 MS 240-215603-E-4 MSD	Voa Vial 40ml - Hydrochloric Acid Voa Vial 40ml - Hydrochloric Acid			
4	MW-200-112124	240-215603-F-4	Voa Vial 40ml - Hydrochloric Acid			
4	MW-200-112124 MW-200-112124	240-215603-F-4 MS	Voa Vial 40ml - Hydrochloric Acid			
	MW-200S-112124	240-215603-A-5	Voa Vial 40ml - Hydrochloric Acid			

Client Sample ID	<u>Lab ID</u>	Container Type	Container Preservation Preservation of Preserv	12/5/2024
MW-200S-112124	240-215603-B-5	Voa Vial 40ml - Hydrochloric Acid		
MW-200S-112124	240-215603-C-5	Voa Vial 40ml - Hydrochloric Acid		
MW-200S-112124	240-215603-D-5	Voa Vial 40ml - Hydrochloric Acid		
MW-200S-112124	240-215603-E-5	Voa Vial 40ml - Hydrochloric Acid		
MW-200S-112124	240-215603-F-5	Voa Vial 40ml - Hydrochloric Acid		

Page 27 of 27

DATA VERIFICATION REPORT



December 05, 2024

Megan Meckley Arcadis 28550 Cabot Drive Suite 500 Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil

Project number: 30206169.0401.04_WA-03

Event Specific Scope of Work References: Sample COC Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 215603-1 Sample date: 2024-11-21

Report received by CADENA: 2024-12-05

Initial Data Verification completed by CADENA: 2024-12-05

Number of Samples:5 Sample Matrices:Water Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

LCS - GCMS VOC QC batch LCS recovery was outlying biased low for the following analyte: VINYL CHLORIDE. The following client sample results should be considered to be estimated and qualified with UJ flags if non-detect: -004.

GCMS VOC QC batch CCV response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at http://clms.cadenaco.com/index.cfm.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description									
<	Less than the reported concentration.									
>	Greater than the reported concentration.									
В	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.									
Е	The analyte / Compound reported exceeds the calibration range and is considered estimated.									
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.									
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.									
J-	The result is an estimated quantity, but the result may be biased low.									
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED									
JH	The sample result is considered estimated and is potentially biased high.									
JL	The sample result is considered estimated and is potentially biased low.									
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED									
NJ	Tentatively identified compound with approximated concentration.									
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)									
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.									
U	Indicates that the analyte / compound was analyzed for, but not detected.									
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminates) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.									
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.									

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 215603-1

		Sample Name:	TRIP BL	ANK_83			MW-56_	112124			MW-218	3S_1121	.24		MW-200)_11212	4		MW-200)S_1121	24	
		Lab Sample ID: 2402156031				2402156032				2402156033				2402156034				240215				
			11/21/2	024		11/21/2024			11/21/2024					11/21/2	024			11/21/2024				
				Report		Valid		Report		Valid		Report		Valid		Report		Valid		Report		Valid
	Analyte	Cas No.	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC																						
OSW-8260	<u>)D</u>																					
	1,1-Dichloroethene	75-35-4	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l		1.3	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	Tetrachloroethene	127-18-4	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	Trichloroethene	79-01-6	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	
	Vinyl chloride	75-01-4	ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l		ND	1.0	ug/l	UJ	ND	1.0	ug/l	
OSW-8260	<u>DDSIM</u>																					
	1,4-Dioxane	123-91-1					0.87	2.0	ug/l	J	ND	2.0	ug/l		ND	2.0	ug/l		ND	2.0	ug/l	