

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 12/5/2024 7:09:10 AM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-215604-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
12/5/2024 7:09:10 AM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	18
Lab Chronicle	19
Certification Summary	20
Chain of Custody	21

Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215604-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis US Inc.
Project: Ford LTP

Job ID: 240-215604-1

Job ID: 240-215604-1

Eurofins Cleveland

Job Narrative 240-215604-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 11/23/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.2°C and 5.0°C.

GC/MS VOA

Method 8260D: No Ms/MSD due to instrument failure.
TRIP BLANK_67 (240-215604-1)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215604-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215604-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-215604-1	TRIP BLANK_67	Water	11/21/24 00:00	11/23/24 08:00
240-215604-2	MW-07_112124	Water	11/21/24 11:35	11/23/24 08:00
240-215604-3	MW-222S_112124	Water	11/21/24 09:45	11/23/24 08:00
240-215604-4	MW-113_112124	Water	11/21/24 13:15	11/23/24 08:00
240-215604-5	MW-124_112124	Water	11/21/24 14:30	11/23/24 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215604-1

Client Sample ID: TRIP BLANK_67

Lab Sample ID: 240-215604-1

No Detections.

Client Sample ID: MW-07_112124

Lab Sample ID: 240-215604-2

No Detections.

Client Sample ID: MW-222S_112124

Lab Sample ID: 240-215604-3

No Detections.

Client Sample ID: MW-113_112124

Lab Sample ID: 240-215604-4

No Detections.

Client Sample ID: MW-124_112124

Lab Sample ID: 240-215604-5

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215604-1

Client Sample ID: TRIP BLANK_67

Lab Sample ID: 240-215604-1

Date Collected: 11/21/24 00:00

Matrix: Water

Date Received: 11/23/24 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/27/24 20:26	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/27/24 20:26	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/27/24 20:26	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/27/24 20:26	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/27/24 20:26	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/27/24 20:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		11/27/24 20:26	1
4-Bromofluorobenzene (Surr)	82		56 - 136		11/27/24 20:26	1
Toluene-d8 (Surr)	91		78 - 122		11/27/24 20:26	1
Dibromofluoromethane (Surr)	95		73 - 120		11/27/24 20:26	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215604-1

Client Sample ID: MW-07_112124

Lab Sample ID: 240-215604-2

Date Collected: 11/21/24 11:35

Matrix: Water

Date Received: 11/23/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/03/24 16:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		68 - 127					12/03/24 16:06	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/30/24 17:54	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/30/24 17:54	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/30/24 17:54	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/30/24 17:54	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/30/24 17:54	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/30/24 17:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		62 - 137					11/30/24 17:54	1
4-Bromofluorobenzene (Surr)	88		56 - 136					11/30/24 17:54	1
Toluene-d8 (Surr)	99		78 - 122					11/30/24 17:54	1
Dibromofluoromethane (Surr)	99		73 - 120					11/30/24 17:54	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215604-1

Client Sample ID: MW-222S_112124

Lab Sample ID: 240-215604-3

Date Collected: 11/21/24 09:45

Matrix: Water

Date Received: 11/23/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/03/24 15:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		68 - 127					12/03/24 15:43	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/30/24 18:17	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/30/24 18:17	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/30/24 18:17	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/30/24 18:17	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/30/24 18:17	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/30/24 18:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137					11/30/24 18:17	1
4-Bromofluorobenzene (Surr)	84		56 - 136					11/30/24 18:17	1
Toluene-d8 (Surr)	93		78 - 122					11/30/24 18:17	1
Dibromofluoromethane (Surr)	97		73 - 120					11/30/24 18:17	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215604-1

Client Sample ID: MW-113_112124

Lab Sample ID: 240-215604-4

Date Collected: 11/21/24 13:15

Matrix: Water

Date Received: 11/23/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/03/24 16:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		68 - 127					12/03/24 16:30	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/30/24 18:41	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/30/24 18:41	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/30/24 18:41	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/30/24 18:41	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/30/24 18:41	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/30/24 18:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		62 - 137					11/30/24 18:41	1
4-Bromofluorobenzene (Surr)	91		56 - 136					11/30/24 18:41	1
Toluene-d8 (Surr)	99		78 - 122					11/30/24 18:41	1
Dibromofluoromethane (Surr)	103		73 - 120					11/30/24 18:41	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215604-1

Client Sample ID: MW-124_112124

Lab Sample ID: 240-215604-5

Date Collected: 11/21/24 14:30

Matrix: Water

Date Received: 11/23/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/03/24 16:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		68 - 127					12/03/24 16:53	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/30/24 19:04	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/30/24 19:04	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/30/24 19:04	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/30/24 19:04	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/30/24 19:04	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/30/24 19:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		62 - 137					11/30/24 19:04	1
4-Bromofluorobenzene (Surr)	84		56 - 136					11/30/24 19:04	1
Toluene-d8 (Surr)	93		78 - 122					11/30/24 19:04	1
Dibromofluoromethane (Surr)	98		73 - 120					11/30/24 19:04	1

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215604-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-215464-C-3 MS	Matrix Spike	100	106	104	97
240-215464-C-3 MSD	Matrix Spike Duplicate	96	97	101	92
240-215604-1	TRIP BLANK_67	98	82	91	95
240-215604-2	MW-07_112124	104	88	99	99
240-215604-3	MW-222S_112124	100	84	93	97
240-215604-4	MW-113_112124	107	91	99	103
240-215604-5	MW-124_112124	101	84	93	98
LCS 240-636936/5	Lab Control Sample	99	102	109	98
LCS 240-637111/5	Lab Control Sample	98	103	104	95
MB 240-636936/9	Method Blank	102	93	100	101
MB 240-637111/9	Method Blank	105	89	98	101

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(68-127)
240-215602-C-3 MSD	Matrix Spike Duplicate	107
240-215602-D-3 MS	Matrix Spike	105
240-215604-2	MW-07_112124	101
240-215604-3	MW-222S_112124	108
240-215604-4	MW-113_112124	107
240-215604-5	MW-124_112124	106
LCS 240-637398/5	Lab Control Sample	104
MB 240-637398/7	Method Blank	108

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215604-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-636936/9

Matrix: Water

Analysis Batch: 636936

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/27/24 11:36	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/27/24 11:36	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/27/24 11:36	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/27/24 11:36	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/27/24 11:36	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/27/24 11:36	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	102		62 - 137		11/27/24 11:36	1
4-Bromofluorobenzene (Surr)	93		56 - 136		11/27/24 11:36	1
Toluene-d8 (Surr)	100		78 - 122		11/27/24 11:36	1
Dibromofluoromethane (Surr)	101		73 - 120		11/27/24 11:36	1

Lab Sample ID: LCS 240-636936/5

Matrix: Water

Analysis Batch: 636936

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	1000	946		ug/L		95	63 - 134
cis-1,2-Dichloroethene	1000	949		ug/L		95	77 - 123
Tetrachloroethene	1000	1060		ug/L		106	76 - 123
trans-1,2-Dichloroethene	1000	968		ug/L		97	75 - 124
Trichloroethene	1000	977		ug/L		98	70 - 122
Vinyl chloride	1000	825		ug/L		82	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	102		56 - 136
Toluene-d8 (Surr)	109		78 - 122
Dibromofluoromethane (Surr)	98		73 - 120

Lab Sample ID: MB 240-637111/9

Matrix: Water

Analysis Batch: 637111

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/30/24 15:10	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/30/24 15:10	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/30/24 15:10	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/30/24 15:10	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/30/24 15:10	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/30/24 15:10	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	105		62 - 137		11/30/24 15:10	1
4-Bromofluorobenzene (Surr)	89		56 - 136		11/30/24 15:10	1
Toluene-d8 (Surr)	98		78 - 122		11/30/24 15:10	1

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215604-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-637111/9

Matrix: Water

Analysis Batch: 637111

Client Sample ID: Method Blank

Prep Type: Total/NA

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Dibromofluoromethane (Surr)	101		73 - 120		11/30/24 15:10	1

Lab Sample ID: LCS 240-637111/5

Matrix: Water

Analysis Batch: 637111

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	1000	925		ug/L		92	63 - 134
cis-1,2-Dichloroethene	1000	940		ug/L		94	77 - 123
Tetrachloroethene	1000	978		ug/L		98	76 - 123
trans-1,2-Dichloroethene	1000	931		ug/L		93	75 - 124
Trichloroethene	1000	911		ug/L		91	70 - 122
Vinyl chloride	1000	820		ug/L		82	60 - 144

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	98		62 - 137
4-Bromofluorobenzene (Surr)	103		56 - 136
Toluene-d8 (Surr)	104		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-215464-C-3 MS

Matrix: Water

Analysis Batch: 637111

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS MS		Unit	D	%Rec	%Rec Limits
				Result	Qualifier				
Vinyl chloride	1.0	U	20.0	16.5		ug/L		82	43 - 157

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	100		62 - 137
4-Bromofluorobenzene (Surr)	106		56 - 136
Toluene-d8 (Surr)	104		78 - 122
Dibromofluoromethane (Surr)	97		73 - 120

Lab Sample ID: 240-215464-C-3 MSD

Matrix: Water

Analysis Batch: 637111

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD MSD		Unit	D	%Rec	%Rec Limits	RPD	Limit
				Result	Qualifier						
Vinyl chloride	1.0	U	20.0	15.5		ug/L		77	43 - 157	6	24

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	101		78 - 122
Dibromofluoromethane (Surr)	92		73 - 120

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215604-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-637398/7

Matrix: Water

Analysis Batch: 637398

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/03/24 13:22	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		68 - 127					12/03/24 13:22	1

Lab Sample ID: LCS 240-637398/5

Matrix: Water

Analysis Batch: 637398

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.18		ug/L		92	75 - 121
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	104		68 - 127				

Lab Sample ID: 240-215602-C-3 MSD

Matrix: Water

Analysis Batch: 637398

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0	8.20		ug/L		82	20 - 180	3	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	107		68 - 127								

Lab Sample ID: 240-215602-D-3 MS

Matrix: Water

Analysis Batch: 637398

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	7.97		ug/L		80	20 - 180
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	105		68 - 127						

QC Association Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215604-1

GC/MS VOA

Analysis Batch: 636936

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215604-1	TRIP BLANK_67	Total/NA	Water	8260D	
MB 240-636936/9	Method Blank	Total/NA	Water	8260D	
LCS 240-636936/5	Lab Control Sample	Total/NA	Water	8260D	

Analysis Batch: 637111

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215604-2	MW-07_112124	Total/NA	Water	8260D	
240-215604-3	MW-222S_112124	Total/NA	Water	8260D	
240-215604-4	MW-113_112124	Total/NA	Water	8260D	
240-215604-5	MW-124_112124	Total/NA	Water	8260D	
MB 240-637111/9	Method Blank	Total/NA	Water	8260D	
LCS 240-637111/5	Lab Control Sample	Total/NA	Water	8260D	
240-215464-C-3 MS	Matrix Spike	Total/NA	Water	8260D	
240-215464-C-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 637398

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215604-2	MW-07_112124	Total/NA	Water	8260D SIM	
240-215604-3	MW-222S_112124	Total/NA	Water	8260D SIM	
240-215604-4	MW-113_112124	Total/NA	Water	8260D SIM	
240-215604-5	MW-124_112124	Total/NA	Water	8260D SIM	
MB 240-637398/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-637398/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-215602-C-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	
240-215602-D-3 MS	Matrix Spike	Total/NA	Water	8260D SIM	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215604-1

Client Sample ID: TRIP BLANK_67

Lab Sample ID: 240-215604-1

Date Collected: 11/21/24 00:00

Matrix: Water

Date Received: 11/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	636936	AJS	EET CLE	11/27/24 20:26

Client Sample ID: MW-07_112124

Lab Sample ID: 240-215604-2

Date Collected: 11/21/24 11:35

Matrix: Water

Date Received: 11/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637111	AJS	EET CLE	11/30/24 17:54
Total/NA	Analysis	8260D SIM		1	637398	R5XG	EET CLE	12/03/24 16:06

Client Sample ID: MW-222S_112124

Lab Sample ID: 240-215604-3

Date Collected: 11/21/24 09:45

Matrix: Water

Date Received: 11/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637111	AJS	EET CLE	11/30/24 18:17
Total/NA	Analysis	8260D SIM		1	637398	R5XG	EET CLE	12/03/24 15:43

Client Sample ID: MW-113_112124

Lab Sample ID: 240-215604-4

Date Collected: 11/21/24 13:15

Matrix: Water

Date Received: 11/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637111	AJS	EET CLE	11/30/24 18:41
Total/NA	Analysis	8260D SIM		1	637398	R5XG	EET CLE	12/03/24 16:30

Client Sample ID: MW-124_112124

Lab Sample ID: 240-215604-5

Date Collected: 11/21/24 14:30

Matrix: Water

Date Received: 11/23/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637111	AJS	EET CLE	11/30/24 19:04
Total/NA	Analysis	8260D SIM		1	637398	R5XG	EET CLE	12/03/24 16:53

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215604-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-25
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-25
West Virginia DEP	State	210	12-31-24

Eurofins - Cleveland Sample Receipt Form/Narrative Login # _____
Batterton Facility

Client Altus Site Name _____ Cooler unpacked by: JC
 Cooler Received on 11-23-24 Opened on 11-23-24

FedEx: 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other _____
 Receipt After-hours Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # EC Foam Box Client Cooler Box Other _____
 Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1 Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN # 21 (CF 0.2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle lids (LLHg/MeHg)? Yes NO NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA
 3 Shippers' packing slip attached to the cooler(s)? Yes NO NA
 4. Did custody papers accompany the sample(s)? Yes No
 5 Were the custody papers relinquished & signed in the appropriate place? Yes No
 6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
 7 Did all bottles arrive in good condition (Unbroken)? Yes No
 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No
 10 Were correct bottle(s) used for the test(s) indicated? Yes No
 11 Sufficient quantity received to perform indicated analyses? Yes No
 12. Are these work share samples and all listed on the COC? Yes No
 If yes, Questions 13-17 have been checked at the originating laboratory
 13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC448976
 14 Were VOAs on the COC? Yes No
 15 Were air bubbles >6 mm in any VOA vials? Yes No NA
 16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # NA
 17 Was a LL Hg or Me Hg trip blank present? Yes No

Tests that are not checked for pH by Receiving: VOAs, Oil and Grease, TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container
 Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory
 Time preserved _____ Preservative(s) added/Lot number(s): _____
 VOA Sample Preservation - Date/Time VOAs Frozen _____

Temperature readings: _____

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container pH</u>	<u>Preservation Temp</u>	<u>Preservation Added</u>	<u>Preservation Lot Number</u>
TRIP BLANK_67	240-215604-A-1	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-07-112124	240-215604-A-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-07-112124	240-215604-B-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-07-112124	240-215604-C-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-07-112124	240-215604-D-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-07-112124	240-215604-E-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-07-112124	240-215604-G-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-222S-112124	240-215604-A-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-222S-112124	240-215604-B-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-222S-112124	240-215604-C-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-222S-112124	240-215604-D-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-222S-112124	240-215604-E-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-222S-112124	240-215604-F-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-113-112124	240-215604-A-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-113-112124	240-215604-B-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-113-112124	240-215604-C-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-113-112124	240-215604-D-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-113-112124	240-215604-E-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-113-112124	240-215604-F-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-124-112124	240-215604-A-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-124-112124	240-215604-B-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-124-112124	240-215604-C-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-124-112124	240-215604-D-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-124-112124	240-215604-E-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-124-112124	240-215604-F-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____

DATA VERIFICATION REPORT



December 05, 2024

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil
Project number: 30206169.0401.04_WA-03
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 215604-1
Sample date: 2024-11-21
Report received by CADENA: 2024-12-05
Initial Data Verification completed by CADENA: 2024-12-05
Number of Samples:5
Sample Matrices:Water
Test Categories:GCMS VOC
Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 215604-1

Analyte	Cas No.	Sample Name: TRIP BLANK_67				MW-07_112124				MW-222S_112124				MW-113_112124				MW-124_112124			
		Lab Sample ID: 2402156041				2402156042				2402156043				2402156044				2402156045			
		Sample Date: 11/21/2024				11/21/2024				11/21/2024				11/21/2024				11/21/2024			
		Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid		
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MSVOC																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---