

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Ms. Megan Meckley  
Arcadis US Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 12/5/2024 6:58:57 AM

## JOB DESCRIPTION

Ford LTP

## JOB NUMBER

240-215659-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
12/5/2024 6:58:57 AM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	12
QC Sample Results . . . . .	13
QC Association Summary . . . . .	16
Lab Chronicle . . . . .	17
Certification Summary . . . . .	18
Chain of Custody . . . . .	19

# Definitions/Glossary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215659-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
F2	MS/MSD RPD exceeds control limits
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Arcadis US Inc.  
Project: Ford LTP

Job ID: 240-215659-1

**Job ID: 240-215659-1**

**Eurofins Cleveland**

## **Job Narrative 240-215659-1**

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### **Receipt**

The samples were received on 11/26/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.4°C.

### **GC/MS VOA**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

# Method Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215659-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Sample Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215659-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-215659-1	TRIP BLANK_101	Water	11/22/24 00:00	11/26/24 08:00
240-215659-2	MW-194_112224	Water	11/22/24 09:35	11/26/24 08:00
240-215659-3	MW-194S_112224	Water	11/22/24 10:30	11/26/24 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215659-1

**Client Sample ID: TRIP BLANK\_101**

**Lab Sample ID: 240-215659-1**

No Detections.

**Client Sample ID: MW-194\_112224**

**Lab Sample ID: 240-215659-2**

No Detections.

**Client Sample ID: MW-194S\_112224**

**Lab Sample ID: 240-215659-3**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215659-1

**Client Sample ID: TRIP BLANK\_101**

**Lab Sample ID: 240-215659-1**

Date Collected: 11/22/24 00:00

Matrix: Water

Date Received: 11/26/24 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/01/24 17:23	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/01/24 17:23	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 17:23	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/01/24 17:23	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 17:23	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/01/24 17:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		62 - 137		12/01/24 17:23	1
4-Bromofluorobenzene (Surr)	105		56 - 136		12/01/24 17:23	1
Toluene-d8 (Surr)	102		78 - 122		12/01/24 17:23	1
Dibromofluoromethane (Surr)	98		73 - 120		12/01/24 17:23	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215659-1

**Client Sample ID: MW-194\_112224**

**Lab Sample ID: 240-215659-2**

Date Collected: 11/22/24 09:35

Matrix: Water

Date Received: 11/26/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/04/24 00:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		68 - 127					12/04/24 00:19	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/01/24 17:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/01/24 17:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 17:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/01/24 17:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 17:46	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/01/24 17:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		62 - 137					12/01/24 17:46	1
4-Bromofluorobenzene (Surr)	102		56 - 136					12/01/24 17:46	1
Toluene-d8 (Surr)	100		78 - 122					12/01/24 17:46	1
Dibromofluoromethane (Surr)	97		73 - 120					12/01/24 17:46	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215659-1

**Client Sample ID: MW-194S\_112224**

**Lab Sample ID: 240-215659-3**

Date Collected: 11/22/24 10:30

Matrix: Water

Date Received: 11/26/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/04/24 06:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		68 - 127					12/04/24 06:12	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/01/24 18:08	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/01/24 18:08	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 18:08	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/01/24 18:08	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 18:08	1
Vinyl chloride	1.0	U F2	1.0	0.45	ug/L			12/01/24 18:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		62 - 137					12/01/24 18:08	1
4-Bromofluorobenzene (Surr)	99		56 - 136					12/01/24 18:08	1
Toluene-d8 (Surr)	99		78 - 122					12/01/24 18:08	1
Dibromofluoromethane (Surr)	96		73 - 120					12/01/24 18:08	1

# Surrogate Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215659-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-215659-1	TRIP BLANK_101	108	105	102	98
240-215659-2	MW-194_112224	108	102	100	97
240-215659-3	MW-194S_112224	104	99	99	96
240-215659-3 MS	MW-194S-MS_112224	101	103	102	95
240-215659-3 MSD	MW-194S-MSD_112224	102	107	104	98
LCS 240-637116/4	Lab Control Sample	100	103	101	93
MB 240-637116/7	Method Blank	103	102	98	95

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (68-127)
240-215659-2	MW-194_112224	109
240-215659-3	MW-194S_112224	100
240-215659-3 MS	MW-194S-MS_112224	111
240-215659-3 MSD	MW-194S-MSD_112224	108
LCS 240-637453/5	Lab Control Sample	110
MB 240-637453/7	Method Blank	108

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215659-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-637116/7

Matrix: Water

Analysis Batch: 637116

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/01/24 13:34	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/01/24 13:34	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 13:34	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/01/24 13:34	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/01/24 13:34	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/01/24 13:34	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	103		62 - 137		12/01/24 13:34	1
4-Bromofluorobenzene (Surr)	102		56 - 136		12/01/24 13:34	1
Toluene-d8 (Surr)	98		78 - 122		12/01/24 13:34	1
Dibromofluoromethane (Surr)	95		73 - 120		12/01/24 13:34	1

Lab Sample ID: LCS 240-637116/4

Matrix: Water

Analysis Batch: 637116

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	27.1		ug/L		108	63 - 134
cis-1,2-Dichloroethene	25.0	26.7		ug/L		107	77 - 123
Tetrachloroethene	25.0	24.7		ug/L		99	76 - 123
trans-1,2-Dichloroethene	25.0	24.3		ug/L		97	75 - 124
Trichloroethene	25.0	23.7		ug/L		95	70 - 122
Vinyl chloride	12.5	13.3		ug/L		107	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	100		62 - 137
4-Bromofluorobenzene (Surr)	103		56 - 136
Toluene-d8 (Surr)	101		78 - 122
Dibromofluoromethane (Surr)	93		73 - 120

Lab Sample ID: 240-215659-3 MS

Matrix: Water

Analysis Batch: 637116

Client Sample ID: MW-194S-MS\_112224

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	25.0	24.1		ug/L		96	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	24.3		ug/L		97	66 - 128
Tetrachloroethene	1.0	U	25.0	22.6		ug/L		91	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	22.6		ug/L		91	56 - 136
Trichloroethene	1.0	U	25.0	22.5		ug/L		90	61 - 124
Vinyl chloride	1.0	U F2	12.5	9.58		ug/L		77	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	101		62 - 137
4-Bromofluorobenzene (Surr)	103		56 - 136
Toluene-d8 (Surr)	102		78 - 122

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215659-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-215659-3 MS  
Matrix: Water  
Analysis Batch: 637116

Client Sample ID: MW-194S-MS\_112224  
Prep Type: Total/NA

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-215659-3 MSD  
Matrix: Water  
Analysis Batch: 637116

Client Sample ID: MW-194S-MSD\_112224  
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MSD MSD		Unit	D	%Rec	%Rec		RPD	
	Result	Qualifier		Result	Qualifier				Limits	RPD	Limit	
1,1-Dichloroethene	1.0	U	25.0	26.2		ug/L		105	56 - 135	8	26	
cis-1,2-Dichloroethene	1.0	U	25.0	25.8		ug/L		103	66 - 128	6	14	
Tetrachloroethene	1.0	U	25.0	24.7		ug/L		99	62 - 131	9	20	
trans-1,2-Dichloroethene	1.0	U	25.0	24.1		ug/L		96	56 - 136	6	15	
Trichloroethene	1.0	U	25.0	23.8		ug/L		95	61 - 124	6	15	
Vinyl chloride	1.0	U F2	12.5	12.7	F2	ug/L		101	43 - 157	28	24	

  

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	102		62 - 137
4-Bromofluorobenzene (Surr)	107		56 - 136
Toluene-d8 (Surr)	104		78 - 122
Dibromofluoromethane (Surr)	98		73 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-637453/7  
Matrix: Water  
Analysis Batch: 637453

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/03/24 23:56	1

  

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	108		68 - 127		12/03/24 23:56	1

Lab Sample ID: LCS 240-637453/5  
Matrix: Water  
Analysis Batch: 637453

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec	
		Result	Qualifier				Limits	RPD
1,4-Dioxane	10.0	9.42		ug/L		94	75 - 121	

  

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	110		68 - 127

Lab Sample ID: 240-215659-3 MS  
Matrix: Water  
Analysis Batch: 637453

Client Sample ID: MW-194S-MS\_112224  
Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS MS		Unit	D	%Rec	%Rec	
	Result	Qualifier		Result	Qualifier				Limits	RPD
1,4-Dioxane	2.0	U	10.0	8.46		ug/L		85	20 - 180	

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215659-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	111		68 - 127

**Lab Sample ID: 240-215659-3 MSD**  
**Matrix: Water**  
**Analysis Batch: 637453**

**Client Sample ID: MW-194S-MSD\_112224**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,4-Dioxane	2.0	U	10.0	7.56		ug/L		76	20 - 180	11	20

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	108		68 - 127



# QC Association Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215659-1

## GC/MS VOA

### Analysis Batch: 637116

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215659-1	TRIP BLANK_101	Total/NA	Water	8260D	
240-215659-2	MW-194_112224	Total/NA	Water	8260D	
240-215659-3	MW-194S_112224	Total/NA	Water	8260D	
MB 240-637116/7	Method Blank	Total/NA	Water	8260D	
LCS 240-637116/4	Lab Control Sample	Total/NA	Water	8260D	
240-215659-3 MS	MW-194S-MS_112224	Total/NA	Water	8260D	
240-215659-3 MSD	MW-194S-MSD_112224	Total/NA	Water	8260D	

### Analysis Batch: 637453

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215659-2	MW-194_112224	Total/NA	Water	8260D SIM	
240-215659-3	MW-194S_112224	Total/NA	Water	8260D SIM	
MB 240-637453/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-637453/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-215659-3 MS	MW-194S-MS_112224	Total/NA	Water	8260D SIM	
240-215659-3 MSD	MW-194S-MSD_112224	Total/NA	Water	8260D SIM	



# Lab Chronicle

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215659-1

**Client Sample ID: TRIP BLANK\_101**

**Lab Sample ID: 240-215659-1**

Date Collected: 11/22/24 00:00

Matrix: Water

Date Received: 11/26/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637116	LEE	EET CLE	12/01/24 17:23

**Client Sample ID: MW-194\_112224**

**Lab Sample ID: 240-215659-2**

Date Collected: 11/22/24 09:35

Matrix: Water

Date Received: 11/26/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637116	LEE	EET CLE	12/01/24 17:46
Total/NA	Analysis	8260D SIM		1	637453	R5XG	EET CLE	12/04/24 00:19

**Client Sample ID: MW-194S\_112224**

**Lab Sample ID: 240-215659-3**

Date Collected: 11/22/24 10:30

Matrix: Water

Date Received: 11/26/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637116	LEE	EET CLE	12/01/24 18:08
Total/NA	Analysis	8260D SIM		1	637453	R5XG	EET CLE	12/04/24 06:12

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# Accreditation/Certification Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215659-1

## Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-25
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-25
West Virginia DEP	State	210	12-31-24

Chain of Custody Record

23/8.4

MICHIGAN 190

TestAmerica THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other												TestAmerica Laboratories, Inc.													
Company Name: Arcadis		Client Project Manager: Kris Hinskey				Site Contact: Christina Weaver				Lab Contact: Mike DelMonico				COC No:													
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240				Telephone: 248-994-2240				Telephone: 330-497-9396				1 of 1 COCs													
City/State/Zip: Novi, MI, 48377		Email: kristoffer.hinskey@arcadis.com				Analysis Turnaround Time				Analyses				For lab use only													
Phone: 248-994-2240		Sampler Name: <i>Maryam Hanani</i>				TAT if different from below								Walk-in client													
Project Name: Ford LTP		Method of Shipment/Carrier:				10 day <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/>								Lab sampling													
Project Number: 30206169.0401.03		Shipping/Tracking No:				1 week <input type="checkbox"/> 2 weeks <input type="checkbox"/>								Job/SDG No:													
PO # US3410018772						2 days <input type="checkbox"/> 1 day <input type="checkbox"/>																					
Sample Identification		Sample Date	Sample Time	Matrix					Containers & Preservatives					Sample Specific Notes / Special Instructions:													
				Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc	NaOH	Unpres	Other:	Filtered Sample (Y/N)	Composite-C / Grab-G	1,1-DCE 8260D	cis-1,2-DCE 8260D	Trans-1,2-DCE 8260D	PCE 8260D	TOE 8260D	Vinyl Chloride 8260D	1,4-Dioxane 8260D SIM		
TRIP BLANK_ 101		---	---	1							1						NG	X	X	X	X	X	X			1 Trip Blank	
MW-194_112224		11/22/24	0935	6							6						NG	X	X	X	X	X	X			3 VOAs for 8260D 3 VOAs for 8260D SIM	
MW-194S_112224		11/22/24	1030	6							6						NG	X	X	X	X	X	X				
MW-194S-MS_112224		11/22/24	1030	6							6						NG	X	X	X	X	X	X			Run MS/MSD	
MW-194S-MSD_112224		11/22/24	1030	6							6						NG	X	X	X	X	X	X			Run MS/MSD	



Vertical checkmarks on the right side of the table rows.

©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

Eurofins Cleveland Sample Receipt Form/Narrative  
 Barberton Facility

Client Accodis Site Name \_\_\_\_\_ Login # \_\_\_\_\_  
 Cooler unpacked by: Marvin

Cooler Received on 11/26/24 Opened on 11/26/24  
 FedEx: 1<sup>st</sup> Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other \_\_\_\_\_

Receipt After-hours-Drop-off-Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

Eurofins Cooler # EC Foam Box Client Cooler Box Other \_\_\_\_\_  
 Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_

COOLANT: Water Blue Ice Dry Ice Water None  
 See Multiple Cooler Form

1 Cooler temperature upon receipt \_\_\_\_\_  
 IR GUN # 17 (CF 40.1 °C) Observed Cooler Temp. 2.3 °C Corrected Cooler Temp. 2.4 °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1  
 -Were the seals on the outside of the cooler(s) signed & dated?  Yes  No  NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No  NA  
 -Were tamper/custody seals intact and uncompromised?  Yes  No  NA

Tests that are not checked for pH by Receiving:  
 VOAs  
 Oil and Grease  
 TOC

3 Shippers' packing slip attached to the cooler(s)?  Yes  No  NA  
 4 Did custody papers accompany the sample(s)?  Yes  No  NA  
 5 Were the custody papers relinquished & signed in the appropriate place?  Yes  No  NA  
 6 Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No  NA  
 7 Did all bottles arrive in good condition (Unbroken)?  Yes  No  NA  
 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No  NA  
 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?  Yes  No  NA  
 10 Were correct bottle(s) used for the test(s) indicated?  Yes  No  NA  
 11 Sufficient quantity received to perform indicated analyses?  Yes  No  NA  
 12. Are these work share samples and all listed on the COC?  Yes  No  NA  
 If yes, Questions 13-17 have been checked at the originating laboratory  
 13 Were all preserved sample(s) at the correct pH upon receipt?  Yes  No  NA pH Strip Lot# HC448976  
 14. Were VOAs on the COC?  Yes  No  NA  
 15 Were air bubbles >6 mm in any VOA vials?  Yes  No  NA  
 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # N/A  Yes  No  NA  
 17 Was a LL Hg or Me Hg trip blank present?  Yes  No  NA

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
 Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page  Samples processed by: \_\_\_\_\_

19. SAMPLE CONDITION  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory  
 Time preserved. \_\_\_\_\_ Preservative(s) added/Lot number(s) \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen. \_\_\_\_\_

Temperature readings

Client Sample ID	Lab ID	Container Type	Container	Preservation	Preservation
			pH	Temp	Added
					Lot Number
TRIP BLANK_101	240-215659-A-1	Voa Vial 40ml - Hydrochloric Acid			
MW-194_112224	240-215659-A-2	Voa Vial 40ml - Hydrochloric Acid			
MW-194_112224	240-215659-B-2	Voa Vial 40ml - Hydrochloric Acid			
MW-194_112224	240-215659-C-2	Voa Vial 40ml - Hydrochloric Acid			
MW-194_112224	240-215659-D-2	Voa Vial 40ml - Hydrochloric Acid			
MW-194_112224	240-215659-E-2	Voa Vial 40ml - Hydrochloric Acid			
MW-194_112224	240-215659-G-2	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-A-3	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-A-3 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-A-3 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-B-3	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-B-3 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-B-3 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-C-3	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-C-3 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-C-3 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-D-3	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-D-3 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-D-3 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-E-3	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-E-3 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-E-3 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-F-3	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-F-3 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-194S_112224	240-215659-F-3 MSD	Voa Vial 40ml - Hydrochloric Acid			

# DATA VERIFICATION REPORT



December 05, 2024

Megan Meckley  
Arcadis  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil

Project number: 30206169.0401.04\_WA-03

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 215659-1

Sample date: 2024-11-22

Report received by CADENA: 2024-12-05

Initial Data Verification completed by CADENA: 2024-12-05

Number of Samples:3

Sample Matrices:Water

Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

The following minor QC exceptions or missing information were noted:

GCMS VOC sample -003 MS/MSD RPD only was outlying for VINYL CHLORIDE so client sample results were not qualified based on this QC outlier alone.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.



# Analytical Results Summary

**CADENA Project ID:** E203728

**Laboratory:** Eurofins Environment Testing LLC - Cleveland

**Laboratory Submittal:** 215659-1

<b>Sample Name:</b> TRIP BLANK_101	MW-194_112224	MW-194S_112224
<b>Lab Sample ID:</b> 2402156591	2402156592	2402156593
<b>Sample Date:</b> 11/22/2024	11/22/2024	11/22/2024

Analyte	Cas No.	TRIP BLANK_101				MW-194_112224				MW-194S_112224			
		Report	Valid	Report	Valid	Report	Valid	Report	Valid				
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier

**GC/MS VOC**

OSW-8260D

1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---

OSW-8260DSIM

1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---
-------------	----------	--	--	--	--	----	-----	------	-----	----	-----	------	-----