

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 12/9/2024 7:58:04 AM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-215660-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
12/9/2024 7:58:04 AM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	19
Lab Chronicle	20
Certification Summary	21
Chain of Custody	22
Receipt Checklists	25

Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis US Inc.
Project: Ford LTP

Job ID: 240-215660-1

Job ID: 240-215660-1

Eurofins Cleveland

Job Narrative 240-215660-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 11/26/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.4°C.

GC/MS VOA

Method 8260D: The continuing calibration verification (CCV) associated with batch 240-637621 recovered above the upper control limit for Vinyl chloride. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: TRIP BLANK_37 (240-215660-1), MW-36_112224 (240-215660-3) and MW-32_112224 (240-215660-4).

Method 8260D: No MS/MSD reported with tune as sample analysis resulted in internal standard failure which requires re analysis of the sample.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-215660-1	TRIP BLANK_37	Water	11/22/24 00:00	11/26/24 08:00
240-215660-2	MW-197S_112224	Water	11/22/24 09:40	11/26/24 08:00
240-215660-3	MW-36_112224	Water	11/22/24 10:50	11/26/24 08:00
240-215660-4	MW-32_112224	Water	11/22/24 11:45	11/26/24 08:00

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

Client Sample ID: TRIP BLANK_37

Lab Sample ID: 240-215660-1

No Detections.

Client Sample ID: MW-197S_112224

Lab Sample ID: 240-215660-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethene	0.67	J	1.0	0.49	ug/L	1		8260D	Total/NA
cis-1,2-Dichloroethene	39		1.0	0.46	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	1.7		1.0	0.51	ug/L	1		8260D	Total/NA
Trichloroethene	130		5.0	2.2	ug/L	5		8260D	Total/NA
Vinyl chloride	3.5		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-36_112224

Lab Sample ID: 240-215660-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	0.61	J	1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-32_112224

Lab Sample ID: 240-215660-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.70	J	1.0	0.46	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

Client Sample ID: TRIP BLANK_37

Lab Sample ID: 240-215660-1

Date Collected: 11/22/24 00:00

Matrix: Water

Date Received: 11/26/24 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/04/24 17:30	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/04/24 17:30	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 17:30	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/04/24 17:30	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 17:30	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/04/24 17:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		62 - 137		12/04/24 17:30	1
4-Bromofluorobenzene (Surr)	76		56 - 136		12/04/24 17:30	1
Toluene-d8 (Surr)	90		78 - 122		12/04/24 17:30	1
Dibromofluoromethane (Surr)	97		73 - 120		12/04/24 17:30	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

Client Sample ID: MW-197S_112224

Lab Sample ID: 240-215660-2

Date Collected: 11/22/24 09:40

Matrix: Water

Date Received: 11/26/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/04/24 00:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		68 - 127					12/04/24 00:43	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	0.67	J	1.0	0.49	ug/L			12/05/24 15:25	1
cis-1,2-Dichloroethene	39		1.0	0.46	ug/L			12/05/24 15:25	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/05/24 15:25	1
trans-1,2-Dichloroethene	1.7		1.0	0.51	ug/L			12/05/24 15:25	1
Trichloroethene	130		5.0	2.2	ug/L			12/06/24 16:48	5
Vinyl chloride	3.5		1.0	0.45	ug/L			12/05/24 15:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		62 - 137					12/05/24 15:25	1
1,2-Dichloroethane-d4 (Surr)	115		62 - 137					12/06/24 16:48	5
4-Bromofluorobenzene (Surr)	77		56 - 136					12/05/24 15:25	1
4-Bromofluorobenzene (Surr)	71		56 - 136					12/06/24 16:48	5
Toluene-d8 (Surr)	94		78 - 122					12/05/24 15:25	1
Toluene-d8 (Surr)	93		78 - 122					12/06/24 16:48	5
Dibromofluoromethane (Surr)	101		73 - 120					12/05/24 15:25	1
Dibromofluoromethane (Surr)	107		73 - 120					12/06/24 16:48	5

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

Client Sample ID: MW-36_112224

Lab Sample ID: 240-215660-3

Date Collected: 11/22/24 10:50

Matrix: Water

Date Received: 11/26/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/04/24 01:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		68 - 127					12/04/24 01:06	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/04/24 19:07	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/04/24 19:07	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 19:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/04/24 19:07	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 19:07	1
Vinyl chloride	0.61	J	1.0	0.45	ug/L			12/04/24 19:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	119		62 - 137					12/04/24 19:07	1
4-Bromofluorobenzene (Surr)	77		56 - 136					12/04/24 19:07	1
Toluene-d8 (Surr)	92		78 - 122					12/04/24 19:07	1
Dibromofluoromethane (Surr)	101		73 - 120					12/04/24 19:07	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

Client Sample ID: MW-32_112224

Lab Sample ID: 240-215660-4

Date Collected: 11/22/24 11:45

Matrix: Water

Date Received: 11/26/24 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/04/24 01:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		68 - 127					12/04/24 01:30	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/04/24 19:26	1
cis-1,2-Dichloroethene	0.70	J	1.0	0.46	ug/L			12/04/24 19:26	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 19:26	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/04/24 19:26	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 19:26	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/04/24 19:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	119		62 - 137					12/04/24 19:26	1
4-Bromofluorobenzene (Surr)	75		56 - 136					12/04/24 19:26	1
Toluene-d8 (Surr)	95		78 - 122					12/04/24 19:26	1
Dibromofluoromethane (Surr)	102		73 - 120					12/04/24 19:26	1

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-215660-1	TRIP BLANK_37	114	76	90	97
240-215660-2	MW-197S_112224	110	77	94	101
240-215660-2	MW-197S_112224	115	71	93	107
240-215660-3	MW-36_112224	119	77	92	101
240-215660-4	MW-32_112224	119	75	95	102
240-215663-E-2 MS	Matrix Spike	99	89	92	92
240-215663-E-2 MSD	Matrix Spike Duplicate	94	89	90	90
240-215868-B-1 MS	Matrix Spike	96	89	90	93
240-215868-B-1 MSD	Matrix Spike Duplicate	93	87	91	91
LCS 240-637621/5	Lab Control Sample	97	88	95	90
LCS 240-637744/5	Lab Control Sample	93	89	99	91
LCS 240-637825/7	Lab Control Sample	93	90	97	92
MB 240-637621/10	Method Blank	106	78	94	93
MB 240-637744/10	Method Blank	104	76	95	94
MB 240-637825/12	Method Blank	109	78	92	99

Surrogate Legend

- DCA = 1,2-Dichloroethane-d4 (Surr)
- BFB = 4-Bromofluorobenzene (Surr)
- TOL = Toluene-d8 (Surr)
- DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (68-127)
240-215659-C-3 MS	Matrix Spike	111
240-215659-F-3 MSD	Matrix Spike Duplicate	108
240-215660-2	MW-197S_112224	106
240-215660-3	MW-36_112224	110
240-215660-4	MW-32_112224	98
LCS 240-637453/5	Lab Control Sample	110
MB 240-637453/7	Method Blank	108

Surrogate Legend

- DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-637621/10

Matrix: Water

Analysis Batch: 637621

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/04/24 16:12	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/04/24 16:12	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 16:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/04/24 16:12	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 16:12	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/04/24 16:12	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	106		62 - 137		12/04/24 16:12	1
4-Bromofluorobenzene (Surr)	78		56 - 136		12/04/24 16:12	1
Toluene-d8 (Surr)	94		78 - 122		12/04/24 16:12	1
Dibromofluoromethane (Surr)	93		73 - 120		12/04/24 16:12	1

Lab Sample ID: LCS 240-637621/5

Matrix: Water

Analysis Batch: 637621

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	24.6		ug/L		98 77 - 123	
Tetrachloroethene	25.0	28.2		ug/L		113 76 - 123	
trans-1,2-Dichloroethene	25.0	25.5		ug/L		102 75 - 124	
Trichloroethene	25.0	24.8		ug/L		99 70 - 122	
Vinyl chloride	12.5	16.1		ug/L		129 60 - 144	

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	88		56 - 136
Toluene-d8 (Surr)	95		78 - 122
Dibromofluoromethane (Surr)	90		73 - 120

Lab Sample ID: MB 240-637744/10

Matrix: Water

Analysis Batch: 637744

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/05/24 14:07	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/05/24 14:07	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/05/24 14:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/05/24 14:07	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/05/24 14:07	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/05/24 14:07	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	104		62 - 137		12/05/24 14:07	1
4-Bromofluorobenzene (Surr)	76		56 - 136		12/05/24 14:07	1
Toluene-d8 (Surr)	95		78 - 122		12/05/24 14:07	1

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-637744/10

Matrix: Water

Analysis Batch: 637744

Client Sample ID: Method Blank

Prep Type: Total/NA

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Dibromofluoromethane (Surr)	94		73 - 120		12/05/24 14:07	1

Lab Sample ID: LCS 240-637744/5

Matrix: Water

Analysis Batch: 637744

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	23.9		ug/L		96	77 - 123
Tetrachloroethene	25.0	28.1		ug/L		112	76 - 123
trans-1,2-Dichloroethene	25.0	23.4		ug/L		94	75 - 124
Trichloroethene	25.0	22.8		ug/L		91	70 - 122
Vinyl chloride	12.5	11.9		ug/L		95	60 - 144

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	93		62 - 137
4-Bromofluorobenzene (Surr)	89		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	91		73 - 120

Lab Sample ID: 240-215663-E-2 MS

Matrix: Water

Analysis Batch: 637744

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	5.3		125	121		ug/L		92	66 - 128
Tetrachloroethene	5.0	U	125	120		ug/L		96	62 - 131
trans-1,2-Dichloroethene	5.0	U	125	112		ug/L		89	56 - 136
Trichloroethene	5.0	U	125	112		ug/L		90	61 - 124
Vinyl chloride	81		62.5	113		ug/L		52	43 - 157

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	89		56 - 136
Toluene-d8 (Surr)	92		78 - 122
Dibromofluoromethane (Surr)	92		73 - 120

Lab Sample ID: 240-215663-E-2 MSD

Matrix: Water

Analysis Batch: 637744

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
cis-1,2-Dichloroethene	5.3		125	120		ug/L		92	66 - 128	0	14
Tetrachloroethene	5.0	U	125	118		ug/L		95	62 - 131	1	20
trans-1,2-Dichloroethene	5.0	U	125	112		ug/L		90	56 - 136	0	15
Trichloroethene	5.0	U	125	112		ug/L		90	61 - 124	0	15

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-215663-E-2 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637744

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Vinyl chloride	81		62.5	121		ug/L		65	43 - 157	7	24
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	94		62 - 137								
4-Bromofluorobenzene (Surr)	89		56 - 136								
Toluene-d8 (Surr)	90		78 - 122								
Dibromofluoromethane (Surr)	90		73 - 120								

Lab Sample ID: MB 240-637825/12

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637825

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/06/24 10:59	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/06/24 10:59	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/06/24 10:59	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/06/24 10:59	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/06/24 10:59	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/06/24 10:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		62 - 137					12/06/24 10:59	1
4-Bromofluorobenzene (Surr)	78		56 - 136					12/06/24 10:59	1
Toluene-d8 (Surr)	92		78 - 122					12/06/24 10:59	1
Dibromofluoromethane (Surr)	99		73 - 120					12/06/24 10:59	1

Lab Sample ID: LCS 240-637825/7

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637825

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	25.5		ug/L		102	63 - 134
cis-1,2-Dichloroethene	25.0	24.7		ug/L		99	77 - 123
Tetrachloroethene	25.0	29.9		ug/L		120	76 - 123
trans-1,2-Dichloroethene	25.0	25.2		ug/L		101	75 - 124
Trichloroethene	25.0	23.6		ug/L		94	70 - 122
Vinyl chloride	12.5	12.2		ug/L		98	60 - 144
Surrogate	%Recovery	Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	93		62 - 137				
4-Bromofluorobenzene (Surr)	90		56 - 136				
Toluene-d8 (Surr)	97		78 - 122				
Dibromofluoromethane (Surr)	92		73 - 120				

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-215868-B-1 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637825

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Trichloroethene	520		500	939		ug/L		83	61 - 124
MS MS									
Surrogate	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	96		62 - 137						
4-Bromofluorobenzene (Surr)	89		56 - 136						
Toluene-d8 (Surr)	90		78 - 122						
Dibromofluoromethane (Surr)	93		73 - 120						

Lab Sample ID: 240-215868-B-1 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637825

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Trichloroethene	520		500	878		ug/L		71	61 - 124	7	15
MSD MSD											
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	93		62 - 137								
4-Bromofluorobenzene (Surr)	87		56 - 136								
Toluene-d8 (Surr)	91		78 - 122								
Dibromofluoromethane (Surr)	91		73 - 120								

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-637453/7

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637453

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/03/24 23:56	1
MB MB									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		68 - 127					12/03/24 23:56	1

Lab Sample ID: LCS 240-637453/5

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637453

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.42		ug/L		94	75 - 121
LCS LCS							
Surrogate	%Recovery	Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	110		68 - 127				

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-215659-C-3 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637453

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	
1,4-Dioxane	2.0	U	10.0	8.46		ug/L		85	20 - 180	
Surrogate	%Recovery	MS Qualifier	MS Limits							
1,2-Dichloroethane-d4 (Surr)	111		68 - 127							

Lab Sample ID: 240-215659-F-3 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637453

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	7.56		ug/L		76	20 - 180	11	20
Surrogate	%Recovery	MSD Qualifier	MSD Limits								
1,2-Dichloroethane-d4 (Surr)	108		68 - 127								

QC Association Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

GC/MS VOA

Analysis Batch: 637453

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215660-2	MW-197S_112224	Total/NA	Water	8260D SIM	
240-215660-3	MW-36_112224	Total/NA	Water	8260D SIM	
240-215660-4	MW-32_112224	Total/NA	Water	8260D SIM	
MB 240-637453/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-637453/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-215659-C-3 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-215659-F-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 637621

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215660-1	TRIP BLANK_37	Total/NA	Water	8260D	
240-215660-3	MW-36_112224	Total/NA	Water	8260D	
240-215660-4	MW-32_112224	Total/NA	Water	8260D	
MB 240-637621/10	Method Blank	Total/NA	Water	8260D	
LCS 240-637621/5	Lab Control Sample	Total/NA	Water	8260D	

Analysis Batch: 637744

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215660-2	MW-197S_112224	Total/NA	Water	8260D	
MB 240-637744/10	Method Blank	Total/NA	Water	8260D	
LCS 240-637744/5	Lab Control Sample	Total/NA	Water	8260D	
240-215663-E-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-215663-E-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 637825

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215660-2	MW-197S_112224	Total/NA	Water	8260D	
MB 240-637825/12	Method Blank	Total/NA	Water	8260D	
LCS 240-637825/7	Lab Control Sample	Total/NA	Water	8260D	
240-215868-B-1 MS	Matrix Spike	Total/NA	Water	8260D	
240-215868-B-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

Client Sample ID: TRIP BLANK_37

Lab Sample ID: 240-215660-1

Date Collected: 11/22/24 00:00

Matrix: Water

Date Received: 11/26/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637621	MS	EET CLE	12/04/24 17:30

Client Sample ID: MW-197S_112224

Lab Sample ID: 240-215660-2

Date Collected: 11/22/24 09:40

Matrix: Water

Date Received: 11/26/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637744	MS	EET CLE	12/05/24 15:25
Total/NA	Analysis	8260D		5	637825	MS	EET CLE	12/06/24 16:48
Total/NA	Analysis	8260D SIM		1	637453	R5XG	EET CLE	12/04/24 00:43

Client Sample ID: MW-36_112224

Lab Sample ID: 240-215660-3

Date Collected: 11/22/24 10:50

Matrix: Water

Date Received: 11/26/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637621	MS	EET CLE	12/04/24 19:07
Total/NA	Analysis	8260D SIM		1	637453	R5XG	EET CLE	12/04/24 01:06

Client Sample ID: MW-32_112224

Lab Sample ID: 240-215660-4

Date Collected: 11/22/24 11:45

Matrix: Water

Date Received: 11/26/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637621	MS	EET CLE	12/04/24 19:26
Total/NA	Analysis	8260D SIM		1	637453	R5XG	EET CLE	12/04/24 01:30

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-215660-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-25
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-25
West Virginia DEP	State	210	12-31-24

Chain of Custody Record

TestAmerica Laboratory location: Brighton — 10448 Citation Drive, Suite 200 / Brighton, MI 48116 / 810-229-2763

Client Contact			Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other																TestAmerica Laboratories, Inc.							
Company Name: Arcadis			Client Project Manager: Kris Hinskey				Site Contact: Christina Weaver				Lab Contact: Mike DelMonico				COC No:											
Address: 28550 Cabot Drive, Suite 500			Telephone: 248-994-2240				Telephone: 248-994-2240				Telephone: 330-497-9396				1 of 1 COCs											
City/State/Zip: Novi, MI, 48377			Email: kristoffer.hinskey@arcadis.com				Analysis Turnaround Time				Analyses				For lab use only											
Phone: 248-994-2240			Sampler Name: <i>Jeremy Myers</i>				TAT if different from below				Filtered Sample (V/N) Composite-C / Grab-G 1,1-DCE 8260D cis-1,2-DCE 8260D Trans-1,2-DCE 8260D PCE 8260D TCE 8260D Vinyl Chloride 8260D 1,4-Dioxane 8260D SIM				Walk-in client											
Project Name: Ford LTP			Method of Shipment/Carrier:				<input checked="" type="checkbox"/> 10 day <input type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day								Lab sampling											
Project Number: 30206169.0401.03			Shipping/Tracking No:				Containers & Preservatives				Matrix Air Aqueous Sediment Solid Other: H2SO4 HNO3 HCl NaOH ZnAc/NaOH Unpres Other:				Job/SDG No:											
PO # US3410018772			Sample Identification				Sample Date								Sample Time				Sample Specific Notes / Special Instructions:							
TRIP BLANK_37			---				---				1				1				NG X X X X X X				1 Trip Blank			
MU-1975_112224			11/22/24				9:40				6				6				NG X X X X X X				3 VOAs for 8260D 3 VOAs for 8260D SIM			
MW-36_112224			11/22/24				10:50				6				6				NG X X X X X X				↓			
MW-32_112224			11/22/24				11:45				6				6				NG X X X X X X							
Possible Hazard Identification			<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown																Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)							
Special Instructions/QC Requirements & Comments:			<input checked="" type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For <input type="checkbox"/> Months																							
Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728 Level IV Reporting requested.																			Onsite							
Relinquished by: <i>[Signature]</i>			Company: Arcadis				Date/Time: 11/22/24 12:30				Received by: <i>[Signature]</i>				Company: Arcadis				Date/Time: 11/22/24 12:30							
Relinquished by: <i>[Signature]</i>			Company: ARCADIS				Date/Time: 11/25/24 1440				Received by: <i>[Signature]</i>				Company: EETA				Date/Time: 11/25/24 1440							
Relinquished by: <i>[Signature]</i>			Company: EETA				Date/Time: 11/25/24 1520				Received in Laboratory by: KATHARINE MARTIN				Company: EETA				Date/Time: 11/26/24 800							



✓
✓
✓

©2008, TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

Client Accod's Site Name _____ Cooler unpacked by: W Martin

Cooler Received on 11/26/24 Opened on 11/26/24

FedEx 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other _____

Receipt After-hours Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # EC Foam Box Client Cooler Box Other _____

Packing material used. Bubble Wrap Foam Plastic Bag None Other _____

COOLANT Water Blue Ice Dry Ice Water None _____

1 Cooler temperature upon receipt See Multiple Cooler Form

IR-GUN # 17 (CF 10 | °C) Observed Cooler Temp. 2.3 °C Corrected Cooler Temp. 2.4 °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1

-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA

-Were tamper/custody seals on the bottle(s) or bottle kits (LIHg/MeHg)? Yes No NA

-Were tamper/custody seals intact and uncompromised? Yes No NA

3 Shippers' packing slip attached to the cooler(s)? Yes No

4 Did custody papers accompany the sample(s)? Yes No

5 Were the custody papers relinquished & signed in the appropriate place? Yes No

6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes No

7 Did all bottles arrive in good condition (Unbroken)? Yes No

8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No

9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No

10 Were correct bottle(s) used for the test(s) indicated? Yes No

11 Sufficient quantity received to perform indicated analyses? Yes No

12 Are these work share samples and all listed on the COC? Yes No

If yes, Questions 13-17 have been checked at the originating laboratory

13 Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC448976

14. Were VOAs on the COC? Yes No

15 Were air bubbles >6 mm in any VOA vials? Yes No NA Larger than this.

16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # NA Yes No

17 Was a LI Hg or Me Hg trip blank present? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19 SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container
 Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory
 Time preserved. _____ Preservative(s) added/Lot number(s): _____
 VOA Sample Preservation - Date/Time VOAs Frozen. _____

Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>	<u>Preservation</u>	<u>Preservation</u>
			<u>pH</u>	<u>Temp</u>	<u>Added</u>
					<u>Lot Number</u>
TRIP BLANK_37	240-215660-A-1	Voa Vial 40ml - Hydrochloric Acid			
MW-197S_112224	240-215660-A-2	Voa Vial 40ml - Hydrochloric Acid			
MW-197S_112224	240-215660-B-2	Voa Vial 40ml - Hydrochloric Acid			
MW-197S_112224	240-215660-C-2	Voa Vial 40ml - Hydrochloric Acid			
MW-197S_112224	240-215660-D-2	Voa Vial 40ml - Hydrochloric Acid			
MW-197S_112224	240-215660-E-2	Voa Vial 40ml - Hydrochloric Acid			
MW-197S_112224	240-215660-G-2	Voa Vial 40ml - Hydrochloric Acid			
MW-36_112224	240-215660-A-3	Voa Vial 40ml - Hydrochloric Acid			
MW-36_112224	240-215660-B-3	Voa Vial 40ml - Hydrochloric Acid			
MW-36_112224	240-215660-C-3	Voa Vial 40ml - Hydrochloric Acid			
MW-36_112224	240-215660-D-3	Voa Vial 40ml - Hydrochloric Acid			
MW-36_112224	240-215660-E-3	Voa Vial 40ml - Hydrochloric Acid			
MW-36_112224	240-215660-F-3	Voa Vial 40ml - Hydrochloric Acid			
MW-32_112224	240-215660-A-4	Voa Vial 40ml - Hydrochloric Acid			
MW-32_112224	240-215660-B-4	Voa Vial 40ml - Hydrochloric Acid			
MW-32_112224	240-215660-C-4	Voa Vial 40ml - Hydrochloric Acid			
MW-32_112224	240-215660-D-4	Voa Vial 40ml - Hydrochloric Acid			
MW-32_112224	240-215660-E-4	Voa Vial 40ml - Hydrochloric Acid			
MW-32_112224	240-215660-F-4	Voa Vial 40ml - Hydrochloric Acid			

Login Sample Receipt Checklist

Client: Arcadis US Inc.

Job Number: 240-215660-1

Login Number: 215660

List Source: Eurofins Cleveland

List Number: 1

Creator: Loar, Malissa

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.		
The cooler's custody seal, if present, is intact.		
Sample custody seals, if present, are intact.		
The cooler or samples do not appear to have been compromised or tampered with.		
Samples were received on ice.		
Cooler Temperature is acceptable.		
Cooler Temperature is recorded.		
COC is present.		
COC is filled out in ink and legible.		
COC is filled out with all pertinent information.		
Is the Field Sampler's name present on COC?		
There are no discrepancies between the containers received and the COC.		
Samples are received within Holding Time (excluding tests with immediate HTs)		
Sample containers have legible labels.		
Containers are not broken or leaking.		
Sample collection date/times are provided.		
Appropriate sample containers are used.		
Sample bottles are completely filled.		
Sample Preservation Verified.		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs		
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").		
Multiphasic samples are not present.		
Samples do not require splitting or compositing.		
Residual Chlorine Checked.		

DATA VERIFICATION REPORT



December 09, 2024

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil
Project number: 30206169.0401.04_WA-03
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 215660-1
Sample date: 2024-11-22
Report received by CADENA: 2024-12-09
Initial Data Verification completed by CADENA: 2024-12-09
Number of Samples:4
Sample Matrices:Water
Test Categories:GCMS VOC
Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch CCV response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 215660-1

Sample Name:	TRIP BLANK_37	MW-197S_112224	MW-36_112224	MW-32_112224
Lab Sample ID:	2402156601	2402156602	2402156603	2402156604
Sample Date:	11/22/2024	11/22/2024	11/22/2024	11/22/2024

Analyte	Cas No.	TRIP BLANK_37				MW-197S_112224				MW-36_112224				MW-32_112224			
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier

GC/MS VOC

OSW-8260D

1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	0.67	1.0	ug/l	J	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	39	1.0	ug/l	---	ND	1.0	ug/l	---	0.70	1.0	ug/l	J
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	1.7	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	130	5.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	3.5	1.0	ug/l	---	0.61	1.0	ug/l	J	ND	1.0	ug/l	---

OSW-8260DSIM

1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---
-------------	----------	--	--	--	--	----	-----	------	-----	----	-----	------	-----	----	-----	------	-----