



# ANALYTICAL REPORT

## PREPARED FOR

Attn: Ms. Megan Meckley  
Arcadis US Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 12/9/2024 8:06:36 AM

## JOB DESCRIPTION

Ford LTP

## JOB NUMBER

240-215663-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
12/9/2024 8:06:36 AM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)497-9396



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	12
QC Sample Results . . . . .	13
QC Association Summary . . . . .	17
Lab Chronicle . . . . .	18
Certification Summary . . . . .	19
Chain of Custody . . . . .	20

# Definitions/Glossary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215663-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Arcadis US Inc.  
Project: Ford LTP

Job ID: 240-215663-1

**Job ID: 240-215663-1**

**Eurofins Cleveland**

## Job Narrative 240-215663-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 11/26/2024 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.4°C.

### GC/MS VOA

Method 8260D: The matrix spike/matrix spike duplicate (MS/MSD) for samples MW-50\_112224 (240-215663-2) and MW-71\_112224 (240-215663-3) was not reported, because the analyte list for these samples did not match the analyte list for the MS/MSD parent sample.

Method 8260D: The continuing calibration verification (CCV) associated with batch 240-637621 recovered above the upper control limit for Vinyl chloride. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated sample is impacted: TRIP BLANK\_74 (240-215663-1).

Method 8260D: No MS/MSD reported with tune as sample analysis resulted in internal standard failure which requires re analysis of the sample.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

# Method Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215663-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Sample Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215663-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-215663-1	TRIP BLANK_74	Water	11/22/24 00:00	11/26/24 08:00
240-215663-2	MW-50_112224	Water	11/22/24 11:22	11/26/24 08:00
240-215663-3	MW-71_112224	Water	11/22/24 13:44	11/26/24 08:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215663-1

## Client Sample ID: TRIP BLANK\_74

Lab Sample ID: 240-215663-1

No Detections.

## Client Sample ID: MW-50\_112224

Lab Sample ID: 240-215663-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	6.3		1.0	0.46	ug/L	1		8260D	Total/NA
Vinyl chloride	81		5.0	2.3	ug/L	5		8260D	Total/NA

## Client Sample ID: MW-71\_112224

Lab Sample ID: 240-215663-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.0		1.0	0.46	ug/L	1		8260D	Total/NA
Vinyl chloride	0.82	J	1.0	0.45	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215663-1

**Client Sample ID: TRIP BLANK\_74**

**Lab Sample ID: 240-215663-1**

Date Collected: 11/22/24 00:00

Matrix: Water

Date Received: 11/26/24 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/04/24 17:10	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/04/24 17:10	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 17:10	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/04/24 17:10	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 17:10	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/04/24 17:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		62 - 137		12/04/24 17:10	1
4-Bromofluorobenzene (Surr)	77		56 - 136		12/04/24 17:10	1
Toluene-d8 (Surr)	93		78 - 122		12/04/24 17:10	1
Dibromofluoromethane (Surr)	97		73 - 120		12/04/24 17:10	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215663-1

**Client Sample ID: MW-50\_112224**

**Lab Sample ID: 240-215663-2**

Date Collected: 11/22/24 11:22

Matrix: Water

Date Received: 11/26/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/04/24 01:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	123		68 - 127					12/04/24 01:53	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/29/24 17:07	1
<b>cis-1,2-Dichloroethene</b>	<b>6.3</b>		1.0	0.46	ug/L			11/29/24 17:07	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/29/24 17:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/29/24 17:07	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/29/24 17:07	1
<b>Vinyl chloride</b>	<b>81</b>		5.0	2.3	ug/L			12/05/24 20:35	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	120		62 - 137					11/29/24 17:07	1
1,2-Dichloroethane-d4 (Surr)	118		62 - 137					12/05/24 20:35	5
4-Bromofluorobenzene (Surr)	86		56 - 136					11/29/24 17:07	1
4-Bromofluorobenzene (Surr)	73		56 - 136					12/05/24 20:35	5
Toluene-d8 (Surr)	99		78 - 122					11/29/24 17:07	1
Toluene-d8 (Surr)	94		78 - 122					12/05/24 20:35	5
Dibromofluoromethane (Surr)	106		73 - 120					11/29/24 17:07	1
Dibromofluoromethane (Surr)	105		73 - 120					12/05/24 20:35	5

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215663-1

**Client Sample ID: MW-71\_112224**

**Lab Sample ID: 240-215663-3**

Date Collected: 11/22/24 13:44

Matrix: Water

Date Received: 11/26/24 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/04/24 02:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		68 - 127					12/04/24 02:17	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/29/24 17:45	1
<b>cis-1,2-Dichloroethene</b>	<b>1.0</b>		1.0	0.46	ug/L			11/29/24 17:45	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/29/24 17:45	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/29/24 17:45	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/29/24 17:45	1
<b>Vinyl chloride</b>	<b>0.82</b>	<b>J</b>	1.0	0.45	ug/L			11/29/24 17:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		62 - 137					11/29/24 17:45	1
4-Bromofluorobenzene (Surr)	76		56 - 136					11/29/24 17:45	1
Toluene-d8 (Surr)	90		78 - 122					11/29/24 17:45	1
Dibromofluoromethane (Surr)	100		73 - 120					11/29/24 17:45	1

# Surrogate Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215663-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-215663-1	TRIP BLANK_74	111	77	93	97
240-215663-2	MW-50_112224	120	86	99	106
240-215663-2	MW-50_112224	118	73	94	105
240-215663-2 MS	MW-50_112224	99	89	92	92
240-215663-2 MSD	MW-50_112224	94	89	90	90
240-215663-3	MW-71_112224	113	76	90	100
LCS 240-637086/25	Lab Control Sample	111	99	101	103
LCS 240-637621/5	Lab Control Sample	97	88	95	90
LCS 240-637744/5	Lab Control Sample	93	89	99	91
MB 240-637086/10	Method Blank	115	86	98	102
MB 240-637621/10	Method Blank	106	78	94	93
MB 240-637744/10	Method Blank	104	76	95	94

**Surrogate Legend**

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (68-127)
240-215659-C-3 MS	Matrix Spike	111
240-215659-F-3 MSD	Matrix Spike Duplicate	108
240-215663-2	MW-50_112224	123
240-215663-3	MW-71_112224	112
LCS 240-637453/5	Lab Control Sample	110
MB 240-637453/7	Method Blank	108

**Surrogate Legend**

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215663-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-637086/10

Matrix: Water

Analysis Batch: 637086

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/29/24 12:05	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/29/24 12:05	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/29/24 12:05	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/29/24 12:05	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/29/24 12:05	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/29/24 12:05	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	115		62 - 137		11/29/24 12:05	1
4-Bromofluorobenzene (Surr)	86		56 - 136		11/29/24 12:05	1
Toluene-d8 (Surr)	98		78 - 122		11/29/24 12:05	1
Dibromofluoromethane (Surr)	102		73 - 120		11/29/24 12:05	1

Lab Sample ID: LCS 240-637086/25

Matrix: Water

Analysis Batch: 637086

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	24.4		ug/L		97	63 - 134
cis-1,2-Dichloroethene	25.0	25.0		ug/L		100	77 - 123
Tetrachloroethene	25.0	26.7		ug/L		107	76 - 123
trans-1,2-Dichloroethene	25.0	24.8		ug/L		99	75 - 124
Trichloroethene	25.0	24.9		ug/L		100	70 - 122
Vinyl chloride	12.5	14.6		ug/L		117	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	111		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	101		78 - 122
Dibromofluoromethane (Surr)	103		73 - 120

Lab Sample ID: MB 240-637621/10

Matrix: Water

Analysis Batch: 637621

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			12/04/24 16:12	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			12/04/24 16:12	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 16:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			12/04/24 16:12	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			12/04/24 16:12	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			12/04/24 16:12	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	106		62 - 137		12/04/24 16:12	1
4-Bromofluorobenzene (Surr)	78		56 - 136		12/04/24 16:12	1
Toluene-d8 (Surr)	94		78 - 122		12/04/24 16:12	1

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215663-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: MB 240-637621/10**  
**Matrix: Water**  
**Analysis Batch: 637621**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Dibromofluoromethane (Surr)	93		73 - 120		12/04/24 16:12	1

**Lab Sample ID: LCS 240-637621/5**  
**Matrix: Water**  
**Analysis Batch: 637621**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	26.4		ug/L		106	63 - 134
cis-1,2-Dichloroethene	25.0	24.6		ug/L		98	77 - 123
Tetrachloroethene	25.0	28.2		ug/L		113	76 - 123
trans-1,2-Dichloroethene	25.0	25.5		ug/L		102	75 - 124
Trichloroethene	25.0	24.8		ug/L		99	70 - 122
Vinyl chloride	12.5	16.1		ug/L		129	60 - 144

  

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	88		56 - 136
Toluene-d8 (Surr)	95		78 - 122
Dibromofluoromethane (Surr)	90		73 - 120

**Lab Sample ID: MB 240-637744/10**  
**Matrix: Water**  
**Analysis Batch: 637744**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L		12/05/24 14:07	1	
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L		12/05/24 14:07	1	
Tetrachloroethene	1.0	U	1.0	0.44	ug/L		12/05/24 14:07	1	
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L		12/05/24 14:07	1	
Trichloroethene	1.0	U	1.0	0.44	ug/L		12/05/24 14:07	1	
Vinyl chloride	1.0	U	1.0	0.45	ug/L		12/05/24 14:07	1	

  

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	104		62 - 137		12/05/24 14:07	1
4-Bromofluorobenzene (Surr)	76		56 - 136		12/05/24 14:07	1
Toluene-d8 (Surr)	95		78 - 122		12/05/24 14:07	1
Dibromofluoromethane (Surr)	94		73 - 120		12/05/24 14:07	1

**Lab Sample ID: LCS 240-637744/5**  
**Matrix: Water**  
**Analysis Batch: 637744**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	24.2		ug/L		97	63 - 134
cis-1,2-Dichloroethene	25.0	23.9		ug/L		96	77 - 123
Tetrachloroethene	25.0	28.1		ug/L		112	76 - 123
trans-1,2-Dichloroethene	25.0	23.4		ug/L		94	75 - 124
Trichloroethene	25.0	22.8		ug/L		91	70 - 122

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215663-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-637744/5

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637744

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	12.5	11.9		ug/L		95	60 - 144

  

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		62 - 137
4-Bromofluorobenzene (Surr)	89		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	91		73 - 120

Lab Sample ID: 240-215663-2 MS

Client Sample ID: MW-50\_112224

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637744

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	5.0	U	125	111		ug/L		89	56 - 135
cis-1,2-Dichloroethene	5.3		125	121		ug/L		92	66 - 128
Tetrachloroethene	5.0	U	125	120		ug/L		96	62 - 131
trans-1,2-Dichloroethene	5.0	U	125	112		ug/L		89	56 - 136
Trichloroethene	5.0	U	125	112		ug/L		90	61 - 124
Vinyl chloride	81		62.5	113		ug/L		52	43 - 157

  

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	89		56 - 136
Toluene-d8 (Surr)	92		78 - 122
Dibromofluoromethane (Surr)	92		73 - 120

Lab Sample ID: 240-215663-2 MSD

Client Sample ID: MW-50\_112224

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 637744

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	5.0	U	125	115		ug/L		92	56 - 135	4	26
cis-1,2-Dichloroethene	5.3		125	120		ug/L		92	66 - 128	0	14
Tetrachloroethene	5.0	U	125	118		ug/L		95	62 - 131	1	20
trans-1,2-Dichloroethene	5.0	U	125	112		ug/L		90	56 - 136	0	15
Trichloroethene	5.0	U	125	112		ug/L		90	61 - 124	0	15
Vinyl chloride	81		62.5	121		ug/L		65	43 - 157	7	24

  

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	89		56 - 136
Toluene-d8 (Surr)	90		78 - 122
Dibromofluoromethane (Surr)	90		73 - 120

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215663-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-637453/7**  
**Matrix: Water**  
**Analysis Batch: 637453**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			12/03/24 23:56	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		68 - 127					12/03/24 23:56	1

**Lab Sample ID: LCS 240-637453/5**  
**Matrix: Water**  
**Analysis Batch: 637453**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.42		ug/L		94	75 - 121
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	110		68 - 127				

**Lab Sample ID: 240-215659-C-3 MS**  
**Matrix: Water**  
**Analysis Batch: 637453**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	8.46		ug/L		85	20 - 180
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	111		68 - 127						

**Lab Sample ID: 240-215659-F-3 MSD**  
**Matrix: Water**  
**Analysis Batch: 637453**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	7.56		ug/L		76	20 - 180	11	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	108		68 - 127								



# QC Association Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215663-1

## GC/MS VOA

### Analysis Batch: 637086

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215663-2	MW-50_112224	Total/NA	Water	8260D	
240-215663-3	MW-71_112224	Total/NA	Water	8260D	
MB 240-637086/10	Method Blank	Total/NA	Water	8260D	
LCS 240-637086/25	Lab Control Sample	Total/NA	Water	8260D	

### Analysis Batch: 637453

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215663-2	MW-50_112224	Total/NA	Water	8260D SIM	
240-215663-3	MW-71_112224	Total/NA	Water	8260D SIM	
MB 240-637453/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-637453/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-215659-C-3 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-215659-F-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

### Analysis Batch: 637621

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215663-1	TRIP BLANK_74	Total/NA	Water	8260D	
MB 240-637621/10	Method Blank	Total/NA	Water	8260D	
LCS 240-637621/5	Lab Control Sample	Total/NA	Water	8260D	

### Analysis Batch: 637744

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-215663-2	MW-50_112224	Total/NA	Water	8260D	
MB 240-637744/10	Method Blank	Total/NA	Water	8260D	
LCS 240-637744/5	Lab Control Sample	Total/NA	Water	8260D	
240-215663-2 MS	MW-50_112224	Total/NA	Water	8260D	
240-215663-2 MSD	MW-50_112224	Total/NA	Water	8260D	

# Lab Chronicle

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215663-1

**Client Sample ID: TRIP BLANK\_74**

**Lab Sample ID: 240-215663-1**

Date Collected: 11/22/24 00:00

Matrix: Water

Date Received: 11/26/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637621	MS	EET CLE	12/04/24 17:10

**Client Sample ID: MW-50\_112224**

**Lab Sample ID: 240-215663-2**

Date Collected: 11/22/24 11:22

Matrix: Water

Date Received: 11/26/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637086	MS	EET CLE	11/29/24 17:07
Total/NA	Analysis	8260D		5	637744	MS	EET CLE	12/05/24 20:35
Total/NA	Analysis	8260D SIM		1	637453	R5XG	EET CLE	12/04/24 01:53

**Client Sample ID: MW-71\_112224**

**Lab Sample ID: 240-215663-3**

Date Collected: 11/22/24 13:44

Matrix: Water

Date Received: 11/26/24 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	637086	MS	EET CLE	11/29/24 17:45
Total/NA	Analysis	8260D SIM		1	637453	R5XG	EET CLE	12/04/24 02:17

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# Accreditation/Certification Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-215663-1

## Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-30-24
Minnesota	NELAP	039-999-348	12-31-24
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-25
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-25
West Virginia DEP	State	210	12-31-24



Burofins - Chesland Sample Receipt Form/Narrative  
Barberton Facility

Login #

Client Arcois

Site Name

Cooler unpacked by: W Martin

Cooler Received on 11/26/24

Opened on 11/26/24

FedEx: 1<sup>st</sup> Grd Exp UPS FAS

Client Drop Off Waypoint Burofins Courier

Other

Receipt-After-hours-Drop-off-Date/Time

Storage-Location

Burofins Cooler # EC Foam Box Client Cooler Box Other

Packing material used: Double Wrap Foam Plastic Bag None Other

COOLANT: Water Blue Ice Dry Ice Water None

1 Cooler temperature upon receipt  See Multiple Cooler Form

IR GUN # 17 (CF 10 °C) Observed Cooler Temp 2.3 °C Corrected Cooler Temp 2.4 °C

Tests that are not checked for pH by Receiving:

VOAs  
Oil and Grease  
TOC

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1
  - Were the seals on the outside of the cooler(s) signed & dated?  Yes  No  NA
  - Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No
  - Were tamper/custody seals intact and uncompromised?  Yes  No  NA
3. Shippers' packing slip attached to the cooler(s)?  Yes  No
4. Did custody papers accompany the sample(s)?  Yes  No
5. Were the custody papers relinquished & signed in the appropriate place?  Yes  No
6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No
7. Did all bottles arrive in good condition (Unbroken)?  Yes  No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?  Yes  No
10. Were correct bottle(s) used for the test(s) indicated?  Yes  No
11. Sufficient quantity received to perform indicated analyses?  Yes  No
12. Are these work share samples and all listed on the COC?  Yes  No
13. If yes, Questions 13-17 have been checked at the originating laboratory
13. Were all preserved sample(s) at the correct pH upon receipt?  Yes  No  NA pH Strip Lot# HC448976
14. Were VOAs on the COC?  Yes  No
15. Were air bubbles >6 mm in any VOA vials?  Yes  No  NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # N/A  Yes  No
17. Was a LL Hg or Me Hg trip blank present?  Yes  No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page

Samples processed by: \_\_\_\_\_

19. SAMPLE CONDITION  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.  
 Sample(s) \_\_\_\_\_ were received in a broken container  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory  
 Time preserved \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen \_\_\_\_\_

**Login Container Summary Report**

**240-215663**

Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>	<u>Preservation</u>	<u>Preservation</u>
			<u>pH</u>	<u>Temp</u>	<u>Added</u>
					<u>Lot Number</u>
TRIP BLANK_74	240-215663-A-1	Voa Vial 40ml - Hydrochloric Acid			
MW-50_112224	240-215663-A-2	Voa Vial 40ml - Hydrochloric Acid			
MW-50_112224	240-215663-B-2	Voa Vial 40ml - Hydrochloric Acid			
MW-50_112224	240-215663-C-2	Voa Vial 40ml - Hydrochloric Acid			
MW-50_112224	240-215663-D-2	Voa Vial 40ml - Hydrochloric Acid			
MW-50_112224	240-215663-E-2	Voa Vial 40ml - Hydrochloric Acid			
MW-50_112224	240-215663-G-2	Voa Vial 40ml - Hydrochloric Acid			
MW-71_112224	240-215663-A-3	Voa Vial 40ml - Hydrochloric Acid			
MW-71_112224	240-215663-B-3	Voa Vial 40ml - Hydrochloric Acid			
MW-71_112224	240-215663-C-3	Voa Vial 40ml - Hydrochloric Acid			
MW-71_112224	240-215663-D-3	Voa Vial 40ml - Hydrochloric Acid			
MW-71_112224	240-215663-E-3	Voa Vial 40ml - Hydrochloric Acid			
MW-71_112224	240-215663-F-3	Voa Vial 40ml - Hydrochloric Acid			

# DATA VERIFICATION REPORT



December 09, 2024

Megan Meckley  
Arcadis  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728  
Project: Ford Livonia Transmission Plant - Soil Gas, Ground Water and Soil  
Project number: 30206169.0401.04\_WA-03  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Cleveland  
Laboratory submittal: 215663-1  
Sample date: 2024-11-22  
Report received by CADENA: 2024-12-09  
Initial Data Verification completed by CADENA: 2024-12-09  
Number of Samples:3  
Sample Matrices:Water  
Test Categories:GCMS VOC  
**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch CCV response outliers and MS/MSD issues as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356



## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 215663-1

<b>Sample Name:</b> TRIP BLANK_74	MW-50_112224	MW-71_112224
<b>Lab Sample ID:</b> 2402156631	2402156632	2402156633
<b>Sample Date:</b> 11/22/2024	11/22/2024	11/22/2024

Analyte	Cas No.	Report		Units	Valid Qualifier	Report		Units	Valid Qualifier	Report		Units	Valid Qualifier
		Result	Limit			Result	Limit			Result	Limit		

## GC/MS VOC

### OSW-8260D

1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	6.3	1.0	ug/l	---	1.0	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	81	5.0	ug/l	---	0.82	1.0	ug/l	J

### OSW-8260DSIM

1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---
-------------	----------	--	--	--	--	----	-----	------	-----	----	-----	------	-----