

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 2/24/2025 8:55:26 AM Revision 1

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-219099-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Authorized for release by
Michael DelMonico, Project Manager I
Michael.DelMonico@et.eurofinsus.com
(330)497-9396

Generated
2/24/2025 8:55:26 AM
Revision 1



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	17
Lab Chronicle	18
Certification Summary	19
Chain of Custody	20

Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-219099-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis US Inc.
Project: Ford LTP

Job ID: 240-219099-1

Job ID: 240-219099-1

Eurofins Cleveland

Job Narrative 240-219099-1

Report revised 2/24/2025 to correct the report description.

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 2/18/2025 11:20 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.5°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-219099-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-219099-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-219099-1	TRIP BLANK_66	Water	02/14/25 00:00	02/18/25 11:20
240-219099-2	MW-09_021425	Water	02/14/25 10:30	02/18/25 11:20
240-219099-3	MW-222S_021425	Water	02/14/25 12:30	02/18/25 11:20
240-219099-4	MW-44_021425	Water	02/14/25 14:05	02/18/25 11:20

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-219099-1

Client Sample ID: TRIP BLANK_66

Lab Sample ID: 240-219099-1

No Detections.

Client Sample ID: MW-09_021425

Lab Sample ID: 240-219099-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	1.7	J	2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	0.61	J	1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-222S_021425

Lab Sample ID: 240-219099-3

No Detections.

Client Sample ID: MW-44_021425

Lab Sample ID: 240-219099-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	4.2		2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	16		1.0	0.45	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-219099-1

Client Sample ID: TRIP BLANK_66

Lab Sample ID: 240-219099-1

Date Collected: 02/14/25 00:00

Matrix: Water

Date Received: 02/18/25 11:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/21/25 16:15	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/21/25 16:15	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/21/25 16:15	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/21/25 16:15	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/21/25 16:15	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/21/25 16:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	122		62 - 137		02/21/25 16:15	1
4-Bromofluorobenzene (Surr)	79		56 - 136		02/21/25 16:15	1
Toluene-d8 (Surr)	93		78 - 122		02/21/25 16:15	1
Dibromofluoromethane (Surr)	110		73 - 120		02/21/25 16:15	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-219099-1

Client Sample ID: MW-09_021425

Lab Sample ID: 240-219099-2

Date Collected: 02/14/25 10:30

Matrix: Water

Date Received: 02/18/25 11:20

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	1.7	J	2.0	0.86	ug/L			02/20/25 19:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		68 - 127					02/20/25 19:03	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/21/25 19:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/21/25 19:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/21/25 19:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/21/25 19:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/21/25 19:46	1
Vinyl chloride	0.61	J	1.0	0.45	ug/L			02/21/25 19:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	128		62 - 137					02/21/25 19:46	1
4-Bromofluorobenzene (Surr)	75		56 - 136					02/21/25 19:46	1
Toluene-d8 (Surr)	92		78 - 122					02/21/25 19:46	1
Dibromofluoromethane (Surr)	114		73 - 120					02/21/25 19:46	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-219099-1

Client Sample ID: MW-222S_021425

Lab Sample ID: 240-219099-3

Date Collected: 02/14/25 12:30

Matrix: Water

Date Received: 02/18/25 11:20

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/20/25 19:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		68 - 127					02/20/25 19:26	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/21/25 20:09	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/21/25 20:09	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/21/25 20:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/21/25 20:09	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/21/25 20:09	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/21/25 20:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	130		62 - 137					02/21/25 20:09	1
4-Bromofluorobenzene (Surr)	78		56 - 136					02/21/25 20:09	1
Toluene-d8 (Surr)	94		78 - 122					02/21/25 20:09	1
Dibromofluoromethane (Surr)	118		73 - 120					02/21/25 20:09	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-219099-1

Client Sample ID: MW-44_021425

Lab Sample ID: 240-219099-4

Date Collected: 02/14/25 14:05

Matrix: Water

Date Received: 02/18/25 11:20

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	4.2		2.0	0.86	ug/L			02/20/25 19:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		68 - 127					02/20/25 19:50	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/21/25 19:23	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/21/25 19:23	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/21/25 19:23	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/21/25 19:23	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/21/25 19:23	1
Vinyl chloride	16		1.0	0.45	ug/L			02/21/25 19:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	129		62 - 137					02/21/25 19:23	1
4-Bromofluorobenzene (Surr)	76		56 - 136					02/21/25 19:23	1
Toluene-d8 (Surr)	92		78 - 122					02/21/25 19:23	1
Dibromofluoromethane (Surr)	116		73 - 120					02/21/25 19:23	1

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-219099-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-219099-1	TRIP BLANK_66	122	79	93	110
240-219099-2	MW-09_021425	128	75	92	114
240-219099-3	MW-222S_021425	130	78	94	118
240-219099-4	MW-44_021425	129	76	92	116
240-219100-B-2 MS	Matrix Spike	104	92	98	97
240-219100-B-2 MSD	Matrix Spike Duplicate	104	96	96	100
LCS 240-645690/6	Lab Control Sample	101	98	103	100
MB 240-645690/12	Method Blank	117	82	93	106

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (68-127)			
240-219099-2	MW-09_021425	100			
240-219099-3	MW-222S_021425	100			
240-219099-4	MW-44_021425	97			
240-219101-E-5 MS	Matrix Spike	99			
240-219101-E-5 MSD	Matrix Spike Duplicate	95			
LCS 240-645582/5	Lab Control Sample	98			
MB 240-645582/7	Method Blank	100			

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-219099-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-645690/12

Matrix: Water

Analysis Batch: 645690

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/21/25 15:05	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/21/25 15:05	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/21/25 15:05	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/21/25 15:05	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/21/25 15:05	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/21/25 15:05	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	117		62 - 137		02/21/25 15:05	1
4-Bromofluorobenzene (Surr)	82		56 - 136		02/21/25 15:05	1
Toluene-d8 (Surr)	93		78 - 122		02/21/25 15:05	1
Dibromofluoromethane (Surr)	106		73 - 120		02/21/25 15:05	1

Lab Sample ID: LCS 240-645690/6

Matrix: Water

Analysis Batch: 645690

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	24.9		ug/L		100	63 - 134
cis-1,2-Dichloroethene	25.0	23.6		ug/L		94	77 - 123
Tetrachloroethene	25.0	25.5		ug/L		102	76 - 123
trans-1,2-Dichloroethene	25.0	24.8		ug/L		99	75 - 124
Trichloroethene	25.0	22.5		ug/L		90	70 - 122
Vinyl chloride	25.0	24.2		ug/L		97	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		62 - 137
4-Bromofluorobenzene (Surr)	98		56 - 136
Toluene-d8 (Surr)	103		78 - 122
Dibromofluoromethane (Surr)	100		73 - 120

Lab Sample ID: 240-219100-B-2 MS

Matrix: Water

Analysis Batch: 645690

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	400	U	10000	8420		ug/L		84	56 - 135
cis-1,2-Dichloroethene	3200		10000	12200		ug/L		90	66 - 128
Tetrachloroethene	400	U	10000	8530		ug/L		85	62 - 131
trans-1,2-Dichloroethene	400	U	10000	8910		ug/L		89	56 - 136
Trichloroethene	14000		10000	19700		ug/L		61	61 - 124
Vinyl chloride	610		10000	8930		ug/L		83	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		62 - 137
4-Bromofluorobenzene (Surr)	92		56 - 136
Toluene-d8 (Surr)	98		78 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-219099-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-219100-B-2 MS

Matrix: Water

Analysis Batch: 645690

Client Sample ID: Matrix Spike

Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	97		73 - 120

Lab Sample ID: 240-219100-B-2 MSD

Matrix: Water

Analysis Batch: 645690

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	400	U	10000	9490		ug/L		95	56 - 135	12	26
cis-1,2-Dichloroethene	3200		10000	13100		ug/L		98	66 - 128	7	14
Tetrachloroethene	400	U	10000	9160		ug/L		92	62 - 131	7	20
trans-1,2-Dichloroethene	400	U	10000	9930		ug/L		99	56 - 136	11	15
Trichloroethene	14000		10000	21600		ug/L		79	61 - 124	9	15
Vinyl chloride	610		10000	9930		ug/L		93	43 - 157	11	24

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		62 - 137
4-Bromofluorobenzene (Surr)	96		56 - 136
Toluene-d8 (Surr)	96		78 - 122
Dibromofluoromethane (Surr)	100		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-645582/7

Matrix: Water

Analysis Batch: 645582

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/20/25 15:32	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	100		68 - 127		02/20/25 15:32	1			

Lab Sample ID: LCS 240-645582/5

Matrix: Water

Analysis Batch: 645582

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.72		ug/L		97	75 - 121

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		68 - 127

Lab Sample ID: 240-219101-E-5 MS

Matrix: Water

Analysis Batch: 645582

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	10.3		ug/L		103	20 - 180

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-219099-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

		MS	MS								
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	99		68 - 127								
Lab Sample ID: 240-219101-E-5 MSD				Client Sample ID: Matrix Spike Duplicate							
Matrix: Water				Prep Type: Total/NA							
Analysis Batch: 645582											
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	11.2		ug/L		112	20 - 180	9	20
		MSD	MSD								
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	95		68 - 127								

QC Association Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-219099-1

GC/MS VOA

Analysis Batch: 645582

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-219099-2	MW-09_021425	Total/NA	Water	8260D SIM	
240-219099-3	MW-222S_021425	Total/NA	Water	8260D SIM	
240-219099-4	MW-44_021425	Total/NA	Water	8260D SIM	
MB 240-645582/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-645582/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-219101-E-5 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-219101-E-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 645690

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-219099-1	TRIP BLANK_66	Total/NA	Water	8260D	
240-219099-2	MW-09_021425	Total/NA	Water	8260D	
240-219099-3	MW-222S_021425	Total/NA	Water	8260D	
240-219099-4	MW-44_021425	Total/NA	Water	8260D	
MB 240-645690/12	Method Blank	Total/NA	Water	8260D	
LCS 240-645690/6	Lab Control Sample	Total/NA	Water	8260D	
240-219100-B-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-219100-B-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-219099-1

Client Sample ID: TRIP BLANK_66

Lab Sample ID: 240-219099-1

Date Collected: 02/14/25 00:00

Matrix: Water

Date Received: 02/18/25 11:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	645690	MS	EET CLE	02/21/25 16:15

Client Sample ID: MW-09_021425

Lab Sample ID: 240-219099-2

Date Collected: 02/14/25 10:30

Matrix: Water

Date Received: 02/18/25 11:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	645690	MS	EET CLE	02/21/25 19:46
Total/NA	Analysis	8260D SIM		1	645582	R5XG	EET CLE	02/20/25 19:03

Client Sample ID: MW-222S_021425

Lab Sample ID: 240-219099-3

Date Collected: 02/14/25 12:30

Matrix: Water

Date Received: 02/18/25 11:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	645690	MS	EET CLE	02/21/25 20:09
Total/NA	Analysis	8260D SIM		1	645582	R5XG	EET CLE	02/20/25 19:26

Client Sample ID: MW-44_021425

Lab Sample ID: 240-219099-4

Date Collected: 02/14/25 14:05

Matrix: Water

Date Received: 02/18/25 11:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	645690	MS	EET CLE	02/21/25 19:23
Total/NA	Analysis	8260D SIM		1	645582	R5XG	EET CLE	02/20/25 19:50

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-219099-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-28-25
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-25
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kansas	NELAP	E-10336	01-31-26
Kentucky (UST)	State	112225	02-27-25
Kentucky (WW)	State	KY98016	12-31-25
Minnesota	NELAP	039-999-348	12-31-25
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-02-25
Ohio	State	8303	11-04-25
Ohio VAP	State	ORELAP 4062	02-27-25
Oregon	NELAP	4062	02-27-25
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-25
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-25
West Virginia DEP	State	210	12-31-25
Wisconsin	State	399167560	08-31-25

TestAmerica Laboratory location: Farmington Hills — 38855 Hills Tech Drive, Suite 600, Farmington Hills 48331

©2008 TestAmerica Laboratories, Inc. All rights reserved.
TestAmerica & Design[®] are trademarks of TestAmerica Laboratories, Inc.

Eurofins - Cleveland Sample Receipt Form/Narrative
Barberton Facility

Login # : _____

Client ARCADIS

Site Name _____

Cooler unpacked by: _____

Cooler Received on 2/18/25Opened on 2/18/25JMORCKOFedEx: 1st Grd EXP

UPS FAS

Waypoint

Client Drop Off

Eurofins Courier

Other _____

Receipt After-hours Drop-off Date/Time _____

Storage Location _____

Eurofins Cooler # EC

Foam Box

Client Cooler

Box

Other _____

Packing material used:

Bubble Wrap

Foam

Plastic Bag

None

Other _____

COOLANT

Wet Ice

Blue Ice

Dry Ice

Water

None

1 Cooler temperature upon receipt

☐ See Multiple Cooler FormIR GUN # 18(CF -01 °C)Observed Cooler Temp 34 °CCorrected Cooler Temp 35 °C2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1☒ Yes ☐ No

-Were the seals on the outside of the cooler(s) signed & dated?

☒ Yes ☐ No ☐ NA

-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?

Yes ☒ No ☐ NA

-Were tamper/custody seals intact and uncompromised?

☒ Yes ☐ No ☐ NA

3 Shippers' packing slip attached to the cooler(s)?

☒ Yes ☐ No

4 Did custody papers accompany the sample(s)?

☒ Yes ☐ No

5 Were the custody papers relinquished & signed in the appropriate place?

☒ Yes ☐ No

6 Was/were the person(s) who collected the samples clearly identified on the COC?

☒ Yes ☐ No

7 Did all bottles arrive in good condition (Unbroken)?

☒ Yes ☐ No

8 Could all bottle labels (ID/Date/Time) be reconciled with the COC?

☒ Yes ☐ No9 For each sample, does the COC specify preservatives ☒ (Y/N), # of containers ☒ (Y/N), and sample type of grab/comp ☒ (Y/N)?☒ Yes ☐ No

10 Were correct bottle(s) used for the test(s) indicated?

☒ Yes ☐ No

11 Sufficient quantity received to perform indicated analyses?

☒ Yes ☐ No

12 Are these work share samples and all listed on the COC?

☒ Yes ☐ No

If yes, Questions 13-17 have been checked at the originating laboratory

13 Were all preserved sample(s) at the correct pH upon receipt?

☒ Yes ☐ No

pH Strip Lot# HC448976

14 Were VOAs on the COC?

☒ Yes ☐ No

15 Were air bubbles >6 mm in any VOA vials?

☒ Yes ☐ No

NA

16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 01256015☒ Yes ☐ No17 Was a LL Hg or Me Hg trip blank present? ☒ Yes ☐ No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

☐ additional next page

Samples processed by: _____

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired

Sample(s) _____ were received in a broken container

Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory

Time preserved _____ Preservative(s) added/Lot number(s) _____

VOA Sample Preservation - Date/Time VOAs Frozen _____

Temperature readings

Client Sample ID	Lab ID	Container Type	Container	Preservation	Preservation
			pH	Temp	Added Lot Number
TRIP BLANK_66	240-219099-A-1	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-09_021425	240-219099-A-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-09_021425	240-219099-B-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-09_021425	240-219099-C-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-09_021425	240-219099-D-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-09_021425	240-219099-E-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-09_021425	240 219099-F-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-222S_021425	240-219099-A-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-222S_021425	240-219099-B-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-222S_021425	240-219099-C-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-222S_021425	240-219099-D-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-222S_021425	240-219099-E-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-222S_021425	240-219099-F-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-44_02142025	240-219099-A-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-44_02142025	240-219099 B-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-44_02142025	240-219099-C-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-44_02142025	240-219099-D-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-44_02142025	240-219099-E-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-44_02142025	240-219099-F-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____

DATA VERIFICATION REPORT



February 24, 2025

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil

Project number: 30251157.401.04 (vapor 301.04) 30206169.0401.04

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 219099-1

Sample date: 2025-02-14

Report received by CADENA: 2025-02-24

Initial Data Verification completed by CADENA: 2025-02-24

Number of Samples:4

Sample Matrices:Water

Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 219099-1

Sample Name: TRIP BLANK_66

Lab Sample ID: 2402190991

Sample Date: 2/14/2025

MW-09_021425

2402190992

2/14/2025

MW-222S_021425

2402190993

2/14/2025

MW-44_021425

2402190994

2/14/2025

Analyte	Cas No.	Report				Valid				Report				Valid				Report				Valid			
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier				

GC/MS VOC

OSW-8260D

1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	0.61	1.0	ug/l	J	ND	1.0	ug/l	---	16	1.0	ug/l	---

OSW-8260DSIM

1,4-Dioxane	123-91-1					1.7	2.0	ug/l	J	ND	2.0	ug/l	---	4.2	2.0	ug/l	---
-------------	----------	--	--	--	--	-----	-----	------	---	----	-----	------	-----	-----	-----	------	-----