

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 5/15/2025 7:23:22 AM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-224118-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
5/15/2025 7:23:22 AM

Authorized for release by
Michael DelMonico, Project Manager I
Michael.DelMonico@et.eurofinsus.com
(330)966-9783



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	12
QC Sample Results	13
QC Association Summary	17
Lab Chronicle	18
Certification Summary	19
Chain of Custody	20

Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224118-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis US Inc.
Project: Ford LTP

Job ID: 240-224118-1

Job ID: 240-224118-1

Eurofins Cleveland

Job Narrative 240-224118-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 5/9/2025 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 1.5°C, 2.1°C and 2.1°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224118-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224118-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-224118-1	TRIP BLANK_64	Water	05/07/25 00:00	05/09/25 08:00
240-224118-2	MW-37_050725	Water	05/07/25 12:35	05/09/25 08:00
240-224118-3	MW-38_050725	Water	05/07/25 14:10	05/09/25 08:00

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224118-1

Client Sample ID: TRIP BLANK_64

Lab Sample ID: 240-224118-1

No Detections.

Client Sample ID: MW-37_050725

Lab Sample ID: 240-224118-2

No Detections.

Client Sample ID: MW-38_050725

Lab Sample ID: 240-224118-3

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224118-1

Client Sample ID: TRIP BLANK_64

Lab Sample ID: 240-224118-1

Date Collected: 05/07/25 00:00

Matrix: Water

Date Received: 05/09/25 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/14/25 15:53	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/14/25 15:53	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/14/25 15:53	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/14/25 15:53	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/14/25 15:53	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/14/25 15:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		62 - 137		05/14/25 15:53	1
4-Bromofluorobenzene (Surr)	89		56 - 136		05/14/25 15:53	1
Toluene-d8 (Surr)	96		78 - 122		05/14/25 15:53	1
Dibromofluoromethane (Surr)	101		73 - 120		05/14/25 15:53	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224118-1

Client Sample ID: MW-37_050725

Lab Sample ID: 240-224118-2

Date Collected: 05/07/25 12:35

Matrix: Water

Date Received: 05/09/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/13/25 21:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	79		68 - 127					05/13/25 21:17	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/14/25 19:23	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/14/25 19:23	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/14/25 19:23	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/14/25 19:23	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/14/25 19:23	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/14/25 19:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		62 - 137					05/14/25 19:23	1
4-Bromofluorobenzene (Surr)	83		56 - 136					05/14/25 19:23	1
Toluene-d8 (Surr)	92		78 - 122					05/14/25 19:23	1
Dibromofluoromethane (Surr)	100		73 - 120					05/14/25 19:23	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224118-1

Client Sample ID: MW-38_050725

Lab Sample ID: 240-224118-3

Date Collected: 05/07/25 14:10

Matrix: Water

Date Received: 05/09/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/14/25 00:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	73		68 - 127					05/14/25 00:48	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/14/25 20:33	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/14/25 20:33	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/14/25 20:33	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/14/25 20:33	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/14/25 20:33	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/14/25 20:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		62 - 137					05/14/25 20:33	1
4-Bromofluorobenzene (Surr)	88		56 - 136					05/14/25 20:33	1
Toluene-d8 (Surr)	93		78 - 122					05/14/25 20:33	1
Dibromofluoromethane (Surr)	101		73 - 120					05/14/25 20:33	1

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224118-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-224118-1	TRIP BLANK_64	104	89	96	101
240-224118-2	MW-37_050725	102	83	92	100
240-224118-2 MS	MW-37_050725	104	107	105	106
240-224118-2 MSD	MW-37_050725	105	108	106	107
240-224118-3	MW-38_050725	99	88	93	101
LCS 240-655945/5	Lab Control Sample	102	109	106	102
MB 240-655945/10	Method Blank	111	100	103	108

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (68-127)			
240-224118-2	MW-37_050725	79			
240-224118-2 MS	MW-37_050725	75			
240-224118-2 MSD	MW-37_050725	81			
240-224118-3	MW-38_050725	73			
240-224130-E-2 MS	Matrix Spike	79			
240-224130-E-2 MSD	Matrix Spike Duplicate	83			
LCS 240-655821/5	Lab Control Sample	83			
LCS 240-655848/2	Lab Control Sample	80			
MB 240-655821/7	Method Blank	80			
MB 240-655848/4	Method Blank	80			

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224118-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-655945/10

Matrix: Water

Analysis Batch: 655945

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/14/25 13:19	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/14/25 13:19	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/14/25 13:19	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/14/25 13:19	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/14/25 13:19	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/14/25 13:19	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		62 - 137		05/14/25 13:19	1
4-Bromofluorobenzene (Surr)	100		56 - 136		05/14/25 13:19	1
Toluene-d8 (Surr)	103		78 - 122		05/14/25 13:19	1
Dibromofluoromethane (Surr)	108		73 - 120		05/14/25 13:19	1

Lab Sample ID: LCS 240-655945/5

Matrix: Water

Analysis Batch: 655945

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	20.0	19.1		ug/L		96	63 - 134
cis-1,2-Dichloroethene	20.0	19.0		ug/L		95	77 - 123
Tetrachloroethene	20.0	19.0		ug/L		95	76 - 123
trans-1,2-Dichloroethene	20.0	19.2		ug/L		96	75 - 124
Trichloroethene	20.0	18.3		ug/L		92	70 - 122
Vinyl chloride	20.0	15.9		ug/L		79	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	102		62 - 137
4-Bromofluorobenzene (Surr)	109		56 - 136
Toluene-d8 (Surr)	106		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Lab Sample ID: 240-224118-2 MS

Matrix: Water

Analysis Batch: 655945

Client Sample ID: MW-37_050725

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	20.0	19.4		ug/L		97	56 - 135
cis-1,2-Dichloroethene	1.0	U	20.0	19.6		ug/L		98	66 - 128
Tetrachloroethene	1.0	U	20.0	18.3		ug/L		92	62 - 131
trans-1,2-Dichloroethene	1.0	U	20.0	19.7		ug/L		98	56 - 136
Trichloroethene	1.0	U	20.0	17.3		ug/L		86	61 - 124
Vinyl chloride	1.0	U	20.0	16.4		ug/L		82	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		62 - 137
4-Bromofluorobenzene (Surr)	107		56 - 136
Toluene-d8 (Surr)	105		78 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224118-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-224118-2 MS

Matrix: Water

Analysis Batch: 655945

Client Sample ID: MW-37_050725

Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	106		73 - 120

Lab Sample ID: 240-224118-2 MSD

Matrix: Water

Analysis Batch: 655945

Client Sample ID: MW-37_050725

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	20.0	19.6		ug/L		98	56 - 135	1	26
cis-1,2-Dichloroethene	1.0	U	20.0	19.6		ug/L		98	66 - 128	0	14
Tetrachloroethene	1.0	U	20.0	18.5		ug/L		92	62 - 131	1	20
trans-1,2-Dichloroethene	1.0	U	20.0	19.7		ug/L		98	56 - 136	0	15
Trichloroethene	1.0	U	20.0	17.3		ug/L		87	61 - 124	0	15
Vinyl chloride	1.0	U	20.0	15.9		ug/L		79	43 - 157	3	24

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	105		62 - 137
4-Bromofluorobenzene (Surr)	108		56 - 136
Toluene-d8 (Surr)	106		78 - 122
Dibromofluoromethane (Surr)	107		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-655821/7

Matrix: Water

Analysis Batch: 655821

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/13/25 13:28	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	80		68 - 127		05/13/25 13:28	1			

Lab Sample ID: LCS 240-655821/5

Matrix: Water

Analysis Batch: 655821

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.30		ug/L		93	75 - 121

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	83		68 - 127

Lab Sample ID: 240-224118-2 MS

Matrix: Water

Analysis Batch: 655821

Client Sample ID: MW-37_050725

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	9.68		ug/L		97	20 - 180

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224118-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	75		68 - 127

Lab Sample ID: 240-224118-2 MSD
Matrix: Water
Analysis Batch: 655821

Client Sample ID: MW-37_050725
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	8.81		ug/L		88	20 - 180	9	20

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	81		68 - 127

Lab Sample ID: MB 240-655848/4
Matrix: Water
Analysis Batch: 655848

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/14/25 00:01	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	80		68 - 127		05/14/25 00:01	1			

Lab Sample ID: LCS 240-655848/2
Matrix: Water
Analysis Batch: 655848

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane			10.0	8.87		ug/L		89	75 - 121

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	80		68 - 127

Lab Sample ID: 240-224130-E-2 MS
Matrix: Water
Analysis Batch: 655848

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	9.76		ug/L		98	20 - 180

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	79		68 - 127

Lab Sample ID: 240-224130-E-2 MSD
Matrix: Water
Analysis Batch: 655848

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	9.74		ug/L		97	20 - 180	0	20

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224118-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-224130-E-2 MSD
Matrix: Water
Analysis Batch: 655848

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	83		68 - 127

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224118-1

GC/MS VOA

Analysis Batch: 655821

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-224118-2	MW-37_050725	Total/NA	Water	8260D SIM	
MB 240-655821/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-655821/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-224118-2 MS	MW-37_050725	Total/NA	Water	8260D SIM	
240-224118-2 MSD	MW-37_050725	Total/NA	Water	8260D SIM	

Analysis Batch: 655848

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-224118-3	MW-38_050725	Total/NA	Water	8260D SIM	
MB 240-655848/4	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-655848/2	Lab Control Sample	Total/NA	Water	8260D SIM	
240-224130-E-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-224130-E-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 655945

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-224118-1	TRIP BLANK_64	Total/NA	Water	8260D	
240-224118-2	MW-37_050725	Total/NA	Water	8260D	
240-224118-3	MW-38_050725	Total/NA	Water	8260D	
MB 240-655945/10	Method Blank	Total/NA	Water	8260D	
LCS 240-655945/5	Lab Control Sample	Total/NA	Water	8260D	
240-224118-2 MS	MW-37_050725	Total/NA	Water	8260D	
240-224118-2 MSD	MW-37_050725	Total/NA	Water	8260D	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224118-1

Client Sample ID: TRIP BLANK_64

Lab Sample ID: 240-224118-1

Date Collected: 05/07/25 00:00

Matrix: Water

Date Received: 05/09/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	655945	AJS	EET CLE	05/14/25 15:53

Client Sample ID: MW-37_050725

Lab Sample ID: 240-224118-2

Date Collected: 05/07/25 12:35

Matrix: Water

Date Received: 05/09/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	655945	AJS	EET CLE	05/14/25 19:23
Total/NA	Analysis	8260D SIM		1	655821	R5XG	EET CLE	05/13/25 21:17

Client Sample ID: MW-38_050725

Lab Sample ID: 240-224118-3

Date Collected: 05/07/25 14:10

Matrix: Water

Date Received: 05/09/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	655945	AJS	EET CLE	05/14/25 20:33
Total/NA	Analysis	8260D SIM		1	655848	R5XG	EET CLE	05/14/25 00:48

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224118-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-26
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kansas	NELAP	E-10336	01-31-26
Kentucky (UST)	State	112225	02-28-26
Kentucky (WW)	State	KY98016	12-31-25
Minnesota	NELAP	039-999-348	12-31-25
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-01-26
North Dakota	State	R-244	02-27-26
Ohio	State	8303	11-04-25
Ohio VAP	State	ORELAP 4062	02-28-26
Oregon	NELAP	4062	02-27-26
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-25
US Fish & Wildlife	US Federal Programs	A26406	02-28-26
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-25
West Virginia DEP	State	210	12-31-25
Wisconsin	State	399167560	08-31-25

TestAmerica Laboratory location: Farmington Hills --- 38855 Hills Tech Drive, Suite 600, Farmington Hills 48331

Client Contact		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										TestAmerica Laboratories, Inc.																	
Company Name: Arcadis		Client Project Manager: Megan Meckley					Site Contact: Samantha Szpachler					Lab Contact: Mike DelMonico					COC No:												
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240					Telephone: 248-994-2240					Telephone: 330-497-9396					1 of 1 COCs												
City/State/Zip: Novi, MI, 48377		Email: megan.meckley@arcadis.com					Analysis Turnaround Time					Analyses					For lab use only												
Phone: 248-994-2240		Sampler Name: Marzam Hanani					TAT if different from below					<div>Filtered Sample (Y / N)</div> <div>Composite - C / Grab - G</div> <div>1,1-DCE 8260D</div> <div>cis-1,2-DCE 8260D</div> <div>Trans-1,2-DCE 8260D</div> <div>PCE 8260D</div> <div>TOE 8260D</div> <div>Vinyl Chloride 8260D</div> <div>1,4-Dioxane 8260D SIM</div>					Walk-in client												
Project Name: Ford LTP		10 day <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day <input type="checkbox"/>					Lab sampling																						
Project Number: 30251157.401.04		Method of Shipment/Carrier:					Job/SDG No:																						
PO # US3460023914		Shipping/Tracking No:																											
Sample Identification		Sample Date		Sample Time		Matrix					Containers & Preservatives					Sample Specific Notes / Special Instructions:													
						Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnO	NaOH	Unpres	Other:											
TRIP BLANK_ 64		----		---		1						1							NG	X	X	X	X	X					1 Trip Blank
MW-37-050725		5/7/25		1235		6						6							NG	X	X	X	X	X	X				3 VOAs for 8260D 3 VOAs for 8260D SIM
MW-37-MS-050725		5/7/25		1235		6						6							NG	X	X	X	X	X	X				Run MS/MSD
MW-37-MSD-050725		5/7/25		1235		6						6							NG	X	X	X	X	X	X				Run MS/MSD
MW-38-050725		5/7/25		1410		6						6							NG	X	X	X	X	X	X				

Eurofins - Cleveland Sample Receipt Form/Narrative		Login # _____	
Barberton Facility		Cooler unpacked by <u>W Martin</u>	
Client <u>Arcadis</u>	Site Name _____		
Cooler Received on <u>5/19/25</u>	Opened on <u>5/19/25</u>		
FedEx: 1 st Grd. Exp. <u>UPS</u> <u>FAS</u> <u>Waypoint</u>	Client Drop Off <u>Eurofins Courier</u>	Other _____	
Receipt After-hours Drop-off Date/Time _____		Storage Location _____	
Eurofins Cooler # <u>EC</u>	Foam Box _____	Client Cooler _____	Box _____
Packing material used. <u>Bubble Wrap</u>	Foam _____	Plastic Bag _____	None _____
Other _____	Other _____	Other _____	Other _____
COOLANT: <u>Water</u> <u>Blue-Ice</u> <u>Dry-Ice</u> <u>Water</u> <u>None</u>			
1 Cooler temperature upon receipt <input checked="" type="checkbox"/> See Multiple Cooler Form			
IR GUN # <u>18</u> (CF -0 1 °C)		Observed Cooler Temp _____ °C	Corrected Cooler Temp _____ °C
2 Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity <u>1</u>			
-Were the seals on the outside of the cooler(s) signed & dated?		<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>	
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?		<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>	
-Were tamper/custody seals intact and uncompromised?		<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>	
3 Shippers' packing slip attached to the cooler(s)? <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>			
4 Did custody papers accompany the sample(s)? <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>			
5 Were the custody papers relinquished & signed in the appropriate place? <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>			
6 Was/were the person(s) who collected the samples clearly identified on the COC? <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>			
7 Did all bottles arrive in good condition (Unbroken)? <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>			
8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>			
9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>			
10 Were correct bottle(s) used for the test(s) indicated? <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>			
11 Sufficient quantity received to perform indicated analyses? <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>			
12 Are these work share samples and all listed on the COC? <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>			
13 If yes, Questions 13-17 have been checked at the originating laboratory			
13 Were all preserved sample(s) at the correct pH upon receipt?		<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u> pH Strip Lot# HC457151	
14 Were VOA's on the COC?		<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>	
15 Were air bubbles >6 mm in any VOA vials?		<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u> Larger than this	
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # <u>N/A</u>		<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>	
17 Was a LL Hg or Me Hg trip blank present?		<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <u>NA</u>	
Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____			
Concerning _____			
18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES <input type="checkbox"/> additional next page		Labeled by _____	
		Labels Verified by _____	
19 SAMPLE CONDITION			
Sample(s) _____		were received after the recommended holding time had expired.	
Sample(s) _____		were received in a broken container	
Sample(s) _____		were received with bubble >6 mm in diameter (Notify PM)	
20. SAMPLE PRESERVATION			
Sample(s) _____		were further preserved in the laboratory	
Time preserved. _____		Preservative(s) added/Lot number(s) _____	
VOA Sample Preservation - Date/Time VOA's Frozen. _____			

Login #

5/15/2025

[illegible]

Temperature readings							
Client Sample ID	Lab ID	Container Type	Container pH	Preservation Temp	Preservation Added	Preservation Lot Number	
TRIP BLANK_64	240-224118-A-1	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-A-2	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-A-2 MS	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-A-2 MSD	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-B-2	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-B-2 MS	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-B-2 MSD	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-C-2	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-C-2 MS	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-C-2 MSD	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-D-2	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-D-2 MS	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-D-2 MSD	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-E-2	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-E-2 MS	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-E-2 MSD	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-F-2	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-F-2 MS	Voa Vial 40ml - Hydrochloric Acid					
MW-37_050725	240-224118-F-2 MSD	Voa Vial 40ml - Hydrochloric Acid					
MW-38_050725	240-224118-A-3	Voa Vial 40ml - Hydrochloric Acid					
MW-38_050725	240-224118-B-3	Voa Vial 40ml - Hydrochloric Acid					
MW-38_050725	240-224118-C-3	Voa Vial 40ml - Hydrochloric Acid					
MW-38_050725	240-224118-D-3	Voa Vial 40ml - Hydrochloric Acid					
MW-38_050725	240-224118-E-3	Voa Vial 40ml - Hydrochloric Acid					
MW-38_050725	240-224118-F-3	Voa Vial 40ml - Hydrochloric Acid					

DATA VERIFICATION REPORT



May 15, 2025

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil

Project number: 30251157.401.04 (vapor 301.04)

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 224118-1

Sample date: 2025-05-07

Report received by CADENA: 2025-05-15

Initial Data Verification completed by CADENA: 2025-05-15

Number of Samples:3

Sample Matrices:Water

Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 224118-1

Sample Name: TRIP BLANK_64

Lab Sample ID: 2402241181

Sample Date: 5/7/2025

MW-37_050725

2402241182

5/7/2025

MW-38_050725

2402241183

5/7/2025

Analyte	Cas No.	Report				Valid				Report				Valid				Report				Valid			
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier								

GC/MS VOC

OSW-8260D

1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---

OSW-8260DSIM

1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---
-------------	----------	--	--	--	--	----	-----	------	-----	----	-----	------	-----