

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 5/31/2025 10:05:21 AM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-224929-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
5/31/2025 10:05:21 AM

Authorized for release by
Michael DelMonico, Project Manager I
Michael.DelMonico@et.eurofinsus.com
(330)966-9783

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	19
Lab Chronicle	20
Certification Summary	21
Chain of Custody	22



Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis US Inc.
Project: Ford LTP

Job ID: 240-224929-1

Job ID: 240-224929-1

Eurofins Cleveland

Job Narrative 240-224929-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 5/21/2025 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.8°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-224929-1	TRIP BLANK_76	Water	05/16/25 00:00	05/21/25 08:00
240-224929-2	MW-71_051625	Water	05/16/25 09:20	05/21/25 08:00
240-224929-3	MW-68_051625	Water	05/16/25 10:45	05/21/25 08:00
240-224929-4	MW-45_051625	Water	05/16/25 12:20	05/21/25 08:00
240-224929-5	MW-48R_051625	Water	05/16/25 13:30	05/21/25 08:00

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

Client Sample ID: TRIP BLANK_76

Lab Sample ID: 240-224929-1

No Detections.

Client Sample ID: MW-71_051625

Lab Sample ID: 240-224929-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.78	J	1.0	0.46	ug/L	1		8260D	Total/NA
Vinyl chloride	0.47	J	1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-68_051625

Lab Sample ID: 240-224929-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	2.6		2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	0.82	J	1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-45_051625

Lab Sample ID: 240-224929-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	15		1.0	0.46	ug/L	1		8260D	Total/NA
Vinyl chloride	260		10	4.5	ug/L	10		8260D	Total/NA

Client Sample ID: MW-48R_051625

Lab Sample ID: 240-224929-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	9.8		2.0	0.86	ug/L	1		8260D SIM	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

Client Sample ID: TRIP BLANK_76

Lab Sample ID: 240-224929-1

Date Collected: 05/16/25 00:00

Matrix: Water

Date Received: 05/21/25 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/28/25 13:23	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/28/25 13:23	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/28/25 13:23	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/28/25 13:23	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/28/25 13:23	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/28/25 13:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		62 - 137		05/28/25 13:23	1
4-Bromofluorobenzene (Surr)	90		56 - 136		05/28/25 13:23	1
Toluene-d8 (Surr)	101		78 - 122		05/28/25 13:23	1
Dibromofluoromethane (Surr)	105		73 - 120		05/28/25 13:23	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

Client Sample ID: MW-71_051625

Lab Sample ID: 240-224929-2

Date Collected: 05/16/25 09:20

Matrix: Water

Date Received: 05/21/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/30/25 05:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		68 - 127					05/30/25 05:47	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/24/25 00:49	1
cis-1,2-Dichloroethene	0.78	J	1.0	0.46	ug/L			05/24/25 00:49	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/24/25 00:49	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/24/25 00:49	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/24/25 00:49	1
Vinyl chloride	0.47	J	1.0	0.45	ug/L			05/24/25 00:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		62 - 137					05/24/25 00:49	1
4-Bromofluorobenzene (Surr)	90		56 - 136					05/24/25 00:49	1
Toluene-d8 (Surr)	103		78 - 122					05/24/25 00:49	1
Dibromofluoromethane (Surr)	115		73 - 120					05/24/25 00:49	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

Client Sample ID: MW-68_051625

Lab Sample ID: 240-224929-3

Date Collected: 05/16/25 10:45

Matrix: Water

Date Received: 05/21/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.6		2.0	0.86	ug/L			05/30/25 06:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		68 - 127					05/30/25 06:11	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/24/25 01:12	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/24/25 01:12	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/24/25 01:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/24/25 01:12	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/24/25 01:12	1
Vinyl chloride	0.82	J	1.0	0.45	ug/L			05/24/25 01:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		62 - 137					05/24/25 01:12	1
4-Bromofluorobenzene (Surr)	85		56 - 136					05/24/25 01:12	1
Toluene-d8 (Surr)	96		78 - 122					05/24/25 01:12	1
Dibromofluoromethane (Surr)	108		73 - 120					05/24/25 01:12	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

Client Sample ID: MW-45_051625

Lab Sample ID: 240-224929-4

Date Collected: 05/16/25 12:20

Matrix: Water

Date Received: 05/21/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/30/25 06:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		68 - 127					05/30/25 06:34	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/24/25 01:41	1
cis-1,2-Dichloroethene	15		1.0	0.46	ug/L			05/24/25 01:41	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/24/25 01:41	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/24/25 01:41	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/24/25 01:41	1
Vinyl chloride	260		10	4.5	ug/L			05/28/25 16:06	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	116		62 - 137					05/24/25 01:41	1
1,2-Dichloroethane-d4 (Surr)	107		62 - 137					05/28/25 16:06	10
4-Bromofluorobenzene (Surr)	94		56 - 136					05/24/25 01:41	1
4-Bromofluorobenzene (Surr)	87		56 - 136					05/28/25 16:06	10
Toluene-d8 (Surr)	108		78 - 122					05/24/25 01:41	1
Toluene-d8 (Surr)	101		78 - 122					05/28/25 16:06	10
Dibromofluoromethane (Surr)	117		73 - 120					05/24/25 01:41	1
Dibromofluoromethane (Surr)	107		73 - 120					05/28/25 16:06	10

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

Client Sample ID: MW-48R_051625

Lab Sample ID: 240-224929-5

Date Collected: 05/16/25 13:30

Matrix: Water

Date Received: 05/21/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	9.8		2.0	0.86	ug/L			05/30/25 06:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		68 - 127					05/30/25 06:58	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/24/25 02:09	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/24/25 02:09	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/24/25 02:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/24/25 02:09	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/24/25 02:09	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/24/25 02:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		62 - 137					05/24/25 02:09	1
4-Bromofluorobenzene (Surr)	87		56 - 136					05/24/25 02:09	1
Toluene-d8 (Surr)	102		78 - 122					05/24/25 02:09	1
Dibromofluoromethane (Surr)	116		73 - 120					05/24/25 02:09	1

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
190-37109-B-11 MS	Matrix Spike	99	103	106	100
190-37109-B-11 MSD	Matrix Spike Duplicate	99	101	104	103
240-224929-1	TRIP BLANK_76	103	90	101	105
240-224929-2	MW-71_051625	112	90	103	115
240-224929-3	MW-68_051625	107	85	96	108
240-224929-4	MW-45_051625	116	94	108	117
240-224929-4	MW-45_051625	107	87	101	107
240-224929-5	MW-48R_051625	114	87	102	116
240-224966-B-1 MS	Matrix Spike	104	101	107	108
240-224966-B-1 MSD	Matrix Spike Duplicate	101	100	106	105
LCS 240-657330/3	Lab Control Sample	97	100	103	99
LCS 240-657578/6	Lab Control Sample	94	101	102	99
MB 240-657330/8	Method Blank	108	87	98	109
MB 240-657578/11	Method Blank	105	92	102	106
Surrogate Legend					
DCA = 1,2-Dichloroethane-d4 (Surr)					
BFB = 4-Bromofluorobenzene (Surr)					
TOL = Toluene-d8 (Surr)					
DBFM = Dibromofluoromethane (Surr)					

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
Lab Sample ID	Client Sample ID	DCA			
		(68-127)			
240-224928-D-6 MS	Matrix Spike	82			
240-224928-D-6 MSD	Matrix Spike Duplicate	84			
240-224929-2	MW-71_051625	89			
240-224929-3	MW-68_051625	87			
240-224929-4	MW-45_051625	84			
240-224929-5	MW-48R_051625	86			
LCS 240-657870/3	Lab Control Sample	85			
MB 240-657870/5	Method Blank	86			
Surrogate Legend					
DCA = 1,2-Dichloroethane-d4 (Surr)					

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-657330/8

Matrix: Water

Analysis Batch: 657330

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/24/25 00:20	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/24/25 00:20	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/24/25 00:20	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/24/25 00:20	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/24/25 00:20	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/24/25 00:20	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		62 - 137		05/24/25 00:20	1
4-Bromofluorobenzene (Surr)	87		56 - 136		05/24/25 00:20	1
Toluene-d8 (Surr)	98		78 - 122		05/24/25 00:20	1
Dibromofluoromethane (Surr)	109		73 - 120		05/24/25 00:20	1

Lab Sample ID: LCS 240-657330/3

Matrix: Water

Analysis Batch: 657330

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	20.0	19.3		ug/L		97	63 - 134
cis-1,2-Dichloroethene	20.0	18.9		ug/L		95	77 - 123
Tetrachloroethene	20.0	17.8		ug/L		89	76 - 123
trans-1,2-Dichloroethene	20.0	19.1		ug/L		96	75 - 124
Trichloroethene	20.0	18.0		ug/L		90	70 - 122
Vinyl chloride	20.0	14.2		ug/L		71	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	103		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

Lab Sample ID: 240-224966-B-1 MS

Matrix: Water

Analysis Batch: 657330

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	20.0	20.3		ug/L		101	56 - 135
cis-1,2-Dichloroethene	1.0	U	20.0	19.3		ug/L		97	66 - 128
Tetrachloroethene	1.0	U	20.0	15.6		ug/L		78	62 - 131
trans-1,2-Dichloroethene	1.0	U	20.0	19.0		ug/L		95	56 - 136
Trichloroethene	1.0	U	20.0	15.8		ug/L		79	61 - 124
Vinyl chloride	1.0	U	20.0	14.4		ug/L		72	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	107		78 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-224966-B-1 MS

Matrix: Water

Analysis Batch: 657330

Client Sample ID: Matrix Spike

Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	108		73 - 120

Lab Sample ID: 240-224966-B-1 MSD

Matrix: Water

Analysis Batch: 657330

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	20.0	19.9		ug/L		100	56 - 135	2	26
cis-1,2-Dichloroethene	1.0	U	20.0	18.9		ug/L		95	66 - 128	2	14
Tetrachloroethene	1.0	U	20.0	16.4		ug/L		82	62 - 131	5	20
trans-1,2-Dichloroethene	1.0	U	20.0	19.3		ug/L		96	56 - 136	2	15
Trichloroethene	1.0	U	20.0	15.7		ug/L		79	61 - 124	0	15
Vinyl chloride	1.0	U	20.0	13.8		ug/L		69	43 - 157	4	24

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	106		78 - 122
Dibromofluoromethane (Surr)	105		73 - 120

Lab Sample ID: MB 240-657578/11

Matrix: Water

Analysis Batch: 657578

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/28/25 12:36	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/28/25 12:36	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/28/25 12:36	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/28/25 12:36	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/28/25 12:36	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/28/25 12:36	1

	MB	MB				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		62 - 137		05/28/25 12:36	1
4-Bromofluorobenzene (Surr)	92		56 - 136		05/28/25 12:36	1
Toluene-d8 (Surr)	102		78 - 122		05/28/25 12:36	1
Dibromofluoromethane (Surr)	106		73 - 120		05/28/25 12:36	1

Lab Sample ID: LCS 240-657578/6

Matrix: Water

Analysis Batch: 657578

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	20.0	20.3		ug/L		101	63 - 134
cis-1,2-Dichloroethene	20.0	19.9		ug/L		100	77 - 123
Tetrachloroethene	20.0	19.8		ug/L		99	76 - 123
trans-1,2-Dichloroethene	20.0	19.9		ug/L		100	75 - 124
Trichloroethene	20.0	18.5		ug/L		93	70 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-657578/6

Matrix: Water

Analysis Batch: 657578

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	20.0	16.9		ug/L		84	60 - 144

	LCS %Recovery	LCS Qualifier	Limits
Surrogate			
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	102		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

Lab Sample ID: 190-37109-B-11 MS

Matrix: Water

Analysis Batch: 657578

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	20	U	400	388		ug/L		97	56 - 135
cis-1,2-Dichloroethene	430		400	814		ug/L		96	66 - 128
Tetrachloroethene	20	U	400	375		ug/L		94	62 - 131
trans-1,2-Dichloroethene	11	J	400	407		ug/L		99	56 - 136
Trichloroethene	20	U	400	366		ug/L		91	61 - 124
Vinyl chloride	31		400	370		ug/L		85	43 - 157

	MS %Recovery	MS Qualifier	Limits
Surrogate			
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	103		56 - 136
Toluene-d8 (Surr)	106		78 - 122
Dibromofluoromethane (Surr)	100		73 - 120

Lab Sample ID: 190-37109-B-11 MSD

Matrix: Water

Analysis Batch: 657578

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	20	U	400	408		ug/L		102	56 - 135	5	26
cis-1,2-Dichloroethene	430		400	831		ug/L		100	66 - 128	2	14
Tetrachloroethene	20	U	400	361		ug/L		90	62 - 131	4	20
trans-1,2-Dichloroethene	11	J	400	422		ug/L		103	56 - 136	4	15
Trichloroethene	20	U	400	354		ug/L		88	61 - 124	3	15
Vinyl chloride	31		400	375		ug/L		86	43 - 157	1	24

	MSD %Recovery	MSD Qualifier	Limits
Surrogate			
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	104		78 - 122
Dibromofluoromethane (Surr)	103		73 - 120

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-657870/5

Matrix: Water

Analysis Batch: 657870

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/30/25 00:42	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	86		68 - 127					05/30/25 00:42	1

Lab Sample ID: LCS 240-657870/3

Matrix: Water

Analysis Batch: 657870

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.90		ug/L		89	75 - 121
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	85		68 - 127				

Lab Sample ID: 240-224928-D-6 MS

Matrix: Water

Analysis Batch: 657870

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	9.52		ug/L		95	20 - 180
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	82		68 - 127						

Lab Sample ID: 240-224928-D-6 MSD

Matrix: Water

Analysis Batch: 657870

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	9.28		ug/L		93	20 - 180	3	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	84		68 - 127								

QC Association Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

GC/MS VOA

Analysis Batch: 657330

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-224929-2	MW-71_051625	Total/NA	Water	8260D	
240-224929-3	MW-68_051625	Total/NA	Water	8260D	
240-224929-4	MW-45_051625	Total/NA	Water	8260D	
240-224929-5	MW-48R_051625	Total/NA	Water	8260D	
MB 240-657330/8	Method Blank	Total/NA	Water	8260D	
LCS 240-657330/3	Lab Control Sample	Total/NA	Water	8260D	
240-224966-B-1 MS	Matrix Spike	Total/NA	Water	8260D	
240-224966-B-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 657578

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-224929-1	TRIP BLANK_76	Total/NA	Water	8260D	
240-224929-4	MW-45_051625	Total/NA	Water	8260D	
MB 240-657578/11	Method Blank	Total/NA	Water	8260D	
LCS 240-657578/6	Lab Control Sample	Total/NA	Water	8260D	
190-37109-B-11 MS	Matrix Spike	Total/NA	Water	8260D	
190-37109-B-11 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 657870

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-224929-2	MW-71_051625	Total/NA	Water	8260D SIM	
240-224929-3	MW-68_051625	Total/NA	Water	8260D SIM	
240-224929-4	MW-45_051625	Total/NA	Water	8260D SIM	
240-224929-5	MW-48R_051625	Total/NA	Water	8260D SIM	
MB 240-657870/5	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-657870/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-224928-D-6 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-224928-D-6 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

Client Sample ID: TRIP BLANK_76

Lab Sample ID: 240-224929-1

Date Collected: 05/16/25 00:00

Matrix: Water

Date Received: 05/21/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	657578	AJS	EET CLE	05/28/25 13:23

Client Sample ID: MW-71_051625

Lab Sample ID: 240-224929-2

Date Collected: 05/16/25 09:20

Matrix: Water

Date Received: 05/21/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	657330	AJS	EET CLE	05/24/25 00:49
Total/NA	Analysis	8260D SIM		1	657870	MDH	EET CLE	05/30/25 05:47

Client Sample ID: MW-68_051625

Lab Sample ID: 240-224929-3

Date Collected: 05/16/25 10:45

Matrix: Water

Date Received: 05/21/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	657330	AJS	EET CLE	05/24/25 01:12
Total/NA	Analysis	8260D SIM		1	657870	MDH	EET CLE	05/30/25 06:11

Client Sample ID: MW-45_051625

Lab Sample ID: 240-224929-4

Date Collected: 05/16/25 12:20

Matrix: Water

Date Received: 05/21/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	657330	AJS	EET CLE	05/24/25 01:41
Total/NA	Analysis	8260D		10	657578	AJS	EET CLE	05/28/25 16:06
Total/NA	Analysis	8260D SIM		1	657870	MDH	EET CLE	05/30/25 06:34

Client Sample ID: MW-48R_051625

Lab Sample ID: 240-224929-5

Date Collected: 05/16/25 13:30

Matrix: Water

Date Received: 05/21/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	657330	AJS	EET CLE	05/24/25 02:09
Total/NA	Analysis	8260D SIM		1	657870	MDH	EET CLE	05/30/25 06:58

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-224929-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-26
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kansas	NELAP	E-10336	01-31-26
Kentucky (UST)	State	112225	02-28-26
Kentucky (WW)	State	KY98016	12-31-25
Minnesota	NELAP	039-999-348	12-31-25
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-01-26
North Dakota	State	R-244	02-27-26
Ohio	State	8303	11-04-25
Ohio VAP	State	ORELAP 4062	02-28-26
Oregon	NELAP	4062	02-27-26
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-25
US Fish & Wildlife	US Federal Programs	A26406	02-28-26
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-25
West Virginia DEP	State	210	12-31-25
Wisconsin	State	399167560	08-31-25

TestAmerica Laboratory location: Farmington Hills — 38855 Hills Tech Drive, Suite 600, Farmington Hills 48331

[illegible]

Eurofins - Cleveland Sample Receipt Form/Narrative		Login # _____	
Barberton Facility			
Client <u>ARCadis</u>	Site Name _____	Cooler unpacked by <u>MALISSA LOAR</u>	
Cooler Received on <u>5-21-25</u>	Opened on <u>5-21-25</u>		
FedEx 1 st Grd Exp <u>UPS</u> FAS <u>Waypoint</u>	Client Drop Off <u>Eurofins Courier</u>	Other _____	
Receipt After-hours Drop-off Date/Time _____		Storage Location _____	
Eurofins Cooler # <u>26</u>	Foam Box _____	Client Cooler _____	Box _____
Packing material used <u>Bubble Wrap</u>	Foam _____	Plastic Bag _____	None _____
Other _____	Other _____	Other _____	Other _____
COOLANT <u>Wet Ice</u>	Blue Ice _____	Dry Ice _____	Water _____
☐ See Multiple Cooler Form			
1 Cooler temperature upon receipt IR GUN # <u>13</u> (CF) <u>60.5</u> °C Observed Cooler Temp <u>2.3</u> °C Corrected Cooler Temp <u>2.8</u> °C			
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ -Were the seals on the outside of the cooler(s) signed & dated? <u>Yes</u> <u>No</u> <u>NA</u> -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? <u>Yes</u> <u>No</u> <u>NA</u> -Were tamper/custody seals intact and uncompromised? <u>Yes</u> <u>No</u> <u>NA</u>			
3 Shippers' packing ship attached to the cooler(s)? <u>Yes</u> <u>No</u> <u>NA</u> 4. Did custody papers accompany the sample(s)? <u>Yes</u> <u>No</u> <u>NA</u> 5 Were the custody papers relinquished & signed in the appropriate place? <u>Yes</u> <u>No</u> <u>NA</u> 6. Was/were the person(s) who collected the samples clearly identified on the COC? <u>Yes</u> <u>No</u> <u>NA</u> 7 Did all bottles arrive in good condition (Unbroken)? <u>Yes</u> <u>No</u> <u>NA</u> 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? <u>Yes</u> <u>No</u> <u>NA</u> 9 For each sample, does the COC specify preservatives <u>(Y/N)</u> , # of containers <u>(Y/N)</u> , and sample type of grab/comp <u>(Y/N)</u> ? <u>Yes</u> <u>No</u> <u>NA</u> 10 Were correct bottle(s) used for the test(s) indicated? <u>Yes</u> <u>No</u> <u>NA</u> 11 Sufficient quantity received to perform indicated analyses? <u>Yes</u> <u>No</u> <u>NA</u> 12 Are these work share samples and all listed on the COC? <u>Yes</u> <u>No</u> <u>NA</u> 13 If yes, Questions 13-17 have been checked at the originating laboratory 13 Were all preserved sample(s) at the correct pH upon receipt? <u>Yes</u> <u>No</u> <u>NA</u> pH Strip Lot# HC457151 14 Were VOAs on the COC? <u>Yes</u> <u>No</u> <u>NA</u> 15 Were air bubbles > 6 mm in any VOA vials? <u>Yes</u> <u>No</u> <u>NA</u> 16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ 17 Was a LL Hg or Me Hg trip blank present? <u>Yes</u> <u>No</u> <u>NA</u>			
Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____ Concerning _____			
18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page		Labeled by: _____ Labels Verified by _____	
19 SAMPLE CONDITION Sample(s) _____ were received after the recommended holding time had expired. Sample(s) _____ were received in a broken container Sample(s) _____ were received with bubble > 6 mm in diameter (Notify PM)			
20. SAMPLE PRESERVATION Sample(s) _____ were further preserved in the laboratory Time preserved _____ Preservative(s) added/Lot number(s) _____ VOA Sample Preservation - Date/Time VOAs Frozen _____			

Tests that are not checked for pH by Receiving
VOAs
Oil and Grease
TOC

Temperature readings				
Client Sample ID	Lab ID	Container Type	Container pH	Preservation Temp
TRIP BLANK_76	240-224929-A-1	Voa Vial 40ml - Hydrochloric Acid		
MW-71_051625	240-224929-A-2	Voa Vial 40ml - Hydrochloric Acid		
MW-71_051625	240-224929-B-2	Voa Vial 40ml - Hydrochloric Acid		
MW-71_051625	240-224929-C-2	Voa Vial 40ml - Hydrochloric Acid		
MW-71_051625	240-224929-D-2	Voa Vial 40ml - Hydrochloric Acid		
MW-71_051625	240-224929-E-2	Voa Vial 40ml - Hydrochloric Acid		
MW-68_051625	240-224929-F-2	Voa Vial 40ml - Hydrochloric Acid		
MW-68_051625	240-224929-A-3	Voa Vial 40ml - Hydrochloric Acid		
MW-68_051625	240-224929-B-3	Voa Vial 40ml - Hydrochloric Acid		
MW-68_051625	240-224929-C-3	Voa Vial 40ml - Hydrochloric Acid		
MW-68_051625	240-224929-D-3	Voa Vial 40ml - Hydrochloric Acid		
MW-68_051625	240-224929-E-3	Voa Vial 40ml - Hydrochloric Acid		
MW-68_051625	240-224929-F-3	Voa Vial 40ml - Hydrochloric Acid		
MW-145_051625	240-224929-A-4	Voa Vial 40ml - Hydrochloric Acid		
MW-145_051625	240-224929-B-4	Voa Vial 40ml - Hydrochloric Acid		
MW-145_051625	240-224929-C-4	Voa Vial 40ml - Hydrochloric Acid		
MW-145_051625	240-224929-D-4	Voa Vial 40ml - Hydrochloric Acid		
MW-145_051625	240-224929-E-4	Voa Vial 40ml - Hydrochloric Acid		
MW-145_051625	240-224929-F-4	Voa Vial 40ml - Hydrochloric Acid		
MW-48R_051625	240-224929-A-5	Voa Vial 40ml - Hydrochloric Acid		
MW-48R_051625	240-224929-B-5	Voa Vial 40ml - Hydrochloric Acid		
MW-48R_051625	240-224929-C-5	Voa Vial 40ml - Hydrochloric Acid		
MW-48R_051625	240-224929-D-5	Voa Vial 40ml - Hydrochloric Acid		
MW-48R_051625	240-224929-E-5	Voa Vial 40ml - Hydrochloric Acid		
MW-48R_051625	240-224929-F-5	Voa Vial 40ml - Hydrochloric Acid		

DATA VERIFICATION REPORT



May 31, 2025

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil

Project number: 30251157.401.04 (vapor 301.04)

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 224929-1

Sample date: 2025-05-16

Report received by CADENA: 2025-05-31

Initial Data Verification completed by CADENA: 2025-05-31

Number of Samples:5

Sample Matrices:Water

Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory Submittal: 224929-1

		Sample Name: TRIP BLANK_76				MW-71_051625				MW-68_051625				MW-45_051625				MW-48R_051625			
		Lab Sample ID: 2402249291				2402249292				2402249293				2402249294				2402249295			
		Sample Date: 5/16/2025				5/16/2025				5/16/2025				5/16/2025				5/16/2025			
Analyte	Cas No.	Report		Valid		Report		Valid		Report		Valid		Report		Valid		Report		Valid	
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC																					
OSW-8260D																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	0.78	1.0	ug/l	J	ND	1.0	ug/l	---	15	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	0.47	1.0	ug/l	J	0.82	1.0	ug/l	J	260	10	ug/l	---	ND	1.0	ug/l	---
OSW-8260DSIM																					
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	2.6	2.0	ug/l	---	ND	2.0	ug/l	---	9.8	2.0	ug/l	---