

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Ms. Megan Meckley  
Arcadis US Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 6/2/2025 8:28:48 AM

## JOB DESCRIPTION

Ford LTP

## JOB NUMBER

240-225336-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
6/2/2025 8:28:48 AM

Authorized for release by  
Michael DelMonico, Project Manager I  
[Michael.DelMonico@et.eurofinsus.com](mailto:Michael.DelMonico@et.eurofinsus.com)  
(330)966-9783



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	13
QC Sample Results . . . . .	14
QC Association Summary . . . . .	17
Lab Chronicle . . . . .	18
Certification Summary . . . . .	19
Chain of Custody . . . . .	20

## Definitions/Glossary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-225336-1

### Qualifiers

#### GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

## Case Narrative

Client: Arcadis US Inc.  
Project: Ford LTP

Job ID: 240-225336-1

**Job ID: 240-225336-1**

**Eurofins Cleveland**

### **Job Narrative 240-225336-1**

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

#### **Receipt**

The samples were received on 5/28/2025 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.8°C.

#### **GC/MS VOA**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

## Method Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-225336-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

### Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

### Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

## Sample Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-225336-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-225336-1	TRIP BLANK_109	Water	05/23/25 00:00	05/28/25 08:00
240-225336-2	MW-201_052325	Water	05/23/25 11:15	05/28/25 08:00
240-225336-3	MW-201S_052325	Water	05/23/25 10:20	05/28/25 08:00
240-225336-4	MW-64_052325	Water	05/23/25 12:35	05/28/25 08:00

Detection Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-225336-1

Client Sample ID: TRIP BLANK\_109

Lab Sample ID: 240-225336-1

No Detections.

Client Sample ID: MW-201\_052325

Lab Sample ID: 240-225336-2

No Detections.

Client Sample ID: MW-201S\_052325

Lab Sample ID: 240-225336-3

No Detections.

Client Sample ID: MW-64\_052325

Lab Sample ID: 240-225336-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.96	J	1.0	0.46	ug/L	1			8260D	Total/NA
Vinyl chloride	2.5		1.0	0.45	ug/L	1			8260D	Total/NA



# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-225336-1

Client Sample ID: TRIP BLANK\_109

Lab Sample ID: 240-225336-1

Date Collected: 05/23/25 00:00

Matrix: Water

Date Received: 05/28/25 08:00

## Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/31/25 12:43	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/31/25 12:43	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/31/25 12:43	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/31/25 12:43	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/31/25 12:43	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/31/25 12:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		05/31/25 12:43	1
4-Bromofluorobenzene (Surr)	86		56 - 136		05/31/25 12:43	1
Toluene-d8 (Surr)	106		78 - 122		05/31/25 12:43	1
Dibromofluoromethane (Surr)	97		73 - 120		05/31/25 12:43	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-225336-1

Client Sample ID: MW-201\_052325

Lab Sample ID: 240-225336-2

Date Collected: 05/23/25 11:15

Matrix: Water

Date Received: 05/28/25 08:00

## Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/31/25 05:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		68 - 127					05/31/25 05:54	1

## Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/31/25 16:14	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/31/25 16:14	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/31/25 16:14	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/31/25 16:14	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/31/25 16:14	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/31/25 16:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137					05/31/25 16:14	1
4-Bromofluorobenzene (Surr)	85		56 - 136					05/31/25 16:14	1
Toluene-d8 (Surr)	106		78 - 122					05/31/25 16:14	1
Dibromofluoromethane (Surr)	96		73 - 120					05/31/25 16:14	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-225336-1

Client Sample ID: MW-201S\_052325

Lab Sample ID: 240-225336-3

Date Collected: 05/23/25 10:20

Matrix: Water

Date Received: 05/28/25 08:00

## Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/31/25 06:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		68 - 127					05/31/25 06:17	1

## Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/31/25 16:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/31/25 16:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/31/25 16:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/31/25 16:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/31/25 16:38	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/31/25 16:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		62 - 137					05/31/25 16:38	1
4-Bromofluorobenzene (Surr)	86		56 - 136					05/31/25 16:38	1
Toluene-d8 (Surr)	106		78 - 122					05/31/25 16:38	1
Dibromofluoromethane (Surr)	95		73 - 120					05/31/25 16:38	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-225336-1

Client Sample ID: MW-64\_052325

Lab Sample ID: 240-225336-4

Date Collected: 05/23/25 12:35

Matrix: Water

Date Received: 05/28/25 08:00

## Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/31/25 06:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		68 - 127					05/31/25 06:41	1

## Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/31/25 17:01	1
cis-1,2-Dichloroethene	0.96	J	1.0	0.46	ug/L			05/31/25 17:01	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/31/25 17:01	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/31/25 17:01	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/31/25 17:01	1
Vinyl chloride	2.5		1.0	0.45	ug/L			05/31/25 17:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		62 - 137					05/31/25 17:01	1
4-Bromofluorobenzene (Surr)	86		56 - 136					05/31/25 17:01	1
Toluene-d8 (Surr)	106		78 - 122					05/31/25 17:01	1
Dibromofluoromethane (Surr)	96		73 - 120					05/31/25 17:01	1

# Surrogate Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-225336-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
190-37136-B-1 MS	Matrix Spike	93	89	105	95
190-37136-B-1 MSD	Matrix Spike Duplicate	93	89	105	94
240-225336-1	TRIP BLANK_109	98	86	106	97
240-225336-2	MW-201_052325	98	85	106	96
240-225336-3	MW-201S_052325	97	86	106	95
240-225336-4	MW-64_052325	99	86	106	96
LCS 240-658080/34	Lab Control Sample	91	89	107	94
MB 240-658080/10	Method Blank	97	87	105	94
<b>Surrogate Legend</b>					
DCA = 1,2-Dichloroethane-d4 (Surr)					
BFB = 4-Bromofluorobenzene (Surr)					
TOL = Toluene-d8 (Surr)					
DBFM = Dibromofluoromethane (Surr)					

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
Lab Sample ID	Client Sample ID	DCA			
		(68-127)			
240-225270-F-5 MS	Matrix Spike	89			
240-225270-F-5 MSD	Matrix Spike Duplicate	83			
240-225336-2	MW-201_052325	88			
240-225336-3	MW-201S_052325	82			
240-225336-4	MW-64_052325	82			
LCS 240-658032/3	Lab Control Sample	85			
MB 240-658032/5	Method Blank	87			
<b>Surrogate Legend</b>					
DCA = 1,2-Dichloroethane-d4 (Surr)					

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-225336-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-658080/10

Matrix: Water

Analysis Batch: 658080

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/31/25 11:32	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/31/25 11:32	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/31/25 11:32	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/31/25 11:32	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/31/25 11:32	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/31/25 11:32	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		62 - 137		05/31/25 11:32	1
4-Bromofluorobenzene (Surr)	87		56 - 136		05/31/25 11:32	1
Toluene-d8 (Surr)	105		78 - 122		05/31/25 11:32	1
Dibromofluoromethane (Surr)	94		73 - 120		05/31/25 11:32	1

Lab Sample ID: LCS 240-658080/34

Matrix: Water

Analysis Batch: 658080

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	24.5		ug/L		98	63 - 134
cis-1,2-Dichloroethene	25.0	24.1		ug/L		97	77 - 123
Tetrachloroethene	25.0	25.8		ug/L		103	76 - 123
trans-1,2-Dichloroethene	25.0	24.2		ug/L		97	75 - 124
Trichloroethene	25.0	25.1		ug/L		101	70 - 122
Vinyl chloride	25.0	24.8		ug/L		99	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	91		62 - 137
4-Bromofluorobenzene (Surr)	89		56 - 136
Toluene-d8 (Surr)	107		78 - 122
Dibromofluoromethane (Surr)	94		73 - 120

Lab Sample ID: 190-37136-B-1 MS

Matrix: Water

Analysis Batch: 658080

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	10	U	250	232		ug/L		93	56 - 135
cis-1,2-Dichloroethene	12		250	248		ug/L		95	66 - 128
Tetrachloroethene	10	U	250	229		ug/L		92	62 - 131
trans-1,2-Dichloroethene	10	U	250	232		ug/L		93	56 - 136
Trichloroethene	170		250	389		ug/L		89	61 - 124
Vinyl chloride	10	U	250	237		ug/L		95	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		62 - 137
4-Bromofluorobenzene (Surr)	89		56 - 136
Toluene-d8 (Surr)	105		78 - 122

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-225336-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 190-37136-B-1 MS

Matrix: Water

Analysis Batch: 658080

Client Sample ID: Matrix Spike

Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 190-37136-B-1 MSD

Matrix: Water

Analysis Batch: 658080

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	10	U	250	225		ug/L		90	56 - 135	3	26
cis-1,2-Dichloroethene	12		250	249		ug/L		95	66 - 128	0	14
Tetrachloroethene	10	U	250	229		ug/L		92	62 - 131	0	20
trans-1,2-Dichloroethene	10	U	250	233		ug/L		93	56 - 136	0	15
Trichloroethene	170		250	387		ug/L		88	61 - 124	0	15
Vinyl chloride	10	U	250	234		ug/L		94	43 - 157	1	24

  

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		62 - 137
4-Bromofluorobenzene (Surr)	89		56 - 136
Toluene-d8 (Surr)	105		78 - 122
Dibromofluoromethane (Surr)	94		73 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-658032/5

Matrix: Water

Analysis Batch: 658032

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/30/25 23:38	1

  

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	87		68 - 127		05/30/25 23:38	1			

Lab Sample ID: LCS 240-658032/3

Matrix: Water

Analysis Batch: 658032

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.79		ug/L		88	75 - 121

  

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	85		68 - 127

Lab Sample ID: 240-225270-F-5 MS

Matrix: Water

Analysis Batch: 658032

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	10.0		ug/L		100	20 - 180

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-225336-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

		MS	MS								
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	89		68 - 127								
Lab Sample ID: 240-225270-F-5 MSD				Client Sample ID: Matrix Spike Duplicate							
Matrix: Water				Prep Type: Total/NA							
Analysis Batch: 658032											
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	9.47		ug/L		95	20 - 180	6	20
		MSD	MSD								
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	83		68 - 127								



## QC Association Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-225336-1

### GC/MS VOA

#### Analysis Batch: 658032

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-225336-2	MW-201_052325	Total/NA	Water	8260D SIM	
240-225336-3	MW-201S_052325	Total/NA	Water	8260D SIM	
240-225336-4	MW-64_052325	Total/NA	Water	8260D SIM	
MB 240-658032/5	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-658032/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-225270-F-5 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-225270-F-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

#### Analysis Batch: 658080

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-225336-1	TRIP BLANK_109	Total/NA	Water	8260D	
240-225336-2	MW-201_052325	Total/NA	Water	8260D	
240-225336-3	MW-201S_052325	Total/NA	Water	8260D	
240-225336-4	MW-64_052325	Total/NA	Water	8260D	
MB 240-658080/10	Method Blank	Total/NA	Water	8260D	
LCS 240-658080/34	Lab Control Sample	Total/NA	Water	8260D	
190-37136-B-1 MS	Matrix Spike	Total/NA	Water	8260D	
190-37136-B-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

# Lab Chronicle

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-225336-1

**Client Sample ID: TRIP BLANK\_109**

**Lab Sample ID: 240-225336-1**

Date Collected: 05/23/25 00:00

Matrix: Water

Date Received: 05/28/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	658080	MS	EET CLE	05/31/25 12:43

**Client Sample ID: MW-201\_052325**

**Lab Sample ID: 240-225336-2**

Date Collected: 05/23/25 11:15

Matrix: Water

Date Received: 05/28/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	658080	MS	EET CLE	05/31/25 16:14
Total/NA	Analysis	8260D SIM		1	658032	R5XG	EET CLE	05/31/25 05:54

**Client Sample ID: MW-201S\_052325**

**Lab Sample ID: 240-225336-3**

Date Collected: 05/23/25 10:20

Matrix: Water

Date Received: 05/28/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	658080	MS	EET CLE	05/31/25 16:38
Total/NA	Analysis	8260D SIM		1	658032	R5XG	EET CLE	05/31/25 06:17

**Client Sample ID: MW-64\_052325**

**Lab Sample ID: 240-225336-4**

Date Collected: 05/23/25 12:35

Matrix: Water

Date Received: 05/28/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	658080	MS	EET CLE	05/31/25 17:01
Total/NA	Analysis	8260D SIM		1	658032	R5XG	EET CLE	05/31/25 06:41

## Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

## Accreditation/Certification Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-225336-1

### Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-26
Illinois	NELAP	200004	08-31-25
Iowa	State	421	06-01-25
Kansas	NELAP	E-10336	01-31-26
Kentucky (UST)	State	112225	02-28-26
Kentucky (WW)	State	KY98016	12-31-25
Minnesota	NELAP	039-999-348	12-31-25
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	07-03-25
New York	NELAP	10975	04-01-26
North Dakota	State	R-244	02-27-26
Ohio	State	8303	11-04-25
Ohio VAP	State	ORELAP 4062	02-28-26
Oregon	NELAP	4062	02-27-26
Pennsylvania	NELAP	68-00340	08-31-25
Texas	NELAP	T104704517-22-19	08-31-25
US Fish & Wildlife	US Federal Programs	A26406	02-28-26
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-14-25
West Virginia DEP	State	210	12-31-25
Wisconsin	State	399167560	08-31-25

**TestAmerica Laboratory location:** Farmington Hills — 38855 Hills Tech Drive, Suite 500, Farmington Hills 48331

[illegible]

**Eurofins - Cleveland Sample Receipt Form/Narrative** Login # \_\_\_\_\_

**Barberton Facility**

Client Accad's Site Name \_\_\_\_\_ Cooler unpacked by Marvin

Cooler Received on 5/28/25 Opened on 5/28/25

FedEx 1<sup>st</sup> Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other \_\_\_\_\_

Receipt After-hours Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

Eurofins Cooler # EC Foam Box Client Cooler Box Other \_\_\_\_\_

Packing material used. Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_

COOLANT Water Blue Ice Dry Ice Water None \_\_\_\_\_

1 Cooler temperature upon receipt ☐ See Multiple Cooler Form

IR GUN # 17 (CF 40 2°C) Observed Cooler Temp. 16 °C Corrected Cooler Temp 18 °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity \_\_\_\_\_ ( ☒ Yes ☐ No ☐ NA

-Were the seals on the outside of the cooler(s) signed & dated? ☒ Yes ☐ No ☐ NA

-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? ☒ Yes ☐ No ☐ NA

-Were tamper/custody seals intact and uncompromised? ☒ Yes ☐ No ☐ NA

3 Shippers' packing slip attached to the cooler(s)? ☒ Yes ☐ No ☐ NA

4 Did custody papers accompany the sample(s)? ☒ Yes ☐ No ☐ NA

5 Were the custody papers relinquished & signed in the appropriate place? ☒ Yes ☐ No ☐ NA

6 Was/were the person(s) who collected the samples clearly identified on the COC? ☒ Yes ☐ No ☐ NA

7 Did all bottles arrive in good condition (Unbroken)? ☒ Yes ☐ No ☐ NA

8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? ☒ Yes ☐ No ☐ NA

9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? ☒ Yes ☐ No ☐ NA

10 Were correct bottle(s) used for the test(s) indicated? ☒ Yes ☐ No ☐ NA

11 Sufficient quantity received to perform indicated analyses? ☒ Yes ☐ No ☐ NA

12 Are these work share samples and all listed on the COC? ☒ Yes ☐ No ☐ NA

If yes, Questions 13-17 have been checked at the originating laboratory

13 Were all preserved sample(s) at the correct pH upon receipt? ☒ Yes ☐ No ☐ NA pH Strip Lot# HC463162

14 Were VOAs on the COC? ☒ Yes ☐ No ☐ NA

15 Were air bubbles >6 mm in any VOA vials? ☒ Yes ☐ No ☐ NA

16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # N/A ☒ Yes ☐ No ☐ NA

17 Was a LL Hg or Me Hg trip blank present? ☒ Yes ☐ No ☐ NA

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_

Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page

Labeled by: \_\_\_\_\_

Labels Verified by: \_\_\_\_\_

19. SAMPLE CONDITION

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired

Sample(s) \_\_\_\_\_ were received in a broken container

Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) \_\_\_\_\_ were further preserved in the laboratory

Time preserved \_\_\_\_\_ Preservative(s) added/Lot number(s) \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen \_\_\_\_\_

Temperature readings				
Client Sample ID	Lab ID	Container Type	Container pH	Preservation Temp Added
TRIP BLANK_109	240-225336-A-1	Voa Vial 40ml - Hydrochloric Acid		
MW-201_052325	240-225336-A-2	Voa Vial 40ml - Hydrochloric Acid		
MW-201_052325	240-225336-B-2	Voa Vial 40ml - Hydrochloric Acid		
MW-201_052325	240-225336-C-2	Voa Vial 40ml - Hydrochloric Acid		
MW-201_052325	240-225336-D-2	Voa Vial 40ml - Hydrochloric Acid		
MW-201_052325	240-225336-E-2	Voa Vial 40ml - Hydrochloric Acid		
MW-201_052325	240-225336-G-2	Voa Vial 40ml - Hydrochloric Acid		
MW-201S_052325	240-225336-A-3	Voa Vial 40ml - Hydrochloric Acid		
MW-201S_052325	240-225336-B-3	Voa Vial 40ml - Hydrochloric Acid		
MW-201S_052325	240-225336-C-3	Voa Vial 40ml - Hydrochloric Acid		
MW-201S_052325	240-225336-D-3	Voa Vial 40ml - Hydrochloric Acid		
MW-201S_052325	240-225336-E-3	Voa Vial 40ml - Hydrochloric Acid		
MW-201S_052325	240-225336-F-3	Voa Vial 40ml - Hydrochloric Acid		
MW-64_052325	240-225336-A-4	Voa Vial 40ml - Hydrochloric Acid		
MW-64_052325	240-225336-B-4	Voa Vial 40ml - Hydrochloric Acid		
MW-64_052325	240-225336-C-4	Voa Vial 40ml - Hydrochloric Acid		
MW-64_052325	240-225336-D-4	Voa Vial 40ml - Hydrochloric Acid		
MW-64_052325	240-225336-E-4	Voa Vial 40ml - Hydrochloric Acid		
MW-64_052325	240-225336-F-4	Voa Vial 40ml - Hydrochloric Acid		

# DATA VERIFICATION REPORT



June 02, 2025

Megan Meckley  
Arcadis  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728  
Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil  
Project number: 30251157.401.04 (vapor 301.04)  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Cleveland  
Laboratory submittal: 225336-1  
Sample date: 2025-05-23  
Report received by CADENA: 2025-06-02  
Initial Data Verification completed by CADENA: 2025-06-02  
Number of Samples:4  
Sample Matrices:Water  
Test Categories:GCMS VOC  
**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356



## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

## Analytical Results Summary

**CADENA Project ID:** E203728

**Laboratory:** Eurofins Environment Testing LLC - Cleveland

**Laboratory Submittal:** 225336-1

**Sample Name:** TRIP BLANK\_109  
**Lab Sample ID:** 2402253361  
**Sample Date:** 5/23/2025

MW-201\_052325  
 2402253362  
 5/23/2025

MW-201S\_052325  
 2402253363  
 5/23/2025

MW-64\_052325  
 2402253364  
 5/23/2025

Analyte	Cas No.	Report				Valid				Report				Valid				Report				Valid			
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier				

### GC/MS VOC

#### OSW-8260D

1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	0.96	1.0	ug/l	J
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	2.5	1.0	ug/l	---

#### OSW-8260DSIM

1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---
-------------	----------	--	--	--	--	----	-----	------	-----	----	-----	------	-----	----	-----	------	-----