

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Ms. Megan Meckley  
Arcadis US Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 9/5/2025 4:19:50 PM

## JOB DESCRIPTION

Ford LTP

## JOB NUMBER

240-231703-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Authorized for release by  
Michael DelMonico, Project Manager I  
[Michael.DelMonico@et.eurofinsus.com](mailto:Michael.DelMonico@et.eurofinsus.com)  
(330)966-9783

Generated  
9/5/2025 4:19:50 PM

# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 3  |
| Definitions/Glossary . . . . .   | 4  |
| Case Narrative . . . . .         | 5  |
| Method Summary . . . . .         | 6  |
| Sample Summary . . . . .         | 7  |
| Detection Summary . . . . .      | 8  |
| Client Sample Results . . . . .  | 9  |
| Surrogate Summary . . . . .      | 12 |
| QC Sample Results . . . . .      | 13 |
| QC Association Summary . . . . . | 16 |
| Lab Chronicle . . . . .          | 17 |
| Certification Summary . . . . .  | 18 |
| Chain of Custody . . . . .       | 19 |



## Definitions/Glossary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

### Qualifiers

#### GC/MS VOA

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U         | Indicates the analyte was analyzed for but not detected.                                                       |

### Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|-------------------------------------------------------------------------------------------------------------|
| ☼              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery                                                                                            |
| CFL            | Contains Free Liquid                                                                                        |
| CFU            | Colony Forming Unit                                                                                         |
| CNF            | Contains No Free Liquid                                                                                     |
| DER            | Duplicate Error Ratio (normalized absolute difference)                                                      |
| Dil Fac        | Dilution Factor                                                                                             |
| DL             | Detection Limit (DoD/DOE)                                                                                   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)                                                               |
| EDL            | Estimated Detection Limit (Dioxin)                                                                          |
| LOD            | Limit of Detection (DoD/DOE)                                                                                |
| LOQ            | Limit of Quantitation (DoD/DOE)                                                                             |
| MCL            | EPA recommended "Maximum Contaminant Level"                                                                 |
| MDA            | Minimum Detectable Activity (Radiochemistry)                                                                |
| MDC            | Minimum Detectable Concentration (Radiochemistry)                                                           |
| MDL            | Method Detection Limit                                                                                      |
| ML             | Minimum Level (Dioxin)                                                                                      |
| MPN            | Most Probable Number                                                                                        |
| MQL            | Method Quantitation Limit                                                                                   |
| NC             | Not Calculated                                                                                              |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)                                                |
| NEG            | Negative / Absent                                                                                           |
| POS            | Positive / Present                                                                                          |
| PQL            | Practical Quantitation Limit                                                                                |
| PRES           | Presumptive                                                                                                 |
| QC             | Quality Control                                                                                             |
| RER            | Relative Error Ratio (Radiochemistry)                                                                       |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)                                                         |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)                                                                         |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)                                                                       |
| TNTC           | Too Numerous To Count                                                                                       |

## Case Narrative

Client: Arcadis US Inc.  
Project: Ford LTP

Job ID: 240-231703-1

**Job ID: 240-231703-1**

**Eurofins Cleveland**

### **Job Narrative 240-231703-1**

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### **Receipt**

The samples were received on 8/27/2025 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.4°C.

### **GC/MS VOA**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

## Method Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

| Method    | Method Description                  | Protocol | Laboratory |
|-----------|-------------------------------------|----------|------------|
| 8260D     | Volatile Organic Compounds by GC/MS | SW846    | EET CLE    |
| 8260D SIM | Volatile Organic Compounds (GC/MS)  | SW846    | EET CLE    |
| 5030C     | Purge and Trap                      | SW846    | EET CLE    |

### Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

### Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       | Sample Origin |
|---------------|------------------|--------|----------------|----------------|---------------|
| 240-231703-1  | TRIP BLANK_1     | Water  | 08/22/25 00:00 | 08/27/25 08:00 | Michigan      |
| 240-231703-2  | MW-223S_082225   | Water  | 08/22/25 10:00 | 08/27/25 08:00 | Michigan      |
| 240-231703-3  | MW-215S_082225   | Water  | 08/22/25 11:20 | 08/27/25 08:00 | Michigan      |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

Client Sample ID: TRIP BLANK\_1

Lab Sample ID: 240-231703-1

No Detections.

Client Sample ID: MW-223S\_082225

Lab Sample ID: 240-231703-2

| Analyte     | Result | Qualifier | RL  | MDL  | Unit | Dil Fac | D | Method    | Prep Type |
|-------------|--------|-----------|-----|------|------|---------|---|-----------|-----------|
| 1,4-Dioxane | 1.1    | J         | 2.0 | 0.86 | ug/L | 1       |   | 8260D SIM | Total/NA  |

Client Sample ID: MW-215S\_082225

Lab Sample ID: 240-231703-3

No Detections.



# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

Client Sample ID: TRIP BLANK\_1

Lab Sample ID: 240-231703-1

Date Collected: 08/22/25 00:00

Matrix: Water

Date Received: 08/27/25 08:00

## Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte                  | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.49 | ug/L |   |          | 08/29/25 12:28 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.46 | ug/L |   |          | 08/29/25 12:28 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 08/29/25 12:28 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.51 | ug/L |   |          | 08/29/25 12:28 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 08/29/25 12:28 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.45 | ug/L |   |          | 08/29/25 12:28 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 109       |           | 62 - 137 |          | 08/29/25 12:28 | 1       |
| 4-Bromofluorobenzene (Surr)  | 99        |           | 56 - 136 |          | 08/29/25 12:28 | 1       |
| Toluene-d8 (Surr)            | 100       |           | 78 - 122 |          | 08/29/25 12:28 | 1       |
| Dibromofluoromethane (Surr)  | 107       |           | 73 - 120 |          | 08/29/25 12:28 | 1       |

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

Client Sample ID: MW-223S\_082225

Lab Sample ID: 240-231703-2

Date Collected: 08/22/25 10:00

Matrix: Water

Date Received: 08/27/25 08:00

## Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,4-Dioxane                  | 1.1       | J         | 2.0      | 0.86 | ug/L |   |          | 09/04/25 16:33 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 99        |           | 68 - 127 |      |      |   |          | 09/04/25 16:33 | 1       |

## Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene           | 1.0       | U         | 1.0      | 0.49 | ug/L |   |          | 08/29/25 13:38 | 1       |
| cis-1,2-Dichloroethene       | 1.0       | U         | 1.0      | 0.46 | ug/L |   |          | 08/29/25 13:38 | 1       |
| Tetrachloroethene            | 1.0       | U         | 1.0      | 0.44 | ug/L |   |          | 08/29/25 13:38 | 1       |
| trans-1,2-Dichloroethene     | 1.0       | U         | 1.0      | 0.51 | ug/L |   |          | 08/29/25 13:38 | 1       |
| Trichloroethene              | 1.0       | U         | 1.0      | 0.44 | ug/L |   |          | 08/29/25 13:38 | 1       |
| Vinyl chloride               | 1.0       | U         | 1.0      | 0.45 | ug/L |   |          | 08/29/25 13:38 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 109       |           | 62 - 137 |      |      |   |          | 08/29/25 13:38 | 1       |
| 4-Bromofluorobenzene (Surr)  | 100       |           | 56 - 136 |      |      |   |          | 08/29/25 13:38 | 1       |
| Toluene-d8 (Surr)            | 102       |           | 78 - 122 |      |      |   |          | 08/29/25 13:38 | 1       |
| Dibromofluoromethane (Surr)  | 106       |           | 73 - 120 |      |      |   |          | 08/29/25 13:38 | 1       |

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

Client Sample ID: MW-215S\_082225

Lab Sample ID: 240-231703-3

Date Collected: 08/22/25 11:20

Matrix: Water

Date Received: 08/27/25 08:00

## Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,4-Dioxane                  | 2.0       | U         | 2.0      | 0.86 | ug/L |   |          | 09/04/25 16:57 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 99        |           | 68 - 127 |      |      |   |          | 09/04/25 16:57 | 1       |

## Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene           | 1.0       | U         | 1.0      | 0.49 | ug/L |   |          | 08/29/25 14:02 | 1       |
| cis-1,2-Dichloroethene       | 1.0       | U         | 1.0      | 0.46 | ug/L |   |          | 08/29/25 14:02 | 1       |
| Tetrachloroethene            | 1.0       | U         | 1.0      | 0.44 | ug/L |   |          | 08/29/25 14:02 | 1       |
| trans-1,2-Dichloroethene     | 1.0       | U         | 1.0      | 0.51 | ug/L |   |          | 08/29/25 14:02 | 1       |
| Trichloroethene              | 1.0       | U         | 1.0      | 0.44 | ug/L |   |          | 08/29/25 14:02 | 1       |
| Vinyl chloride               | 1.0       | U         | 1.0      | 0.45 | ug/L |   |          | 08/29/25 14:02 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 106       |           | 62 - 137 |      |      |   |          | 08/29/25 14:02 | 1       |
| 4-Bromofluorobenzene (Surr)  | 101       |           | 56 - 136 |      |      |   |          | 08/29/25 14:02 | 1       |
| Toluene-d8 (Surr)            | 100       |           | 78 - 122 |      |      |   |          | 08/29/25 14:02 | 1       |
| Dibromofluoromethane (Surr)  | 106       |           | 73 - 120 |      |      |   |          | 08/29/25 14:02 | 1       |

# Surrogate Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID       | Client Sample ID       | DCA      | BFB      | TOL      | DBFM     |
|---------------------|------------------------|----------|----------|----------|----------|
|                     |                        | (62-137) | (56-136) | (78-122) | (73-120) |
| 240-231559-A-38 MS  | Matrix Spike           | 100      | 100      | 101      | 102      |
| 240-231559-A-38 MSD | Matrix Spike Duplicate | 99       | 103      | 102      | 102      |
| 240-231703-1        | TRIP BLANK_1           | 109      | 99       | 100      | 107      |
| 240-231703-2        | MW-223S_082225         | 109      | 100      | 102      | 106      |
| 240-231703-3        | MW-215S_082225         | 106      | 101      | 100      | 106      |
| LCS 240-669786/5    | Lab Control Sample     | 99       | 82       | 103      | 103      |
| MB 240-669786/9     | Method Blank           | 108      | 101      | 103      | 106      |

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID      | Client Sample ID       | DCA      |
|--------------------|------------------------|----------|
|                    |                        | (68-127) |
| 240-231556-B-4 MSD | Matrix Spike Duplicate | 102      |
| 240-231556-E-4 MS  | Matrix Spike           | 101      |
| 240-231703-2       | MW-223S_082225         | 99       |
| 240-231703-3       | MW-215S_082225         | 99       |
| LCS 240-670407/5   | Lab Control Sample     | 100      |
| MB 240-670407/7    | Method Blank           | 109      |

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-669786/9

Matrix: Water

Analysis Batch: 669786

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                  | MB Result | MB Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|-----------|--------------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene       | 1.0       | U            | 1.0 | 0.49 | ug/L |   |          | 08/29/25 12:04 | 1       |
| cis-1,2-Dichloroethene   | 1.0       | U            | 1.0 | 0.46 | ug/L |   |          | 08/29/25 12:04 | 1       |
| Tetrachloroethene        | 1.0       | U            | 1.0 | 0.44 | ug/L |   |          | 08/29/25 12:04 | 1       |
| trans-1,2-Dichloroethene | 1.0       | U            | 1.0 | 0.51 | ug/L |   |          | 08/29/25 12:04 | 1       |
| Trichloroethene          | 1.0       | U            | 1.0 | 0.44 | ug/L |   |          | 08/29/25 12:04 | 1       |
| Vinyl chloride           | 1.0       | U            | 1.0 | 0.45 | ug/L |   |          | 08/29/25 12:04 | 1       |

| Surrogate                    | MB %Recovery | MB Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|--------------|--------------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 108          |              | 62 - 137 |          | 08/29/25 12:04 | 1       |
| 4-Bromofluorobenzene (Surr)  | 101          |              | 56 - 136 |          | 08/29/25 12:04 | 1       |
| Toluene-d8 (Surr)            | 103          |              | 78 - 122 |          | 08/29/25 12:04 | 1       |
| Dibromofluoromethane (Surr)  | 106          |              | 73 - 120 |          | 08/29/25 12:04 | 1       |

Lab Sample ID: LCS 240-669786/5

Matrix: Water

Analysis Batch: 669786

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                  | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|--------------------------|-------------|------------|---------------|------|---|------|-------------|
| 1,1-Dichloroethene       | 25.0        | 24.9       |               | ug/L |   | 100  | 63 - 134    |
| cis-1,2-Dichloroethene   | 25.0        | 24.7       |               | ug/L |   | 99   | 77 - 123    |
| Tetrachloroethene        | 25.0        | 23.7       |               | ug/L |   | 95   | 76 - 123    |
| trans-1,2-Dichloroethene | 25.0        | 24.9       |               | ug/L |   | 100  | 75 - 124    |
| Trichloroethene          | 25.0        | 23.8       |               | ug/L |   | 95   | 70 - 122    |
| Vinyl chloride           | 25.0        | 20.7       |               | ug/L |   | 83   | 60 - 144    |

| Surrogate                    | LCS %Recovery | LCS Qualifier | Limits   |
|------------------------------|---------------|---------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 99            |               | 62 - 137 |
| 4-Bromofluorobenzene (Surr)  | 82            |               | 56 - 136 |
| Toluene-d8 (Surr)            | 103           |               | 78 - 122 |
| Dibromofluoromethane (Surr)  | 103           |               | 73 - 120 |

Lab Sample ID: 240-231559-A-38 MS

Matrix: Water

Analysis Batch: 669786

Client Sample ID: Matrix Spike

Prep Type: Total/NA

| Analyte                  | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|--------------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|-------------|
| 1,1-Dichloroethene       | 10            | U                | 250         | 260       |              | ug/L |   | 104  | 56 - 135    |
| cis-1,2-Dichloroethene   | 190           |                  | 250         | 421       |              | ug/L |   | 90   | 66 - 128    |
| Tetrachloroethene        | 10            | U                | 250         | 233       |              | ug/L |   | 93   | 62 - 131    |
| trans-1,2-Dichloroethene | 10            | U                | 250         | 252       |              | ug/L |   | 101  | 56 - 136    |
| Trichloroethene          | 10            | U                | 250         | 244       |              | ug/L |   | 98   | 61 - 124    |
| Vinyl chloride           | 88            |                  | 250         | 291       |              | ug/L |   | 81   | 43 - 157    |

| Surrogate                    | MS %Recovery | MS Qualifier | Limits   |
|------------------------------|--------------|--------------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 100          |              | 62 - 137 |
| 4-Bromofluorobenzene (Surr)  | 100          |              | 56 - 136 |
| Toluene-d8 (Surr)            | 101          |              | 78 - 122 |

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-231559-A-38 MS

Matrix: Water

Analysis Batch: 669786

Client Sample ID: Matrix Spike

Prep Type: Total/NA

|                             | MS        | MS        |          |
|-----------------------------|-----------|-----------|----------|
| Surrogate                   | %Recovery | Qualifier | Limits   |
| Dibromofluoromethane (Surr) | 102       |           | 73 - 120 |

Lab Sample ID: 240-231559-A-38 MSD

Matrix: Water

Analysis Batch: 669786

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

| Analyte                  | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|--------------------------|---------------|------------------|-------------|------------|---------------|------|---|------|-------------|-----|-----------|
| 1,1-Dichloroethene       | 10            | U                | 250         | 263        |               | ug/L |   | 105  | 56 - 135    | 1   | 26        |
| cis-1,2-Dichloroethene   | 190           |                  | 250         | 436        |               | ug/L |   | 97   | 66 - 128    | 4   | 14        |
| Tetrachloroethene        | 10            | U                | 250         | 241        |               | ug/L |   | 96   | 62 - 131    | 3   | 20        |
| trans-1,2-Dichloroethene | 10            | U                | 250         | 251        |               | ug/L |   | 101  | 56 - 136    | 0   | 15        |
| Trichloroethene          | 10            | U                | 250         | 244        |               | ug/L |   | 98   | 61 - 124    | 0   | 15        |
| Vinyl chloride           | 88            |                  | 250         | 301        |               | ug/L |   | 85   | 43 - 157    | 3   | 24        |

|                              | MSD       | MSD       |          |
|------------------------------|-----------|-----------|----------|
| Surrogate                    | %Recovery | Qualifier | Limits   |
| 1,2-Dichloroethane-d4 (Surr) | 99        |           | 62 - 137 |
| 4-Bromofluorobenzene (Surr)  | 103       |           | 56 - 136 |
| Toluene-d8 (Surr)            | 102       |           | 78 - 122 |
| Dibromofluoromethane (Surr)  | 102       |           | 73 - 120 |

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-670407/7

Matrix: Water

Analysis Batch: 670407

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte     | MB Result | MB Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------|-----------|--------------|-----|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 2.0       | U            | 2.0 | 0.86 | ug/L |   |          | 09/04/25 10:58 | 1       |

|                              | MB        | MB        |          |          |                |         |  |  |  |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|--|--|--|
| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |  |  |  |
| 1,2-Dichloroethane-d4 (Surr) | 109       |           | 68 - 127 |          | 09/04/25 10:58 | 1       |  |  |  |

Lab Sample ID: LCS 240-670407/5

Matrix: Water

Analysis Batch: 670407

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte     | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|-------------|-------------|------------|---------------|------|---|------|-------------|
| 1,4-Dioxane | 10.0        | 9.32       |               | ug/L |   | 93   | 75 - 121    |

|                              | LCS       | LCS       |          |
|------------------------------|-----------|-----------|----------|
| Surrogate                    | %Recovery | Qualifier | Limits   |
| 1,2-Dichloroethane-d4 (Surr) | 100       |           | 68 - 127 |

Lab Sample ID: 240-231556-B-4 MSD

Matrix: Water

Analysis Batch: 670407

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

| Analyte     | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|-------------|---------------|------------------|-------------|------------|---------------|------|---|------|-------------|-----|-----------|
| 1,4-Dioxane | 2.0           | U                | 10.0        | 9.15       |               | ug/L |   | 92   | 20 - 180    | 1   | 20        |

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

|                                  |               |                  |             |                                |              |      |   |      |             |  |  |
|----------------------------------|---------------|------------------|-------------|--------------------------------|--------------|------|---|------|-------------|--|--|
|                                  |               | MSD              | MSD         |                                |              |      |   |      |             |  |  |
| Surrogate                        | %Recovery     | Qualifier        | Limits      |                                |              |      |   |      |             |  |  |
| 1,2-Dichloroethane-d4 (Surr)     | 102           |                  | 68 - 127    |                                |              |      |   |      |             |  |  |
| Lab Sample ID: 240-231556-E-4 MS |               |                  |             | Client Sample ID: Matrix Spike |              |      |   |      |             |  |  |
| Matrix: Water                    |               |                  |             | Prep Type: Total/NA            |              |      |   |      |             |  |  |
| Analysis Batch: 670407           |               |                  |             |                                |              |      |   |      |             |  |  |
| Analyte                          | Sample Result | Sample Qualifier | Spike Added | MS Result                      | MS Qualifier | Unit | D | %Rec | %Rec Limits |  |  |
| 1,4-Dioxane                      | 2.0           | U                | 10.0        | 9.10                           |              | ug/L |   | 91   | 20 - 180    |  |  |
|                                  |               | MS               | MS          |                                |              |      |   |      |             |  |  |
| Surrogate                        | %Recovery     | Qualifier        | Limits      |                                |              |      |   |      |             |  |  |
| 1,2-Dichloroethane-d4 (Surr)     | 101           |                  | 68 - 127    |                                |              |      |   |      |             |  |  |

## QC Association Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

### GC/MS VOA

#### Analysis Batch: 669786

| Lab Sample ID       | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|---------------------|------------------------|-----------|--------|--------|------------|
| 240-231703-1        | TRIP BLANK_1           | Total/NA  | Water  | 8260D  |            |
| 240-231703-2        | MW-223S_082225         | Total/NA  | Water  | 8260D  |            |
| 240-231703-3        | MW-215S_082225         | Total/NA  | Water  | 8260D  |            |
| MB 240-669786/9     | Method Blank           | Total/NA  | Water  | 8260D  |            |
| LCS 240-669786/5    | Lab Control Sample     | Total/NA  | Water  | 8260D  |            |
| 240-231559-A-38 MS  | Matrix Spike           | Total/NA  | Water  | 8260D  |            |
| 240-231559-A-38 MSD | Matrix Spike Duplicate | Total/NA  | Water  | 8260D  |            |

#### Analysis Batch: 670407

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method    | Prep Batch |
|--------------------|------------------------|-----------|--------|-----------|------------|
| 240-231703-2       | MW-223S_082225         | Total/NA  | Water  | 8260D SIM |            |
| 240-231703-3       | MW-215S_082225         | Total/NA  | Water  | 8260D SIM |            |
| MB 240-670407/7    | Method Blank           | Total/NA  | Water  | 8260D SIM |            |
| LCS 240-670407/5   | Lab Control Sample     | Total/NA  | Water  | 8260D SIM |            |
| 240-231556-B-4 MSD | Matrix Spike Duplicate | Total/NA  | Water  | 8260D SIM |            |
| 240-231556-E-4 MS  | Matrix Spike           | Total/NA  | Water  | 8260D SIM |            |



Lab Chronicle

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

Client Sample ID: TRIP BLANK\_1  
Date Collected: 08/22/25 00:00  
Date Received: 08/27/25 08:00

Lab Sample ID: 240-231703-1  
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260D        |     | 1               | 669786       | MS      | EET CLE | 08/29/25 12:28       |

Client Sample ID: MW-223S\_082225  
Date Collected: 08/22/25 10:00  
Date Received: 08/27/25 08:00

Lab Sample ID: 240-231703-2  
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260D        |     | 1               | 669786       | MS      | EET CLE | 08/29/25 13:38       |
| Total/NA  | Analysis   | 8260D SIM    |     | 1               | 670407       | R5XG    | EET CLE | 09/04/25 16:33       |

Client Sample ID: MW-215S\_082225  
Date Collected: 08/22/25 11:20  
Date Received: 08/27/25 08:00

Lab Sample ID: 240-231703-3  
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260D        |     | 1               | 669786       | MS      | EET CLE | 08/29/25 14:02       |
| Total/NA  | Analysis   | 8260D SIM    |     | 1               | 670407       | R5XG    | EET CLE | 09/04/25 16:57       |

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

## Accreditation/Certification Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

### Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority          | Program             | Identification Number | Expiration Date |
|--------------------|---------------------|-----------------------|-----------------|
| Connecticut        | State               | PH-0806               | 12-31-26        |
| Georgia            | State               | 4062                  | 02-27-26        |
| Illinois           | NELAP               | 200004                | 08-31-26        |
| Iowa               | State               | 421                   | 06-01-27        |
| Kansas             | NELAP               | E-10336               | 01-31-26        |
| Kentucky (UST)     | State               | 112225                | 02-28-26        |
| Kentucky (WW)      | State               | KY98016               | 12-31-25        |
| Minnesota          | NELAP               | 039-999-348           | 12-31-25        |
| New Hampshire      | NELAP               | 225024                | 09-30-25        |
| New Jersey         | NELAP               | OH001                 | 06-30-26        |
| New York           | NELAP               | 10975                 | 04-01-26        |
| North Dakota       | State               | R-244                 | 02-27-26        |
| Ohio               | State               | 8303                  | 11-04-25        |
| Ohio VAP           | State               | ORELAP 4062           | 02-28-26        |
| Oregon             | NELAP               | 4062                  | 02-27-26        |
| Pennsylvania       | NELAP               | 68-00340              | 08-31-26        |
| Texas              | NELAP               | T104704517            | 08-31-26        |
| US Fish & Wildlife | US Federal Programs | A26406                | 02-28-26        |
| USDA               | US Federal Programs | P330-18-00281         | 01-05-27        |
| Virginia           | NELAP               | 460175                | 09-15-25        |
| West Virginia DEP  | State               | 210                   | 12-31-25        |
| Wisconsin          | State               | 399167560             | 08-31-26        |

Regulatory program: ☐ DW ☐ NPDES ☐ RCRA ☐ Other

240-231703 COC

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                          |                                                |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|------------------------------------------------|
| <b>Eurofins - Cleveland Sample Receipt Form/Narrative</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                          | <b>Login # :</b> _____                         |
| <b>Barberton Facility</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                          |                                                |
| Client <u>ArcaDis</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Site Name _____          | Cooler unpacked by <u>Wharton</u>              |
| Cooler Received on <u>8/27/25</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Opened on <u>8/27/25</u> |                                                |
| FedEx: 1 <sup>st</sup> Grd Exp <u>UPS</u> FAS <u>W</u> Point <u>Client Drop Off</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Eurofins Courier _____   | Other _____                                    |
| <b>Receipt After-hours Drop-off Date/Time</b> <span style="float:right"><b>Storage Location</b></span>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                          |                                                |
| Eurofins Cooler # <u>EL</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Foam Box _____           | Client Cooler _____ Box _____ Other _____      |
| Packing material used. <u>Bubble Wrap</u> Foam Plastic Bag None Other _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                          |                                                |
| COOLANT <u>W/Dye</u> Blue Ice Dry Ice Water None                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                          |                                                |
| 1 Cooler temperature upon receipt <input type="checkbox"/> See Multiple Cooler Form<br>IR GUN # <u>13</u> (CF <u>+0.2</u> °C) Observed Cooler Temp <u>32</u> °C Corrected Cooler Temp <u>34</u> °C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                          |                                                |
| 2 Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity <u>1</u><br>-Were the seals on the outside of the cooler(s) signed & dated? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA<br>-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA<br>-Were tamper/custody seals intact and uncompromised? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA<br>3 Shippers' packing slip attached to the cooler(s)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA<br>4 Did custody papers accompany the sample(s)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA<br>5 Were the custody papers relinquished & signed in the appropriate place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA<br>6 Was/were the person(s) who collected the samples clearly identified on the COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA<br>7 Did all bottles arrive in good condition (Unbroken)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA<br>8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA<br>9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA<br>10 Were correct bottle(s) used for the test(s) indicated? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA<br>11 Sufficient quantity received to perform indicated analyses? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA<br>12 Are these work share samples and all listed on the COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA<br>If yes, Questions 13-17 have been checked at the originating laboratory<br>13 Were all preserved sample(s) at the correct pH upon receipt? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA pH Strip Lot# HC463162<br>14 Were VOAs on the COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA<br>15 Were air bubbles >6 mm in any VOA vials? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/> Larger than this<br>16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # <u>NA</u><br>17 Was a LL Hg or Me Hg trip blank present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA |                          |                                                |
| Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____<br>Concerning _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                          |                                                |
| <b>18 CHAIN OF CUSTODY &amp; SAMPLE DISCREPANCIES</b> <input type="checkbox"/> additional next page                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                          | Labeled by: _____<br>Labels Verified by: _____ |
| <b>19 SAMPLE CONDITION</b><br>Sample(s) _____ were received after the recommended holding time had expired<br>Sample(s) _____ were received in a broken container<br>Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                          |                                                |
| <b>20. SAMPLE PRESERVATION</b><br>Sample(s) _____ were further preserved in the laboratory<br>Time preserved. _____ Preservative(s) added/Lot number(s) _____<br>VOA Sample Preservation - Date/Time VOAs Frozen _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                          |                                                |

8/27/2025

Login Container Summary Report

240-231703

9/5/2025

Temperature readings.

| Client Sample ID | Lab ID         | Container Type                    | Container pH | Preservation Temp | Preservation Added | Preservation Lot Number |
|------------------|----------------|-----------------------------------|--------------|-------------------|--------------------|-------------------------|
| TRIP BLANK_1     | 240-231703-A-1 | Voa Vial 40ml - Hydrochloric Acid |              |                   |                    |                         |
| MW-223S_082225   | 240-231703-A-2 | Voa Vial 40ml - Hydrochloric Acid |              |                   |                    |                         |
| MW-223S_082225   | 240-231703-B-2 | Voa Vial 40ml - Hydrochloric Acid |              |                   |                    |                         |
| MW-223S_082225   | 240-231703-C-2 | Voa Vial 40ml - Hydrochloric Acid |              |                   |                    |                         |
| MW-223S_082225   | 240-231703-D-2 | Voa Vial 40ml - Hydrochloric Acid |              |                   |                    |                         |
| MW-223S_082225   | 240-231703-E-2 | Voa Vial 40ml - Hydrochloric Acid |              |                   |                    |                         |
| MW-223S_082225   | 240-231703 F 2 | Voa Vial 40ml - Hydrochloric Acid |              |                   |                    |                         |
| MW-215S_082225   | 240-231703-A-3 | Voa Vial 40ml - Hydrochloric Acid |              |                   |                    |                         |
| MW-215S_082225   | 240-231703-B-3 | Voa Vial 40ml - Hydrochloric Acid |              |                   |                    |                         |
| MW-215S_082225   | 240-231703-C-3 | Voa Vial 40ml - Hydrochloric Acid |              |                   |                    |                         |
| MW-215S_082225   | 240-231703 D-3 | Voa Vial 40ml - Hydrochloric Acid |              |                   |                    |                         |
| MW-215S_082225   | 240-231703-E-3 | Voa Vial 40ml - Hydrochloric Acid |              |                   |                    |                         |
| MW-215S_082225   | 240-231703 F 3 | Voa Vial 40ml - Hydrochloric Acid |              |                   |                    |                         |

# DATA VERIFICATION REPORT



September 06, 2025

Megan Meckley  
Arcadis  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil

Project number: 30251157.401.04 LTP

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 231703-1

Sample date: 2025-08-22

Report received by CADENA: 2025-09-05

Initial Data Verification completed by CADENA: 2025-09-06

Number of Samples:3

Sample Matrices:Water

Test Categories:GCMS VOC

**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

| Valid Qualifiers | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <                | Less than the reported concentration.                                                                                                                                                                                                                                                                                                                                                                                                                      |
| >                | Greater than the reported concentration.                                                                                                                                                                                                                                                                                                                                                                                                                   |
| B                | The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration. |
| E                | The analyte / Compound reported exceeds the calibration range and is considered estimated.                                                                                                                                                                                                                                                                                                                                                                 |
| EMPC             | Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.                                                                                                                                                                                                                                                                                                                                                                                    |
| J                | Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.                     |
| J-               | The result is an estimated quantity, but the result may be biased low.                                                                                                                                                                                                                                                                                                                                                                                     |
| JB               | NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED                                                                                                                                                                                                                                                                                                                                                                                                     |
| JH               | The sample result is considered estimated and is potentially biased high.                                                                                                                                                                                                                                                                                                                                                                                  |
| JL               | The sample result is considered estimated and is potentially biased low.                                                                                                                                                                                                                                                                                                                                                                                   |
| JUB              | NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED                                                                                                                                                                                                                                                                                                                                                                                                            |
| NJ               | Tentatively identified compound with approximated concentration.                                                                                                                                                                                                                                                                                                                                                                                           |
| R                | Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)                                                                                                                                                                                                                                                                                                                                                |
| TNTC             | Too Numerous to Count - Asbestos and Microbiological Results.                                                                                                                                                                                                                                                                                                                                                                                              |
| U                | Indicates that the analyte / compound was analyzed for, but not detected.                                                                                                                                                                                                                                                                                                                                                                                  |
| UB               | The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.                                             |
| UJ               | The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.                                                                                                                              |



# Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 231703-1

Sample Name: TRIP BLANK\_1

Lab Sample ID: 2402317031

Sample Date: 8/22/2025

MW-223S\_082225

2402317032

8/22/2025

MW-215S\_082225

2402317033

8/22/2025

| Analyte | Cas No. | Report |       |       |           | Valid  |       |       |           | Report |       |       |           | Valid  |       |       |           | Report |       |       |           | Valid |  |  |  |
|---------|---------|--------|-------|-------|-----------|--------|-------|-------|-----------|--------|-------|-------|-----------|--------|-------|-------|-----------|--------|-------|-------|-----------|-------|--|--|--|
|         |         | Result | Limit | Units | Qualifier | Result | Limit | Units | Qualifier | Result | Limit | Units | Qualifier | Result | Limit | Units | Qualifier | Result | Limit | Units | Qualifier |       |  |  |  |

## GC/MS VOC

### OSW-8260D

|                          |          |    |     |      |     |    |     |      |     |    |     |      |     |
|--------------------------|----------|----|-----|------|-----|----|-----|------|-----|----|-----|------|-----|
| 1,1-Dichloroethene       | 75-35-4  | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |
| cis-1,2-Dichloroethene   | 156-59-2 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |
| Tetrachloroethene        | 127-18-4 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |
| trans-1,2-Dichloroethene | 156-60-5 | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |
| Trichloroethene          | 79-01-6  | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |
| Vinyl chloride           | 75-01-4  | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- | ND | 1.0 | ug/l | --- |

### OSW-8260DSIM

|             |          |  |  |  |  |     |     |      |   |    |     |      |     |
|-------------|----------|--|--|--|--|-----|-----|------|---|----|-----|------|-----|
| 1,4-Dioxane | 123-91-1 |  |  |  |  | 1.1 | 2.0 | ug/l | J | ND | 2.0 | ug/l | --- |
|-------------|----------|--|--|--|--|-----|-----|------|---|----|-----|------|-----|

# Ford Motor Company – Livonia Transmission Project

## Data Review

### Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-231703-1

CADENA Verification Report: 2025-09-06

Analyses Performed By:  
Eurofins Cleveland  
Barberton, Ohio

Report # 60969R  
Review Level: Tier III  
Project: 30251157.401.02

## DATA REVIEW

### SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-231703-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Tier III validation in addition to a verification/Tier II validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Tier III validation effort (Tier III) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Tier II report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

| Sample ID      | Lab ID       | Matrix | Sample Collection Date | Parent Sample | Analysis |         |
|----------------|--------------|--------|------------------------|---------------|----------|---------|
|                |              |        |                        |               | VOC      | VOC SIM |
| TRIP BLANK_1   | 240-231703-1 | Water  | 08/22/2025             |               | X        |         |
| MW-223S_082225 | 240-231703-2 | Water  | 08/22/2025             |               | X        | X       |
| MW-215S_082225 | 240-231703-3 | Water  | 08/22/2025             |               | X        | X       |

## DATA REVIEW

### ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

| Items Reviewed                                                         | Reported |     | Performance Acceptable |     | Not Required |
|------------------------------------------------------------------------|----------|-----|------------------------|-----|--------------|
|                                                                        | No       | Yes | No                     | Yes |              |
| 1. Sample receipt condition                                            |          | X   |                        | X   |              |
| 2. Requested analyses and sample results                               |          | X   |                        | X   |              |
| 3. Master tracking list                                                |          | X   |                        | X   |              |
| 4. Methods of analysis                                                 |          | X   |                        | X   |              |
| 5. Reporting limits                                                    |          | X   |                        | X   |              |
| 6. Sample collection date                                              |          | X   |                        | X   |              |
| 7. Laboratory sample received date                                     |          | X   |                        | X   |              |
| 8. Sample preservation verification (as applicable)                    |          | X   |                        | X   |              |
| 9. Sample preparation/extraction/analysis dates                        |          | X   |                        | X   |              |
| 10. Fully executed Chain-of-Custody (COC) form                         |          | X   |                        | X   |              |
| 11. Narrative summary of Quality Assurance or sample problems provided |          | X   |                        | X   |              |
| 12. Data Package Completeness and Compliance                           |          | X   |                        | X   |              |

## DATA REVIEW

### ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U     The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B     The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E     The compound was quantitated above the calibration range.
  - D     Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J     The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ    The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - UB    Analyte considered non-detect at the listed value due to associated blank contamination.
  - R     The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## DATA REVIEW

### VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

#### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

| Method                 | Matrix | Holding Time                        | Preservation                    |
|------------------------|--------|-------------------------------------|---------------------------------|
| SW-846 8260D/8260D-SIM | Water  | 14 days from collection to analysis | Cool to < 6 °C; pH < 2 with HCl |

All samples were analyzed within the specified holding time criteria.

#### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable, and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

#### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

##### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

##### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the continuing calibrations were within the specified control limits.

#### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

#### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate sample was not collected for samples from this SDG.

## **DATA REVIEW**

### **6. Compound Identification**

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

All identified compounds met the specified criteria.

### **7. System Performance and Overall Assessment**

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA REVIEW

### DATA VALIDATION CHECKLIST FOR VOCs

| VOCs: 8260D/8260D-SIM                                       | Reported |     | Performance Acceptable |     | Not Required |
|-------------------------------------------------------------|----------|-----|------------------------|-----|--------------|
|                                                             | No       | Yes | No                     | Yes |              |
| GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)                |          |     |                        |     |              |
| Tier II Validation                                          |          |     |                        |     |              |
| Holding times/Preservation                                  |          | X   |                        | X   |              |
| Tier III Validation                                         |          |     |                        |     |              |
| System performance and column resolution                    |          | X   |                        | X   |              |
| Initial calibration %RSDs                                   |          | X   |                        | X   |              |
| Continuing calibration RRFs                                 |          | X   |                        | X   |              |
| Continuing calibration %Ds                                  |          | X   |                        | X   |              |
| Instrument tune and performance check                       |          | X   |                        | X   |              |
| Ion abundance criteria for each instrument used             |          | X   |                        | X   |              |
| Field Duplicate RPD                                         | X        |     |                        |     | X            |
| Internal standard                                           |          | X   |                        | X   |              |
| Compound identification and quantitation                    |          |     |                        |     |              |
| A. Reconstructed ion chromatograms                          |          | X   |                        | X   |              |
| B. Quantitation Reports                                     |          | X   |                        | X   |              |
| C. RT of sample compounds within the established RT windows |          | X   |                        | X   |              |
| D. Transcription/calculation errors present                 |          | X   |                        | X   |              |
| E. Reporting limits adjusted to reflect sample dilutions    |          | X   |                        | X   |              |

Notes:

%RSD Relative standard deviation

%R Percent recovery

RPD Relative percent difference

%D Percent difference



## DATA REVIEW

VALIDATION PERFORMED BY: Bindu Sree M B

SIGNATURE: 

---

DATE: September 15, 2025

---

PEER REVIEW: Andrew Korycinski

DATE: September 15, 2025

---

**NO CORRECTIONS/QUALIFIERS ADDED  
TO SAMPLE ANALYSIS DATA SHEETS**



CHAIN OF CUSTODY

CORRECTED SAMPLE ANALYSIS DATA  
SHEETS



©2008, TestAmerica Laboratories, Inc. All rights reserved.  
TestAmerica & Design™ are trademarks of TestAmerica Laboratories, Inc.

## Definitions/Glossary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

### Qualifiers

#### GC/MS VOA

| Qualifier | Qualifier Description                                                                                          |
|-----------|----------------------------------------------------------------------------------------------------------------|
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| U         | Indicates the analyte was analyzed for but not detected.                                                       |

### Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|-------------------------------------------------------------------------------------------------------------|
| ☼              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery                                                                                            |
| CFL            | Contains Free Liquid                                                                                        |
| CFU            | Colony Forming Unit                                                                                         |
| CNF            | Contains No Free Liquid                                                                                     |
| DER            | Duplicate Error Ratio (normalized absolute difference)                                                      |
| Dil Fac        | Dilution Factor                                                                                             |
| DL             | Detection Limit (DoD/DOE)                                                                                   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)                                                               |
| EDL            | Estimated Detection Limit (Dioxin)                                                                          |
| LOD            | Limit of Detection (DoD/DOE)                                                                                |
| LOQ            | Limit of Quantitation (DoD/DOE)                                                                             |
| MCL            | EPA recommended "Maximum Contaminant Level"                                                                 |
| MDA            | Minimum Detectable Activity (Radiochemistry)                                                                |
| MDC            | Minimum Detectable Concentration (Radiochemistry)                                                           |
| MDL            | Method Detection Limit                                                                                      |
| ML             | Minimum Level (Dioxin)                                                                                      |
| MPN            | Most Probable Number                                                                                        |
| MQL            | Method Quantitation Limit                                                                                   |
| NC             | Not Calculated                                                                                              |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)                                                |
| NEG            | Negative / Absent                                                                                           |
| POS            | Positive / Present                                                                                          |
| PQL            | Practical Quantitation Limit                                                                                |
| PRES           | Presumptive                                                                                                 |
| QC             | Quality Control                                                                                             |
| RER            | Relative Error Ratio (Radiochemistry)                                                                       |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)                                                         |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)                                                                         |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)                                                                       |
| TNTC           | Too Numerous To Count                                                                                       |

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

Client Sample ID: TRIP BLANK\_1

Lab Sample ID: 240-231703-1

Date Collected: 08/22/25 00:00

Matrix: Water

Date Received: 08/27/25 08:00

## Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte                  | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.49 | ug/L |   |          | 08/29/25 12:28 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.46 | ug/L |   |          | 08/29/25 12:28 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 08/29/25 12:28 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.51 | ug/L |   |          | 08/29/25 12:28 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 08/29/25 12:28 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.45 | ug/L |   |          | 08/29/25 12:28 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 109       |           | 62 - 137 |          | 08/29/25 12:28 | 1       |
| 4-Bromofluorobenzene (Surr)  | 99        |           | 56 - 136 |          | 08/29/25 12:28 | 1       |
| Toluene-d8 (Surr)            | 100       |           | 78 - 122 |          | 08/29/25 12:28 | 1       |
| Dibromofluoromethane (Surr)  | 107       |           | 73 - 120 |          | 08/29/25 12:28 | 1       |

Client Sample ID: MW-223S\_082225

Lab Sample ID: 240-231703-2

Date Collected: 08/22/25 10:00

Matrix: Water

Date Received: 08/27/25 08:00

## Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

| Analyte     | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 1.1    | J         | 2.0 | 0.86 | ug/L |   |          | 09/04/25 16:33 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 99        |           | 68 - 127 |          | 09/04/25 16:33 | 1       |

## Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte                  | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.49 | ug/L |   |          | 08/29/25 13:38 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.46 | ug/L |   |          | 08/29/25 13:38 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 08/29/25 13:38 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.51 | ug/L |   |          | 08/29/25 13:38 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 08/29/25 13:38 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.45 | ug/L |   |          | 08/29/25 13:38 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 109       |           | 62 - 137 |          | 08/29/25 13:38 | 1       |
| 4-Bromofluorobenzene (Surr)  | 100       |           | 56 - 136 |          | 08/29/25 13:38 | 1       |
| Toluene-d8 (Surr)            | 102       |           | 78 - 122 |          | 08/29/25 13:38 | 1       |
| Dibromofluoromethane (Surr)  | 106       |           | 73 - 120 |          | 08/29/25 13:38 | 1       |

Client Sample ID: MW-215S\_082225

Lab Sample ID: 240-231703-3

Date Collected: 08/22/25 11:20

Matrix: Water

Date Received: 08/27/25 08:00

## Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

| Analyte     | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,4-Dioxane | 2.0    | U         | 2.0 | 0.86 | ug/L |   |          | 09/04/25 16:57 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 99        |           | 68 - 127 |          | 09/04/25 16:57 | 1       |

Eurofins Cleveland

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-231703-1

Client Sample ID: MW-215S\_082225

Lab Sample ID: 240-231703-3

Date Collected: 08/22/25 11:20

Matrix: Water

Date Received: 08/27/25 08:00

## Method: SW846 8260D - Volatile Organic Compounds by GC/MS

| Analyte                  | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.49 | ug/L |   |          | 08/29/25 14:02 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.46 | ug/L |   |          | 08/29/25 14:02 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 08/29/25 14:02 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.51 | ug/L |   |          | 08/29/25 14:02 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 08/29/25 14:02 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.45 | ug/L |   |          | 08/29/25 14:02 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 106       |           | 62 - 137 |          | 08/29/25 14:02 | 1       |
| 4-Bromofluorobenzene (Surr)  | 101       |           | 56 - 136 |          | 08/29/25 14:02 | 1       |
| Toluene-d8 (Surr)            | 100       |           | 78 - 122 |          | 08/29/25 14:02 | 1       |
| Dibromofluoromethane (Surr)  | 106       |           | 73 - 120 |          | 08/29/25 14:02 | 1       |