

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 8/26/2025 12:37:57 AM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-231028-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
8/26/2025 12:37:57 AM

Authorized for release by
Michael DelMonico, Project Manager I
Michael.DelMonico@et.eurofinsus.com
(330)966-9783

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	16
QC Sample Results	17
QC Association Summary	22
Lab Chronicle	23
Certification Summary	25
Chain of Custody	26



Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis US Inc.
Project: Ford LTP

Job ID: 240-231028-1

Job ID: 240-231028-1

Eurofins Cleveland

Job Narrative 240-231028-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 8/16/2025 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.8°C and 4.9°C.

GC/MS VOA

Method 8260D: The following sample was diluted due to the nature of the sample matrix: DUP-04 (240-231028-7). Elevated reporting limits (RLs) are provided.

Method 8260D: Batch 240-668993 is reported without a matrix spike/matrix spike duplicate (MS/MSD). The batch MS/MSD was originally performed on another client's sample, and this test was put on hold at client request. This MS/MSD result does not have immediate bearing on any samples except for the actual sample spiked. The associated laboratory control sample (LCS) met acceptance criteria and provides long-term precision and accuracy for this batch. The samples affected are MW-22_081425 (240-231028-6).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
240-231028-1	TRIP BLANK_59	Water	08/14/25 00:00	08/16/25 08:00	Michigan
240-231028-2	MW-25_081425	Water	08/14/25 09:25	08/16/25 08:00	Michigan
240-231028-3	MW-224S_081425	Water	08/14/25 10:45	08/16/25 08:00	Michigan
240-231028-4	MW-44_081425	Water	08/14/25 12:25	08/16/25 08:00	Michigan
240-231028-5	DUP-03	Water	08/14/25 00:00	08/16/25 08:00	Michigan
240-231028-6	MW-22_081425	Water	08/14/25 13:40	08/16/25 08:00	Michigan
240-231028-7	DUP-04	Water	08/14/25 00:00	08/16/25 08:00	Michigan

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Client Sample ID: TRIP BLANK_59

Lab Sample ID: 240-231028-1

No Detections.

Client Sample ID: MW-25_081425

Lab Sample ID: 240-231028-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	4.3		2.0	0.86	ug/L	1		8260D SIM	Total/NA

Client Sample ID: MW-224S_081425

Lab Sample ID: 240-231028-3

No Detections.

Client Sample ID: MW-44_081425

Lab Sample ID: 240-231028-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	4.9		2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	1.1		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: DUP-03

Lab Sample ID: 240-231028-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	15		2.0	0.86	ug/L	1		8260D SIM	Total/NA

Client Sample ID: MW-22_081425

Lab Sample ID: 240-231028-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	55		2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	890		25	11	ug/L	25		8260D	Total/NA

Client Sample ID: DUP-04

Lab Sample ID: 240-231028-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	59		2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	1100		50	23	ug/L	50		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Client Sample ID: TRIP BLANK_59

Lab Sample ID: 240-231028-1

Date Collected: 08/14/25 00:00

Matrix: Water

Date Received: 08/16/25 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/20/25 23:35	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/20/25 23:35	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/20/25 23:35	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/20/25 23:35	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/20/25 23:35	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/20/25 23:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		62 - 137		08/20/25 23:35	1
4-Bromofluorobenzene (Surr)	86		56 - 136		08/20/25 23:35	1
Toluene-d8 (Surr)	95		78 - 122		08/20/25 23:35	1
Dibromofluoromethane (Surr)	113		73 - 120		08/20/25 23:35	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Client Sample ID: MW-25_081425

Lab Sample ID: 240-231028-2

Date Collected: 08/14/25 09:25

Matrix: Water

Date Received: 08/16/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	4.3		2.0	0.86	ug/L			08/19/25 16:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		68 - 127					08/19/25 16:20	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/21/25 02:21	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/21/25 02:21	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/21/25 02:21	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/21/25 02:21	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/21/25 02:21	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/21/25 02:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		62 - 137					08/21/25 02:21	1
4-Bromofluorobenzene (Surr)	84		56 - 136					08/21/25 02:21	1
Toluene-d8 (Surr)	91		78 - 122					08/21/25 02:21	1
Dibromofluoromethane (Surr)	114		73 - 120					08/21/25 02:21	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Client Sample ID: MW-224S_081425

Lab Sample ID: 240-231028-3

Date Collected: 08/14/25 10:45

Matrix: Water

Date Received: 08/16/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/19/25 16:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		68 - 127					08/19/25 16:43	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/21/25 02:44	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/21/25 02:44	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/21/25 02:44	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/21/25 02:44	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/21/25 02:44	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/21/25 02:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		62 - 137					08/21/25 02:44	1
4-Bromofluorobenzene (Surr)	78		56 - 136					08/21/25 02:44	1
Toluene-d8 (Surr)	88		78 - 122					08/21/25 02:44	1
Dibromofluoromethane (Surr)	110		73 - 120					08/21/25 02:44	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Client Sample ID: MW-44_081425

Lab Sample ID: 240-231028-4

Date Collected: 08/14/25 12:25

Matrix: Water

Date Received: 08/16/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	4.9		2.0	0.86	ug/L			08/19/25 17:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		68 - 127					08/19/25 17:07	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/21/25 14:07	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/21/25 14:07	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/21/25 14:07	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/21/25 14:07	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/21/25 14:07	1
Vinyl chloride	1.1		1.0	0.45	ug/L			08/21/25 14:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		62 - 137					08/21/25 14:07	1
4-Bromofluorobenzene (Surr)	85		56 - 136					08/21/25 14:07	1
Toluene-d8 (Surr)	92		78 - 122					08/21/25 14:07	1
Dibromofluoromethane (Surr)	112		73 - 120					08/21/25 14:07	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Client Sample ID: DUP-03

Lab Sample ID: 240-231028-5

Date Collected: 08/14/25 00:00

Matrix: Water

Date Received: 08/16/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	15		2.0	0.86	ug/L			08/19/25 17:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		68 - 127					08/19/25 17:30	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/21/25 03:32	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/21/25 03:32	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/21/25 03:32	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/21/25 03:32	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/21/25 03:32	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/21/25 03:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		62 - 137					08/21/25 03:32	1
4-Bromofluorobenzene (Surr)	81		56 - 136					08/21/25 03:32	1
Toluene-d8 (Surr)	89		78 - 122					08/21/25 03:32	1
Dibromofluoromethane (Surr)	110		73 - 120					08/21/25 03:32	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Client Sample ID: MW-22_081425

Lab Sample ID: 240-231028-6

Date Collected: 08/14/25 13:40

Matrix: Water

Date Received: 08/16/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	55		2.0	0.86	ug/L			08/19/25 17:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		68 - 127					08/19/25 17:53	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	25	U	25	12	ug/L			08/23/25 15:51	25
cis-1,2-Dichloroethene	25	U	25	12	ug/L			08/23/25 15:51	25
Tetrachloroethene	25	U	25	11	ug/L			08/23/25 15:51	25
trans-1,2-Dichloroethene	25	U	25	13	ug/L			08/23/25 15:51	25
Trichloroethene	25	U	25	11	ug/L			08/23/25 15:51	25
Vinyl chloride	890		25	11	ug/L			08/23/25 15:51	25
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		62 - 137					08/23/25 15:51	25
4-Bromofluorobenzene (Surr)	102		56 - 136					08/23/25 15:51	25
Toluene-d8 (Surr)	103		78 - 122					08/23/25 15:51	25
Dibromofluoromethane (Surr)	102		73 - 120					08/23/25 15:51	25

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Client Sample ID: DUP-04

Lab Sample ID: 240-231028-7

Date Collected: 08/14/25 00:00

Matrix: Water

Date Received: 08/16/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	59		2.0	0.86	ug/L			08/19/25 18:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		68 - 127					08/19/25 18:17	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	50	U	50	25	ug/L			08/21/25 06:42	50
cis-1,2-Dichloroethene	50	U	50	23	ug/L			08/21/25 06:42	50
Tetrachloroethene	50	U	50	22	ug/L			08/21/25 06:42	50
trans-1,2-Dichloroethene	50	U	50	26	ug/L			08/21/25 06:42	50
Trichloroethene	50	U	50	22	ug/L			08/21/25 06:42	50
Vinyl chloride	1100		50	23	ug/L			08/21/25 06:42	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		62 - 137					08/21/25 06:42	50
4-Bromofluorobenzene (Surr)	78		56 - 136					08/21/25 06:42	50
Toluene-d8 (Surr)	89		78 - 122					08/21/25 06:42	50
Dibromofluoromethane (Surr)	114		73 - 120					08/21/25 06:42	50

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-231028-1	TRIP BLANK_59	112	86	95	113
240-231028-2	MW-25_081425	111	84	91	114
240-231028-3	MW-224S_081425	110	78	88	110
240-231028-4	MW-44_081425	109	85	92	112
240-231028-5	DUP-03	109	81	89	110
240-231028-6	MW-22_081425	109	102	103	102
240-231028-7	DUP-04	114	78	89	114
240-231029-B-4 MSD	Matrix Spike Duplicate	95	95	92	97
240-231029-C-4 MS	Matrix Spike	98	99	97	102
240-231101-B-6 MS	Matrix Spike	94	96	92	95
240-231101-B-6 MSD	Matrix Spike Duplicate	93	96	94	95
LCS 240-668556/3	Lab Control Sample	94	98	97	95
LCS 240-668642/5	Lab Control Sample	94	101	98	97
LCS 240-668993/5	Lab Control Sample	100	104	104	100
MB 240-668556/7	Method Blank	108	88	94	110
MB 240-668642/9	Method Blank	113	89	97	115
MB 240-668993/9	Method Blank	106	101	102	101
Surrogate Legend					
DCA = 1,2-Dichloroethane-d4 (Surr)					
BFB = 4-Bromofluorobenzene (Surr)					
TOL = Toluene-d8 (Surr)					
DBFM = Dibromofluoromethane (Surr)					

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (68-127)			
240-231028-2	MW-25_081425	112			
240-231028-3	MW-224S_081425	107			
240-231028-4	MW-44_081425	103			
240-231028-5	DUP-03	105			
240-231028-6	MW-22_081425	102			
240-231028-7	DUP-04	113			
240-231032-B-2 MS	Matrix Spike	111			
240-231032-B-2 MSD	Matrix Spike Duplicate	98			
LCS 240-668297/5	Lab Control Sample	106			
MB 240-668297/7	Method Blank	95			
Surrogate Legend					
DCA = 1,2-Dichloroethane-d4 (Surr)					

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-668556/7

Matrix: Water

Analysis Batch: 668556

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/20/25 22:47	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/20/25 22:47	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/20/25 22:47	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/20/25 22:47	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/20/25 22:47	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/20/25 22:47	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		62 - 137		08/20/25 22:47	1
4-Bromofluorobenzene (Surr)	88		56 - 136		08/20/25 22:47	1
Toluene-d8 (Surr)	94		78 - 122		08/20/25 22:47	1
Dibromofluoromethane (Surr)	110		73 - 120		08/20/25 22:47	1

Lab Sample ID: LCS 240-668556/3

Matrix: Water

Analysis Batch: 668556

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	25.1		ug/L		100	63 - 134
cis-1,2-Dichloroethene	25.0	23.7		ug/L		95	77 - 123
Tetrachloroethene	25.0	23.9		ug/L		96	76 - 123
trans-1,2-Dichloroethene	25.0	23.7		ug/L		95	75 - 124
Trichloroethene	25.0	24.5		ug/L		98	70 - 122
Vinyl chloride	25.0	21.4		ug/L		86	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	98		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-231029-B-4 MSD

Matrix: Water

Analysis Batch: 668556

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	22.2		ug/L		89	56 - 135	3	26
cis-1,2-Dichloroethene	1.0	U	25.0	23.2		ug/L		93	66 - 128	1	14
Tetrachloroethene	1.0	U	25.0	17.9		ug/L		72	62 - 131	3	20
trans-1,2-Dichloroethene	1.0	U	25.0	22.0		ug/L		88	56 - 136	1	15
Trichloroethene	1.0	U	25.0	20.0		ug/L		80	61 - 124	1	15
Vinyl chloride	1.0	U	25.0	19.9		ug/L		79	43 - 157	2	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	95		62 - 137
4-Bromofluorobenzene (Surr)	95		56 - 136
Toluene-d8 (Surr)	92		78 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-231029-B-4 MSD

Matrix: Water

Analysis Batch: 668556

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	97		73 - 120

Lab Sample ID: 240-231029-C-4 MS

Matrix: Water

Analysis Batch: 668556

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	25.0	22.9		ug/L		92	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	23.0		ug/L		92	66 - 128
Tetrachloroethene	1.0	U	25.0	18.4		ug/L		73	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	22.3		ug/L		89	56 - 136
Trichloroethene	1.0	U	25.0	20.2		ug/L		81	61 - 124
Vinyl chloride	1.0	U	25.0	20.3		ug/L		81	43 - 157

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Lab Sample ID: MB 240-668642/9

Matrix: Water

Analysis Batch: 668642

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/21/25 11:21	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/21/25 11:21	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/21/25 11:21	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/21/25 11:21	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/21/25 11:21	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/21/25 11:21	1

	MB	MB				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		62 - 137		08/21/25 11:21	1
4-Bromofluorobenzene (Surr)	89		56 - 136		08/21/25 11:21	1
Toluene-d8 (Surr)	97		78 - 122		08/21/25 11:21	1
Dibromofluoromethane (Surr)	115		73 - 120		08/21/25 11:21	1

Lab Sample ID: LCS 240-668642/5

Matrix: Water

Analysis Batch: 668642

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	28.1		ug/L		112	63 - 134
cis-1,2-Dichloroethene	25.0	25.8		ug/L		103	77 - 123
Tetrachloroethene	25.0	28.0		ug/L		112	76 - 123
trans-1,2-Dichloroethene	25.0	26.6		ug/L		106	75 - 124
Trichloroethene	25.0	25.8		ug/L		103	70 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-668642/5

Matrix: Water

Analysis Batch: 668642

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	25.0	22.6		ug/L		90	60 - 144

	LCS %Recovery	LCS Qualifier	Limits
Surrogate			
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	98		78 - 122
Dibromofluoromethane (Surr)	97		73 - 120

Lab Sample ID: 240-231101-B-6 MS

Matrix: Water

Analysis Batch: 668642

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	200	U	5000	5190		ug/L		104	56 - 135
cis-1,2-Dichloroethene	6500		5000	11000		ug/L		89	66 - 128
Tetrachloroethene	820		5000	5430		ug/L		92	62 - 131
trans-1,2-Dichloroethene	270		5000	5240		ug/L		99	56 - 136
Trichloroethene	1100		5000	6020		ug/L		99	61 - 124
Vinyl chloride	1100		5000	4660		ug/L		71	43 - 157

	MS %Recovery	MS Qualifier	Limits
Surrogate			
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	96		56 - 136
Toluene-d8 (Surr)	92		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-231101-B-6 MSD

Matrix: Water

Analysis Batch: 668642

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	200	U	5000	5520		ug/L		110	56 - 135	6	26
cis-1,2-Dichloroethene	6500		5000	11300		ug/L		96	66 - 128	3	14
Tetrachloroethene	820		5000	5520		ug/L		94	62 - 131	2	20
trans-1,2-Dichloroethene	270		5000	5650		ug/L		107	56 - 136	7	15
Trichloroethene	1100		5000	6110		ug/L		101	61 - 124	1	15
Vinyl chloride	1100		5000	5370		ug/L		86	43 - 157	14	24

	MSD %Recovery	MSD Qualifier	Limits
Surrogate			
1,2-Dichloroethane-d4 (Surr)	93		62 - 137
4-Bromofluorobenzene (Surr)	96		56 - 136
Toluene-d8 (Surr)	94		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-668993/9

Matrix: Water

Analysis Batch: 668993

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/23/25 11:32	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/23/25 11:32	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/23/25 11:32	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/23/25 11:32	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/23/25 11:32	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/23/25 11:32	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		62 - 137		08/23/25 11:32	1
4-Bromofluorobenzene (Surr)	101		56 - 136		08/23/25 11:32	1
Toluene-d8 (Surr)	102		78 - 122		08/23/25 11:32	1
Dibromofluoromethane (Surr)	101		73 - 120		08/23/25 11:32	1

Lab Sample ID: LCS 240-668993/5

Matrix: Water

Analysis Batch: 668993

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	26.1		ug/L		105	63 - 134
cis-1,2-Dichloroethene	25.0	24.7		ug/L		99	77 - 123
Tetrachloroethene	25.0	23.6		ug/L		94	76 - 123
trans-1,2-Dichloroethene	25.0	24.7		ug/L		99	75 - 124
Trichloroethene	25.0	23.7		ug/L		95	70 - 122
Vinyl chloride	25.0	22.4		ug/L		89	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	100		62 - 137
4-Bromofluorobenzene (Surr)	104		56 - 136
Toluene-d8 (Surr)	104		78 - 122
Dibromofluoromethane (Surr)	100		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-668297/7

Matrix: Water

Analysis Batch: 668297

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/19/25 13:12	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		68 - 127		08/19/25 13:12	1

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-668297/5

Matrix: Water

Analysis Batch: 668297

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
1,4-Dioxane			10.0	8.55		ug/L		86	75 - 121		
Surrogate		LCS %Recovery	LCS Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)		106		68 - 127							

Lab Sample ID: 240-231032-B-2 MS

Matrix: Water

Analysis Batch: 668297

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
1,4-Dioxane	2.0	U	10.0	8.59		ug/L		86	20 - 180		
Surrogate		MS %Recovery	MS Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)		111		68 - 127							

Lab Sample ID: 240-231032-B-2 MSD

Matrix: Water

Analysis Batch: 668297

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	8.77		ug/L		88	20 - 180	2	20
Surrogate		MSD %Recovery	MSD Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)		98		68 - 127							

QC Association Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

GC/MS VOA

Analysis Batch: 668297

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-231028-2	MW-25_081425	Total/NA	Water	8260D SIM	
240-231028-3	MW-224S_081425	Total/NA	Water	8260D SIM	
240-231028-4	MW-44_081425	Total/NA	Water	8260D SIM	
240-231028-5	DUP-03	Total/NA	Water	8260D SIM	
240-231028-6	MW-22_081425	Total/NA	Water	8260D SIM	
240-231028-7	DUP-04	Total/NA	Water	8260D SIM	
MB 240-668297/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-668297/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-231032-B-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-231032-B-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 668556

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-231028-1	TRIP BLANK_59	Total/NA	Water	8260D	
240-231028-2	MW-25_081425	Total/NA	Water	8260D	
240-231028-3	MW-224S_081425	Total/NA	Water	8260D	
240-231028-5	DUP-03	Total/NA	Water	8260D	
240-231028-7	DUP-04	Total/NA	Water	8260D	
MB 240-668556/7	Method Blank	Total/NA	Water	8260D	
LCS 240-668556/3	Lab Control Sample	Total/NA	Water	8260D	
240-231029-B-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	
240-231029-C-4 MS	Matrix Spike	Total/NA	Water	8260D	

Analysis Batch: 668642

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-231028-4	MW-44_081425	Total/NA	Water	8260D	
MB 240-668642/9	Method Blank	Total/NA	Water	8260D	
LCS 240-668642/5	Lab Control Sample	Total/NA	Water	8260D	
240-231101-B-6 MS	Matrix Spike	Total/NA	Water	8260D	
240-231101-B-6 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 668993

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-231028-6	MW-22_081425	Total/NA	Water	8260D	
MB 240-668993/9	Method Blank	Total/NA	Water	8260D	
LCS 240-668993/5	Lab Control Sample	Total/NA	Water	8260D	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Client Sample ID: TRIP BLANK_59

Lab Sample ID: 240-231028-1

Date Collected: 08/14/25 00:00

Matrix: Water

Date Received: 08/16/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	668556	R5XG	EET CLE	08/20/25 23:35

Client Sample ID: MW-25_081425

Lab Sample ID: 240-231028-2

Date Collected: 08/14/25 09:25

Matrix: Water

Date Received: 08/16/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	668556	R5XG	EET CLE	08/21/25 02:21
Total/NA	Analysis	8260D SIM		1	668297	R5XG	EET CLE	08/19/25 16:20

Client Sample ID: MW-224S_081425

Lab Sample ID: 240-231028-3

Date Collected: 08/14/25 10:45

Matrix: Water

Date Received: 08/16/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	668556	R5XG	EET CLE	08/21/25 02:44
Total/NA	Analysis	8260D SIM		1	668297	R5XG	EET CLE	08/19/25 16:43

Client Sample ID: MW-44_081425

Lab Sample ID: 240-231028-4

Date Collected: 08/14/25 12:25

Matrix: Water

Date Received: 08/16/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	668642	R5XG	EET CLE	08/21/25 14:07
Total/NA	Analysis	8260D SIM		1	668297	R5XG	EET CLE	08/19/25 17:07

Client Sample ID: DUP-03

Lab Sample ID: 240-231028-5

Date Collected: 08/14/25 00:00

Matrix: Water

Date Received: 08/16/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	668556	R5XG	EET CLE	08/21/25 03:32
Total/NA	Analysis	8260D SIM		1	668297	R5XG	EET CLE	08/19/25 17:30

Client Sample ID: MW-22_081425

Lab Sample ID: 240-231028-6

Date Collected: 08/14/25 13:40

Matrix: Water

Date Received: 08/16/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		25	668993	SAM	EET CLE	08/23/25 15:51
Total/NA	Analysis	8260D SIM		1	668297	R5XG	EET CLE	08/19/25 17:53

Eurofins Cleveland

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Client Sample ID: DUP-04
Date Collected: 08/14/25 00:00
Date Received: 08/16/25 08:00

Lab Sample ID: 240-231028-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		50	668556	R5XG	EET CLE	08/21/25 06:42
Total/NA	Analysis	8260D SIM		1	668297	R5XG	EET CLE	08/19/25 18:17

Laboratory References:
EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231028-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-26
Illinois	NELAP	200004	08-31-26
Iowa	State	421	06-01-27
Kansas	NELAP	E-10336	01-31-26
Kentucky (UST)	State	112225	02-28-26
Kentucky (WW)	State	KY98016	12-31-25
Minnesota	NELAP	039-999-348	12-31-25
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	06-30-26
New York	NELAP	10975	04-01-26
North Dakota	State	R-244	02-27-26
Ohio	State	8303	11-04-25
Ohio VAP	State	ORELAP 4062	02-28-26
Oregon	NELAP	4062	02-27-26
Pennsylvania	NELAP	68-00340	08-31-26
Texas	NELAP	T104704517	08-31-25
US Fish & Wildlife	US Federal Programs	A26406	02-28-26
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-15-25
West Virginia DEP	State	210	12-31-25
Wisconsin	State	399167560	08-31-26

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

THE LEADER IN ENVIRONMENTAL TESTING

©2008, TestAmerica Laboratories, Inc. All rights reserved.
TestAmerica & Design™ are trademarks of TestAmerica Laboratories, Inc.

Eurofins - Cleveland Sample Receipt Form/Narrative		Login # _____	
Client: <u>Arcadis</u>		Site Name: _____	
Cooler Received on: <u>8/16/25</u>	UPS: <u>FAS</u>	Waypoint: <u>Waypoint</u>	Client Drop Off: _____
FedEx: 1 st Grd Exp _____		Opened on: <u>8/16/25</u>	Eurofins Courier: _____
Receipt After-hours: Drop-off Date/Time _____		Storage Location: _____	
Eurofins Cooler # <u>EC</u>	Foam Box _____	Client Cooler _____	Box _____
Packing material used: <u>Bubble Wrap</u>	Foam _____	Plastic Bag _____	None _____
<u>COOLANT</u>	<u>Water</u>	Dry Ice _____	Water _____
1. Cooler temperature upon receipt: <u>IR GUN # 13</u> (CF + <u>2</u> °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C			
2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity <u>2</u> Yes <u>2</u> No <u>0</u>			
-Were the seals on the outside of the cooler(s) signed & dated? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u>			
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u>			
-Were tamper/custody seals intact and uncompromised? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u>			
3. Shippers packing slip attached to the cooler(s)? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u>			
4. Did custody papers accompany the sample(s)? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u>			
5. Were the custody papers relinquished & signed in the appropriate place? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u>			
6. Was/were the person(s) who collected the samples clearly identified on the COC? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u>			
7. Did all bottles arrive in good condition (Unbroken)? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u>			
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u>			
9. For each sample, does the COC specify preservatives <u>Y</u> (N), # of containers <u>Y</u> (N), and sample type of grab/comp <u>Y</u> (N)? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u>			
10. Were correct bottle(s) used for the test(s) indicated? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u>			
11. Sufficient quantity received to perform indicated analyses? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u>			
12. Are these work share samples and all listed on the COC? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u>			
If yes, Questions 13-17 have been checked at the originating laboratory.			
13. Were all preserved sample(s) at the correct pH upon receipt? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u> pH Strip Lot# HC463162			
14. Were VOAs on the COC? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u>			
15. Were air bubbles > 6 mm in any VOA vials? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u> Larger than this.			
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u>			
17. Was a LL Hg or Me Hg trip blank present? <u>Yes</u> Yes <u>2</u> No <u>0</u> NA <u>0</u>			
Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____			
Concerning _____			
18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☒ additional next page		Labeled by: <u>JP</u>	
		Labels Verified by: <u>CM</u>	
19. SAMPLE CONDITION			
Sample(s) _____ were received after the recommended holding time had expired.			
Sample(s) _____ were received in a broken container.			
Sample(s) _____ were received with bubble > 6 mm in diameter. (Notify PM)			
20. SAMPLE PRESERVATION			
Sample(s) _____ were further preserved in the laboratory.			
Time preserved: _____ Preservative(s) added/Lot number(s): _____			
VOA Sample Preservation - Date/Time VOAs Frozen: _____			

Tests that are not checked for pH by Receiving:

VOAs

Oil and Grease

TOC

Login #

8/26/2025

Eurofins - Cleveland Sample Receipt Multiple Cooler Form

[illegible]

Temperature readings							
Client Sample ID	Lab ID	Container Type	Container pH	Preservation Temp	Preservation Added	Preservation Lot Number	
TRIP BLANK_59	240-231028-A-1	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
MW-25-081425	240-231028 A 2	Voa Vial 40ml Hydrochloric Acid	_____	_____	_____	_____	
MW 25-081425	240-231028-B 2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
MW 25-081425	240 231028-C-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
MW-25-081425	240-231028 D-2	Voa Vial 40ml Hydrochloric Acid	_____	_____	_____	_____	
MW-25-081425	240-231028-E-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
MW-25-081425	240 231028-F 2	Voa Vial 40ml Hydrochloric Acid	_____	_____	_____	_____	
MW 2245-081425	240-231028-A 3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
MW-2245-081425	240 231028 B-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
MW-2245-081425	240-231028-C-3	Voa Vial 40ml Hydrochloric Acid	_____	_____	_____	_____	
MW 2245-081425	240-231028-D-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
MW 2245-081425	240-231028-E-3	Voa Vial 40ml Hydrochloric Acid	_____	_____	_____	_____	
MW 2245-081425	240-231028-F-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
MW-44-081425	240-231028 A-4	Voa Vial 40ml Hydrochloric Acid	_____	_____	_____	_____	
MW-44-081425	240-231028-B-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
MW-44-081425	240 231028-C-4	Voa Vial 40ml Hydrochloric Acid	_____	_____	_____	_____	
MW-44-081425	240-231028-D-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
MW-44-081425	240-231028 E-4	Voa Vial 40ml Hydrochloric Acid	_____	_____	_____	_____	
MW-44-081425	240-231028 F-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
DUP-03	240 231028 A 5	Voa Vial 40ml Hydrochloric Acid	_____	_____	_____	_____	
DUP-03	240-231028-B-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
DUP-03	240-231028-C-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
DUP-03	240 231028-D-5	Voa Vial 40ml Hydrochloric Acid	_____	_____	_____	_____	
DUP-03	240 231028-E-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
DUP-03	240-231028 F 5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
MW-22-081425	240 231028-A-6	Voa Vial 40ml Hydrochloric Acid	_____	_____	_____	_____	
MW 22-081425	240 231028 B-6	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
MW 22-081425	240-231028-C-6	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
MW 22-081425	240 231028-D-6	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
MW 22-081425	240 231028-E-6	Voa Vial 40ml Hydrochloric Acid	_____	_____	_____	_____	
MW-22-081425	240-231028-F-6	Voa Vial 40ml Hydrochloric Acid	_____	_____	_____	_____	
DUP-04	240-231028-A 7	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
DUP-04	240 231028-B-7	Voa Vial 40ml Hydrochloric Acid	_____	_____	_____	_____	
DUP-04	240-231028-C-7	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____	
DUP-04	240-231028-D-7	Voa Vial 40ml Hydrochloric Acid	_____	_____	_____	_____	

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u> <u>pH</u>	<u>Preservation</u> <u>Temp</u>	<u>Preservation</u> <u>Added</u>	<u>Preservation</u> <u>Lot Number</u>
DUP-04	240 23 1028 E-7	Yoa Vial 40ml				
DUP-04	240-23 1028-F-7	Yoa Vial 40ml - Hydrochloric Acid				

DATA VERIFICATION REPORT



August 26, 2025

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil

Project number: 30251157.401.04 LTP

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 231028-1

Sample date: 2025-08-14

Report received by CADENA: 2025-08-26

Initial Data Verification completed by CADENA: 2025-08-26

Number of Samples:7

Sample Matrices:Water

Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory Submittal: 231028-1

		Sample Name: TRIP BLANK_59				MW-25_081425				MW-224S_081425				MW-44_081425				DUP-03				MW-22_081425				DUP-04			
		Lab Sample ID: 2402310281				2402310282				2402310283				2402310284				2402310285				2402310286				2402310287			
		Sample Date: 8/14/2025				8/14/2025				8/14/2025				8/14/2025				8/14/2025				8/14/2025				8/14/2025			
Analyte	Cas No.	Report			Valid	Report			Valid	Report			Valid	Report			Valid	Report			Valid	Report			Valid				
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier				
GC/MS VOC																													
OSW-8260D																													
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	25	ug/l	---	ND	50	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	25	ug/l	---	ND	50	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	25	ug/l	---	ND	50	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	25	ug/l	---	ND	50	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	25	ug/l	---	ND	50	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	1.1	1.0	ug/l	---	ND	1.0	ug/l	---	890	25	ug/l	---	1100	50	ug/l	---
OSW-8260DSIM																													
1,4-Dioxane	123-91-1					4.3	2.0	ug/l	---	ND	2.0	ug/l	---	4.9	2.0	ug/l	---	15	2.0	ug/l	---	55	2.0	ug/l	---	59	2.0	ug/l	---