

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 8/26/2025 10:27:38 PM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-231291-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
8/26/2025 10:27:38 PM

Authorized for release by
Michael DelMonico, Project Manager I
Michael.DelMonico@et.eurofinsus.com
(330)966-9783

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	15
Lab Chronicle	16
Certification Summary	17
Chain of Custody	18



Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231291-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis US Inc.
Project: Ford LTP

Job ID: 240-231291-1

Job ID: 240-231291-1

Eurofins Cleveland

Job Narrative 240-231291-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 8/21/2025 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.6°C and 2.8°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231291-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231291-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
240-231291-1	TRIP BLANK_117	Water	08/19/25 00:00	08/21/25 08:00	Michigan
240-231291-2	MW-43_081925	Water	08/19/25 09:45	08/21/25 08:00	Michigan

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231291-1

Client Sample ID: TRIP BLANK_117

Lab Sample ID: 240-231291-1

No Detections.

Client Sample ID: MW-43_081925

Lab Sample ID: 240-231291-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	4.4		2.0	0.86	ug/L	1		8260D SIM	Total/NA

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231291-1

Client Sample ID: TRIP BLANK_117

Lab Sample ID: 240-231291-1

Date Collected: 08/19/25 00:00

Matrix: Water

Date Received: 08/21/25 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/22/25 10:58	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/22/25 10:58	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/22/25 10:58	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/22/25 10:58	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/22/25 10:58	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/22/25 10:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		62 - 137		08/22/25 10:58	1
4-Bromofluorobenzene (Surr)	94		56 - 136		08/22/25 10:58	1
Toluene-d8 (Surr)	98		78 - 122		08/22/25 10:58	1
Dibromofluoromethane (Surr)	99		73 - 120		08/22/25 10:58	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231291-1

Client Sample ID: MW-43_081925

Lab Sample ID: 240-231291-2

Date Collected: 08/19/25 09:45

Matrix: Water

Date Received: 08/21/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	4.4		2.0	0.86	ug/L			08/25/25 21:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	76		68 - 127					08/25/25 21:48	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/22/25 13:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/22/25 13:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/22/25 13:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/22/25 13:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/22/25 13:46	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/22/25 13:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		62 - 137					08/22/25 13:46	1
4-Bromofluorobenzene (Surr)	90		56 - 136					08/22/25 13:46	1
Toluene-d8 (Surr)	95		78 - 122					08/22/25 13:46	1
Dibromofluoromethane (Surr)	96		73 - 120					08/22/25 13:46	1

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231291-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-231291-1	TRIP BLANK_117	94	94	98	99
240-231291-2	MW-43_081925	92	90	95	96
240-231305-B-4 MS	Matrix Spike	94	92	101	101
240-231305-B-4 MSD	Matrix Spike Duplicate	92	90	97	97
LCS 240-668831/5	Lab Control Sample	94	97	100	102
MB 240-668831/9	Method Blank	92	91	96	97

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(68-127)
240-231291-2	MW-43_081925	76
240-231362-C-2 MS	Matrix Spike	77
240-231362-C-2 MSD	Matrix Spike Duplicate	77
LCS 240-669181/5	Lab Control Sample	81
MB 240-669181/7	Method Blank	81

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231291-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-668831/9

Matrix: Water

Analysis Batch: 668831

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			08/22/25 10:34	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			08/22/25 10:34	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			08/22/25 10:34	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			08/22/25 10:34	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			08/22/25 10:34	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			08/22/25 10:34	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		62 - 137		08/22/25 10:34	1
4-Bromofluorobenzene (Surr)	91		56 - 136		08/22/25 10:34	1
Toluene-d8 (Surr)	96		78 - 122		08/22/25 10:34	1
Dibromofluoromethane (Surr)	97		73 - 120		08/22/25 10:34	1

Lab Sample ID: LCS 240-668831/5

Matrix: Water

Analysis Batch: 668831

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	20.0	18.8		ug/L		94	63 - 134
cis-1,2-Dichloroethene	20.0	18.6		ug/L		93	77 - 123
Tetrachloroethene	20.0	21.6		ug/L		108	76 - 123
trans-1,2-Dichloroethene	20.0	18.0		ug/L		90	75 - 124
Trichloroethene	20.0	20.6		ug/L		103	70 - 122
Vinyl chloride	20.0	19.3		ug/L		97	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Lab Sample ID: 240-231305-B-4 MS

Matrix: Water

Analysis Batch: 668831

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	100	U	2000	2000		ug/L		100	56 - 135
cis-1,2-Dichloroethene	3000		2000	4950		ug/L		99	66 - 128
trans-1,2-Dichloroethene	81	J	2000	1960		ug/L		94	56 - 136
Trichloroethene	1700		2000	3730		ug/L		103	61 - 124
Vinyl chloride	440		2000	2520		ug/L		104	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	94		62 - 137
4-Bromofluorobenzene (Surr)	92		56 - 136
Toluene-d8 (Surr)	101		78 - 122
Dibromofluoromethane (Surr)	101		73 - 120

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231291-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-231305-B-4 MSD

Matrix: Water

Analysis Batch: 668831

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	100	U	2000	1940		ug/L		97	56 - 135	3	26
cis-1,2-Dichloroethene	3000		2000	4740		ug/L		89	66 - 128	4	14
trans-1,2-Dichloroethene	81	J	2000	1910		ug/L		92	56 - 136	3	15
Trichloroethene	1700		2000	3520		ug/L		93	61 - 124	6	15
Vinyl chloride	440		2000	2310		ug/L		93	43 - 157	9	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	92		62 - 137
4-Bromofluorobenzene (Surr)	90		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	97		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-669181/7

Matrix: Water

Analysis Batch: 669181

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			08/25/25 14:37	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81		68 - 127		08/25/25 14:37	1

Lab Sample ID: LCS 240-669181/5

Matrix: Water

Analysis Batch: 669181

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	7.54		ug/L		75	75 - 121

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	81		68 - 127

Lab Sample ID: 240-231362-C-2 MS

Matrix: Water

Analysis Batch: 669181

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	8.17		ug/L		82	20 - 180

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	77		68 - 127

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231291-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-231362-C-2 MSD

Matrix: Water

Analysis Batch: 669181

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U	10.0	7.83		ug/L		78	20 - 180	4	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	77		68 - 127								

QC Association Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231291-1

GC/MS VOA

Analysis Batch: 668831

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-231291-1	TRIP BLANK_117	Total/NA	Water	8260D	
240-231291-2	MW-43_081925	Total/NA	Water	8260D	
MB 240-668831/9	Method Blank	Total/NA	Water	8260D	
LCS 240-668831/5	Lab Control Sample	Total/NA	Water	8260D	
240-231305-B-4 MS	Matrix Spike	Total/NA	Water	8260D	
240-231305-B-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 669181

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-231291-2	MW-43_081925	Total/NA	Water	8260D SIM	
MB 240-669181/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-669181/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-231362-C-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-231362-C-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231291-1

Client Sample ID: TRIP BLANK_117
Date Collected: 08/19/25 00:00
Date Received: 08/21/25 08:00

Lab Sample ID: 240-231291-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	668831	HMB	EET CLE	08/22/25 10:58

Client Sample ID: MW-43_081925
Date Collected: 08/19/25 09:45
Date Received: 08/21/25 08:00

Lab Sample ID: 240-231291-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	668831	HMB	EET CLE	08/22/25 13:46
Total/NA	Analysis	8260D SIM		1	669181	R5XG	EET CLE	08/25/25 21:48

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-231291-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	12-31-26
Georgia	State	4062	02-27-26
Illinois	NELAP	200004	08-31-26
Iowa	State	421	06-01-27
Kansas	NELAP	E-10336	01-31-26
Kentucky (UST)	State	112225	02-28-26
Kentucky (WW)	State	KY98016	12-31-25
Minnesota	NELAP	039-999-348	12-31-25
New Hampshire	NELAP	225024	09-30-25
New Jersey	NELAP	OH001	06-30-26
New York	NELAP	10975	04-01-26
North Dakota	State	R-244	02-27-26
Ohio	State	8303	11-04-25
Ohio VAP	State	ORELAP 4062	02-28-26
Oregon	NELAP	4062	02-27-26
Pennsylvania	NELAP	68-00340	08-31-26
Texas	NELAP	T104704517	08-31-25
US Fish & Wildlife	US Federal Programs	A26406	02-28-26
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-15-25
West Virginia DEP	State	210	12-31-25
Wisconsin	State	399167560	08-31-26

TestAmerica Laboratory location: Farmington Hills --- 38855 Hills Tech Drive, Suite 600, Farmington Hills 48331

[illegible]

Eurofins - Cleveland Sample Receipt Form/Narrative
Barberton Facility

Login #

Client Accadis Site Name _____

Cooler Received on 8/22/25 Opened on 8/21/25

Cooler unpacked by: JP/ICS

FedEx: 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # EC Foam Box Client Cooler Box Other _____

Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None _____

1. Cooler temperature upon receipt _____ IR GUN # 13 (CF 1 2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity (X) 3 No ()
 -Were the seals on the outside of the cooler(s) signed & dated? (X) 3 Yes () No () NA ()
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? (X) 3 Yes () No () NA ()
 -Were tamper/custody seals intact and uncompromised? (X) 3 Yes () No ()
 3. Shippers' packing slip attached to the cooler(s)? (X) 3 Yes () No ()
 4. Did custody papers accompany the sample(s)? (X) 3 Yes () No ()
 5. Were the custody papers relinquished & signed in the appropriate place? (X) 3 Yes () No ()
 6. Was/were the person(s) who collected the samples clearly identified on the COC? (X) 3 Yes () No ()
 7. Did all bottles arrive in good condition (Unbroken)? (X) 3 Yes () No ()
 8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? (X) 3 Yes () No ()
 9. For each sample, does the COC specify preservatives (X) N, # of containers (X) N, and sample type of grab/comp (X) N?
 10. Were correct bottle(s) used for the test(s) indicated? (X) 3 Yes () No ()
 11. Sufficient quantity received to perform indicated analyses? (X) 3 Yes () No ()
 12. Are these work share samples and all listed on the COC? (X) 3 Yes () No ()

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

- If yes, Questions 13-17 have been checked at the originating laboratory.
 13. Were all preserved sample(s) at the correct pH upon receipt? (X) 3 Yes () No () NA () pH Strip Lot# HC463162
 14. Were VOAs on the COC? (X) 3 Yes () No () NA ()
 15. Were air bubbles >6 mm in any VOA vials? (X) 3 Yes () No () NA ()
 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____
 17. Was a LL Hg or Me Hg trip blank present? (X) 3 Yes () No ()

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page
 Labeled by: _____
 Labels Verified by: _____

19. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container.
 Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory.
 Time preserved: _____ Preservative(s) added/Lot number(s): _____
 VOA Sample Preservation - Date/Time VOAs Frozen: _____

8/21/2025

Login Container Summary Report

240-231291

8/26/2025

Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u>	<u>Preservation</u>	<u>Preservation</u>
			pH	Temp	Added Lot Number
TRIP BLANK_117	240-231291-A-1	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-43_081925	240-231291-A 2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-43_081925	240-231291-B-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-43_081925	240-231291-C-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-43_081925	240-231291-D-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-43_081925	240-231291-E-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
MW-43_081925	240-231291-F-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____

DATA VERIFICATION REPORT



August 27, 2025

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil

Project number: 30251157.401.04 LTP

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 231291-1

Sample date: 2025-08-19

Report received by CADENA: 2025-08-27

Initial Data Verification completed by CADENA: 2025-08-27

Number of Samples:2

Sample Matrices:Water

Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 231291-1

Sample Name: TRIP BLANK_117

MW-43_081925

Lab Sample ID: 2402312911

2402312912

Sample Date: 8/19/2025

8/19/2025

Analyte	Cas No.	Result	Report		Valid	Qualifier	Report		Valid	
			Limit	Units			Result	Limit		Units
GC/MS VOC										
OSW-8260D										
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---		ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---		ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---		ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---		ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---		ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---		ND	1.0	ug/l	---
OSW-8260DSIM										
1,4-Dioxane	123-91-1						4.4	2.0	ug/l	---