

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 11/25/2025 1:37:40 AM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-237860-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
11/25/2025 1:37:40 AM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)966-9783



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	19
Lab Chronicle	20
Certification Summary	21
Chain of Custody	22

Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis US Inc.
Project: Ford LTP

Job ID: 240-237860-1

Job ID: 240-237860-1

Eurofins Cleveland

Job Narrative 240-237860-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 11/15/2025 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 3.9°C and 4.3°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
240-237860-1	TRIP BLANK_142	Water	11/13/25 00:00	11/15/25 08:00	Michigan
240-237860-2	MW-19_111325	Water	11/13/25 09:15	11/15/25 08:00	Michigan
240-237860-3	MW-29_111325	Water	11/13/25 11:05	11/15/25 08:00	Michigan
240-237860-4	MW-113_111325	Water	11/13/25 12:15	11/15/25 08:00	Michigan
240-237860-5	MW-124_111325	Water	11/13/25 13:05	11/15/25 08:00	Michigan

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

Client Sample ID: TRIP BLANK_142

Lab Sample ID: 240-237860-1

No Detections.

Client Sample ID: MW-19_111325

Lab Sample ID: 240-237860-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	130		2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	0.60	J	1.0	0.46	ug/L	1		8260D	Total/NA
Trichloroethene	0.66	J	1.0	0.44	ug/L	1		8260D	Total/NA
Vinyl chloride	0.61	J	1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-29_111325

Lab Sample ID: 240-237860-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	22		2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	1.2		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: MW-113_111325

Lab Sample ID: 240-237860-4

No Detections.

Client Sample ID: MW-124_111325

Lab Sample ID: 240-237860-5

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

Client Sample ID: TRIP BLANK_142

Lab Sample ID: 240-237860-1

Date Collected: 11/13/25 00:00

Matrix: Water

Date Received: 11/15/25 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/19/25 23:09	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/19/25 23:09	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/19/25 23:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/19/25 23:09	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/19/25 23:09	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/19/25 23:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		62 - 137		11/19/25 23:09	1
4-Bromofluorobenzene (Surr)	96		56 - 136		11/19/25 23:09	1
Toluene-d8 (Surr)	90		78 - 122		11/19/25 23:09	1
Dibromofluoromethane (Surr)	87		73 - 120		11/19/25 23:09	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

Client Sample ID: MW-19_111325

Lab Sample ID: 240-237860-2

Date Collected: 11/13/25 09:15

Matrix: Water

Date Received: 11/15/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	130		2.0	0.86	ug/L			11/21/25 14:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		64 - 136					11/21/25 14:36	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/19/25 23:32	1
cis-1,2-Dichloroethene	0.60	J	1.0	0.46	ug/L			11/19/25 23:32	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/19/25 23:32	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/19/25 23:32	1
Trichloroethene	0.66	J	1.0	0.44	ug/L			11/19/25 23:32	1
Vinyl chloride	0.61	J	1.0	0.45	ug/L			11/19/25 23:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		62 - 137					11/19/25 23:32	1
4-Bromofluorobenzene (Surr)	93		56 - 136					11/19/25 23:32	1
Toluene-d8 (Surr)	87		78 - 122					11/19/25 23:32	1
Dibromofluoromethane (Surr)	89		73 - 120					11/19/25 23:32	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

Client Sample ID: MW-29_111325

Lab Sample ID: 240-237860-3

Date Collected: 11/13/25 11:05

Matrix: Water

Date Received: 11/15/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	22		2.0	0.86	ug/L			11/22/25 10:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		64 - 136					11/22/25 10:40	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/19/25 23:55	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/19/25 23:55	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/19/25 23:55	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/19/25 23:55	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/19/25 23:55	1
Vinyl chloride	1.2		1.0	0.45	ug/L			11/19/25 23:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		62 - 137					11/19/25 23:55	1
4-Bromofluorobenzene (Surr)	96		56 - 136					11/19/25 23:55	1
Toluene-d8 (Surr)	89		78 - 122					11/19/25 23:55	1
Dibromofluoromethane (Surr)	91		73 - 120					11/19/25 23:55	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

Client Sample ID: MW-113_111325

Lab Sample ID: 240-237860-4

Date Collected: 11/13/25 12:15

Matrix: Water

Date Received: 11/15/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/21/25 15:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		64 - 136					11/21/25 15:00	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/20/25 01:04	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/20/25 01:04	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/20/25 01:04	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/20/25 01:04	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/20/25 01:04	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/20/25 01:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		62 - 137					11/20/25 01:04	1
4-Bromofluorobenzene (Surr)	98		56 - 136					11/20/25 01:04	1
Toluene-d8 (Surr)	90		78 - 122					11/20/25 01:04	1
Dibromofluoromethane (Surr)	91		73 - 120					11/20/25 01:04	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

Client Sample ID: MW-124_111325

Lab Sample ID: 240-237860-5

Date Collected: 11/13/25 13:05

Matrix: Water

Date Received: 11/15/25 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/21/25 15:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		64 - 136					11/21/25 15:23	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/20/25 01:27	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/20/25 01:27	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/20/25 01:27	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/20/25 01:27	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/20/25 01:27	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/20/25 01:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		62 - 137					11/20/25 01:27	1
4-Bromofluorobenzene (Surr)	97		56 - 136					11/20/25 01:27	1
Toluene-d8 (Surr)	90		78 - 122					11/20/25 01:27	1
Dibromofluoromethane (Surr)	90		73 - 120					11/20/25 01:27	1

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-237860-1	TRIP BLANK_142	92	96	90	87
240-237860-2	MW-19_111325	91	93	87	89
240-237860-3	MW-29_111325	92	96	89	91
240-237860-3 MS	MW-29-MS_111325	89	101	92	86
240-237860-3 MSD	MW-29-MSD_111325	90	99	91	90
240-237860-4	MW-113_111325	94	98	90	91
240-237860-5	MW-124_111325	96	97	90	90
LCS 240-681263/4	Lab Control Sample	91	100	92	87
MB 240-681263/8	Method Blank	90	94	89	88

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (64-136)
240-237860-2	MW-19_111325	105
240-237860-3	MW-29_111325	102
240-237860-3 MS	MW-29-MS_111325	101
240-237860-3 MSD	MW-29-MSD_111325	111
240-237860-4	MW-113_111325	106
240-237860-5	MW-124_111325	105
500-277921-B-4 MSD	Matrix Spike Duplicate	101
500-277921-C-4 MS	Matrix Spike	109
LCS 240-681535/5	Lab Control Sample	102
LCS 240-681709/5	Lab Control Sample	103
MB 240-681535/7	Method Blank	103
MB 240-681709/7	Method Blank	105

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-681263/8

Matrix: Water

Analysis Batch: 681263

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/19/25 22:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/19/25 22:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/19/25 22:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/19/25 22:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/19/25 22:46	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/19/25 22:46	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	90		62 - 137		11/19/25 22:46	1
4-Bromofluorobenzene (Surr)	94		56 - 136		11/19/25 22:46	1
Toluene-d8 (Surr)	89		78 - 122		11/19/25 22:46	1
Dibromofluoromethane (Surr)	88		73 - 120		11/19/25 22:46	1

Lab Sample ID: LCS 240-681263/4

Matrix: Water

Analysis Batch: 681263

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	22.9		ug/L		92	63 - 134
cis-1,2-Dichloroethene	25.0	24.9		ug/L		100	77 - 123
Tetrachloroethene	25.0	21.4		ug/L		86	76 - 123
trans-1,2-Dichloroethene	25.0	21.4		ug/L		86	75 - 124
Trichloroethene	25.0	24.8		ug/L		99	70 - 122
Vinyl chloride	12.5	9.68		ug/L		77	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	91		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	92		78 - 122
Dibromofluoromethane (Surr)	87		73 - 120

Lab Sample ID: 240-237860-3 MS

Matrix: Water

Analysis Batch: 681263

Client Sample ID: MW-29-MS_111325

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	25.0	19.9		ug/L		80	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	23.7		ug/L		95	66 - 128
Tetrachloroethene	1.0	U	25.0	19.5		ug/L		78	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	21.2		ug/L		85	56 - 136
Trichloroethene	1.0	U	25.0	22.8		ug/L		91	61 - 124
Vinyl chloride	1.2		12.5	10.3		ug/L		73	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	89		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	92		78 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-237860-3 MS

Matrix: Water

Analysis Batch: 681263

Client Sample ID: MW-29-MS_111325

Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	86		73 - 120

Lab Sample ID: 240-237860-3 MSD

Matrix: Water

Analysis Batch: 681263

Client Sample ID: MW-29-MSD_111325

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	22.8		ug/L		91	56 - 135	14	26
cis-1,2-Dichloroethene	1.0	U	25.0	24.1		ug/L		97	66 - 128	2	14
Tetrachloroethene	1.0	U	25.0	20.7		ug/L		83	62 - 131	6	20
trans-1,2-Dichloroethene	1.0	U	25.0	22.0		ug/L		88	56 - 136	4	15
Trichloroethene	1.0	U	25.0	24.9		ug/L		99	61 - 124	9	15
Vinyl chloride	1.2		12.5	11.2		ug/L		80	43 - 157	9	24

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	90		62 - 137
4-Bromofluorobenzene (Surr)	99		56 - 136
Toluene-d8 (Surr)	91		78 - 122
Dibromofluoromethane (Surr)	90		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-681535/7

Matrix: Water

Analysis Batch: 681535

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/21/25 09:31	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	103		64 - 136		11/21/25 09:31	1			

Lab Sample ID: LCS 240-681535/5

Matrix: Water

Analysis Batch: 681535

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	9.95		ug/L		100	68 - 120

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	102		64 - 136

Lab Sample ID: 500-277921-B-4 MSD

Matrix: Water

Analysis Batch: 681535

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	6400		500	7070	4	ug/L		123	45 - 145	2	19

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		64 - 136

Lab Sample ID: 500-277921-C-4 MS
Matrix: Water
Analysis Batch: 681535

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	6400		500	7220	4	ug/L		154	45 - 145

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	109		64 - 136

Lab Sample ID: MB 240-681709/7
Matrix: Water
Analysis Batch: 681709

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/22/25 10:17	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		64 - 136		11/22/25 10:17	1

Lab Sample ID: LCS 240-681709/5
Matrix: Water
Analysis Batch: 681709

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.35		ug/L		83	68 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103		64 - 136

Lab Sample ID: 240-237860-3 MS
Matrix: Water
Analysis Batch: 681709

Client Sample ID: MW-29-MS_111325
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	22		10.0	32.3		ug/L		105	45 - 145

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		64 - 136

Lab Sample ID: 240-237860-3 MSD
Matrix: Water
Analysis Batch: 681709

Client Sample ID: MW-29-MSD_111325
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	22		10.0	32.6		ug/L		108	45 - 145	1	19

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-237860-3 MSD

Matrix: Water

Analysis Batch: 681709

Client Sample ID: MW-29-MSD_111325

Prep Type: Total/NA

<i>Surrogate</i>	<i>MSD</i>	<i>MSD</i>	<i>Limits</i>
	<i>%Recovery</i>	<i>Qualifier</i>	
1,2-Dichloroethane-d4 (Surr)	111		64 - 136

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

GC/MS VOA

Analysis Batch: 681263

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-237860-1	TRIP BLANK_142	Total/NA	Water	8260D	
240-237860-2	MW-19_111325	Total/NA	Water	8260D	
240-237860-3	MW-29_111325	Total/NA	Water	8260D	
240-237860-4	MW-113_111325	Total/NA	Water	8260D	
240-237860-5	MW-124_111325	Total/NA	Water	8260D	
MB 240-681263/8	Method Blank	Total/NA	Water	8260D	
LCS 240-681263/4	Lab Control Sample	Total/NA	Water	8260D	
240-237860-3 MS	MW-29-MS_111325	Total/NA	Water	8260D	
240-237860-3 MSD	MW-29-MSD_111325	Total/NA	Water	8260D	

Analysis Batch: 681535

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-237860-2	MW-19_111325	Total/NA	Water	8260D SIM	
240-237860-4	MW-113_111325	Total/NA	Water	8260D SIM	
240-237860-5	MW-124_111325	Total/NA	Water	8260D SIM	
MB 240-681535/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-681535/5	Lab Control Sample	Total/NA	Water	8260D SIM	
500-277921-B-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	
500-277921-C-4 MS	Matrix Spike	Total/NA	Water	8260D SIM	

Analysis Batch: 681709

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-237860-3	MW-29_111325	Total/NA	Water	8260D SIM	
MB 240-681709/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-681709/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-237860-3 MS	MW-29-MS_111325	Total/NA	Water	8260D SIM	
240-237860-3 MSD	MW-29-MSD_111325	Total/NA	Water	8260D SIM	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

Client Sample ID: TRIP BLANK_142

Lab Sample ID: 240-237860-1

Date Collected: 11/13/25 00:00

Matrix: Water

Date Received: 11/15/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	681263	LEE	EET CLE	11/19/25 23:09

Client Sample ID: MW-19_111325

Lab Sample ID: 240-237860-2

Date Collected: 11/13/25 09:15

Matrix: Water

Date Received: 11/15/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	681263	LEE	EET CLE	11/19/25 23:32
Total/NA	Analysis	8260D SIM		1	681535	R5XG	EET CLE	11/21/25 14:36

Client Sample ID: MW-29_111325

Lab Sample ID: 240-237860-3

Date Collected: 11/13/25 11:05

Matrix: Water

Date Received: 11/15/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	681263	LEE	EET CLE	11/19/25 23:55
Total/NA	Analysis	8260D SIM		1	681709	R5XG	EET CLE	11/22/25 10:40

Client Sample ID: MW-113_111325

Lab Sample ID: 240-237860-4

Date Collected: 11/13/25 12:15

Matrix: Water

Date Received: 11/15/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	681263	LEE	EET CLE	11/20/25 01:04
Total/NA	Analysis	8260D SIM		1	681535	R5XG	EET CLE	11/21/25 15:00

Client Sample ID: MW-124_111325

Lab Sample ID: 240-237860-5

Date Collected: 11/13/25 13:05

Matrix: Water

Date Received: 11/15/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	681263	LEE	EET CLE	11/20/25 01:27
Total/NA	Analysis	8260D SIM		1	681535	R5XG	EET CLE	11/21/25 15:23

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-237860-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	09-30-26
Georgia	State	4062	02-27-26
Illinois	NELAP	200004	08-31-26
Iowa	State	421	06-01-27
Kansas	NELAP	E-10336	01-31-26
Kentucky (UST)	State	112225	02-28-26
Kentucky (WW)	State	KY98016	12-31-25
Minnesota	NELAP	039-999-348	12-31-25
New Hampshire	NELAP	2250	09-30-26
New Jersey	NELAP	OH001	06-30-26
New York	NELAP	10975	04-01-26
North Dakota	State	R-244	02-27-26
Ohio	State	8303	02-27-26
Ohio VAP	State	ORELAP 4062	02-28-26
Oregon	NELAP	4062	02-27-26
Pennsylvania	NELAP	68-00340	08-31-26
Texas	NELAP	T104704517	08-31-26
US Fish & Wildlife	US Federal Programs	A26406	02-28-26
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-30-26
West Virginia DEP	State	210	12-31-25
Wisconsin	State	399167560	08-31-26

Chain of Custody Record

TestAmerica Laboratory location: Farmington Hills — 38855 Hills Tech Drive, Suite 600, Farmington Hills 48331

Client Contact			Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										TestAmerica Laboratories, Inc.																
Company Name: Arcadis			Client Project Manager: Megan Meckley					Site Contact: Samantha Szaichler					Lab Contact: Mike DeMonico					COC No:											
Address: 28550 Cabot Drive, Suite 500			Telephone: 248-994-2240					Telephone: 248-994-2240					Telephone: 330-497-9396					1 of 1 COCs											
City/State/Zip: Novi, MI, 48377			Email: megan.meckley@arcadis.com					Analysis Turnaround Time					Analyses					For lab use only											
Phone: 248-994-2240			Sampler Name: JOE FOJTIK					TAT if different from below 10 day <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/> <input type="checkbox"/> 2 weeks <input type="checkbox"/> <input type="checkbox"/> 1 week <input type="checkbox"/> <input type="checkbox"/> 2 days <input type="checkbox"/> <input type="checkbox"/> 1 day <input type="checkbox"/>					Filtered Sample (Y/N) Composite=C / Grab=G 1,1-DCE 8260D cis-1,2-DCE 8260D Trans-1,2-DCE 8260D PCE 8260D TOE 8260D Vinyl Chloride 8260D 1,4-Dioxane 8260D SIM					Walk-in client <input type="checkbox"/>					Lab sampling <input type="checkbox"/>						
Project Name: Ford LTP			Method of Shipment/Carrier:					Shipping/Tracking No:										Job/SDG No:					Sample Specific Notes / Special Instructions:						
Project Number: 30251157.401.04			Sample Identification			Sample Date			Sample Time			Matrix			Contaminants & Preservatives														
PO # US3410032803												Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc						NaOH	Unpres	Other:
			TRIP BLANK_ 142			---			---			1										1 Trip Blank							
			MW-19_111325			11-13-25 915			6			6							NG X X X X X X X					3 VOAs for 8260D 3 VOAs for 8260D SIM					
			MW-29_111325			11-13-25 1105			6			6							NG X X X X X X X										
			MW-29-MS_111325			11-13-25 1105			5			5							NG X X X X X X X					LWA Break					
			MW-29-MSd_111325			11-13-25 1105			6			6							NG X X X X X X X										
			MW-113_111325			11-13-25 1215			6			6							NG X X X X X X X										
			MW-124_111325			11-13-25 1305			6			6							NG X X X X X X X										
			/			/			/			/							/										
Possible Hazard Identification			<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown										Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)																
													<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																
Special Instructions/QC Requirements & Comments:																													
Submit all results through Cadena at jtomalla@cadenco.com. Cadena #E203728 on site SD																													
Level IV Reporting requested.																													
Relinquished by: JOE FOJTIK					Company: Arcadis					Date/Time: 11-13-25 / 1415					Received by: Novi Cold Storage					Company: Arcadis					Date/Time: 11/13/25 1415				
Relinquished by: [Signature]					Company: Arcadis					Date/Time: 11/14/25 1030					Received by: [Signature]					Company: EEA					Date/Time: 11/14/25				
Relinquished by: [Signature]					Company: EEA					Date/Time: 11/14/25					Received in Laboratory by: [Signature]					Company: CC					Date/Time: 11/15/25 0800				



©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Eurofins - Cleveland Sample Receipt Form/Narrative Login # _____
 Barberton Facility Cooler unpacked by JLH

Client Alcadis Site Name _____
 Cooler Received on 11/15/25 Opened on 11/18/25
 FedEx: 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other _____
 Receipt After-hours Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # EL Foam Box Client Cooler Box Other _____
 Packing material used Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None
 1 Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN # 17 (CF +0.1 °C) Observed Cooler Temp _____ °C Corrected Cooler Temp _____ °C

2 Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No NA
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 -Were tamper/custody seals intact and uncompromised? Yes No NA
 3 Shippers' packing slip attached to the cooler(s)? Yes No NA
 4 Did custody papers accompany the sample(s)? Yes No NA
 5 Were the custody papers relinquished & signed in the appropriate place? Yes No NA
 6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes No NA
 7 Did all bottles arrive in good condition (Unbroken)? Yes No NA
 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No NA
 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No NA
 10 Were correct bottle(s) used for the test(s) indicated? Yes No NA
 11 Sufficient quantity received to perform indicated analyses? Yes No NA
 12 Are these work share samples and all listed on the COC? Yes No NA
 13 If yes, Questions 13-17 have been checked at the originating laboratory

Tests that are not checked for pH by Receiving VOA's Oil and Grease TOC

13 Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HCS67196
 14 Were VOAs on the COC? Yes No NA
 15 Were air bubbles >6 mm in any VOA vials? Yes No NA Larger than this.
 16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Covered Yes No NA
 17 Was a LL Hg or Me Hg trip blank present? Yes No NA
 Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page
 Labeled by: _____
 Labels Verified by: _____

19 SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container
 Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory
 Time preserved: _____ Preservative(s) added/Lot number(s) _____
 VOA Sample Preservation - Date/Time VOAs Frozen _____

Temperature readings _____

Client Sample ID	Lab ID	Container Type	Container	Preservation	Preservation
			pH	Temp	Added
					Lot Number
TRIP BLANK_142	240-237860-A-1	Voa Vial 40ml - Hydrochloric Acid			
MW-19_111325	240-237860-A-2	Voa Vial 40ml - Hydrochloric Acid			
MW-19_111325	240-237860-B-2	Voa Vial 40ml - Hydrochloric Acid			
MW-19_111325	240-237860-C-2	Voa Vial 40ml - Hydrochloric Acid			
MW-19_111325	240-237860-D-2	Voa Vial 40ml - Hydrochloric Acid			
MW-19_111325	240-237860-E-2	Voa Vial 40ml - Hydrochloric Acid			
MW-19_111325	240-237860-F-2	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-A-3	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-A-3 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-A-3 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-B-3	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-B-3 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-B-3 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-C-3	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-C-3 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-C-3 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-D-3	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-D-3 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-D-3 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-E-3	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-E-3 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-E-3 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-F-3	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-F-3 MS	Voa Vial 40ml - Hydrochloric Acid			
MW-29_111325	240-237860-F-3 MSD	Voa Vial 40ml - Hydrochloric Acid			
MW-113_111325	240-237860-A-4	Voa Vial 40ml - Hydrochloric Acid			
MW-113_111325	240-237860-B-4	Voa Vial 40ml - Hydrochloric Acid			
MW-113_111325	240-237860-C-4	Voa Vial 40ml - Hydrochloric Acid			
MW-113_111325	240-237860-D-4	Voa Vial 40ml - Hydrochloric Acid			
MW-113_111325	240-237860-E-4	Voa Vial 40ml - Hydrochloric Acid			
MW-113_111325	240-237860-F-4	Voa Vial 40ml - Hydrochloric Acid			
MW-124_111325	240-237860-A-5	Voa Vial 40ml Hydrochloric Acid			



<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u> <u>pH</u>	<u>Preservation</u> <u>Temp</u>	<u>Preservation</u> <u>Added</u>	<u>Lot Number</u>
MW-124_111325	240-237860-B-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-124_111325	240-237860-C-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-124_111325	240-237860-D-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-124_111325	240-237860-E-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-124_111325	240-237860-F-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____

DATA VERIFICATION REPORT



November 25, 2025

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil
Project number: 30251157.401.04 LTP
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 237860-1
Sample date: 2025-11-13
Report received by CADENA: 2025-11-25
Initial Data Verification completed by CADENA: 2025-11-25
Number of Samples:5
Sample Matrices:Water
Test Categories:GCMS VOC
Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 237860-1

Analyte	Cas No.	Sample Name: TRIP BLANK_142				MW-19_111325				MW-29_111325				MW-113_111325				MW-124_111325			
		Lab Sample ID: 2402378601				2402378602				2402378603				2402378604				2402378605			
		Sample Date: 11/13/2025				11/13/2025				11/13/2025				11/13/2025				11/13/2025			
		Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid		
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MSVOC																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	0.60	1.0	ug/l	J	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	0.66	1.0	ug/l	J	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	0.61	1.0	ug/l	J	1.2	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					130	2.0	ug/l	---	22	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---