

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Ms. Megan Meckley  
Arcadis US Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 11/25/2025 1:40:03 AM

## JOB DESCRIPTION

Ford LTP

## JOB NUMBER

240-237864-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
11/25/2025 1:40:03 AM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)966-9783



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	11
QC Sample Results . . . . .	12
QC Association Summary . . . . .	15
Lab Chronicle . . . . .	16
Certification Summary . . . . .	17
Chain of Custody . . . . .	18

# Definitions/Glossary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-237864-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Arcadis US Inc.  
Project: Ford LTP

Job ID: 240-237864-1

**Job ID: 240-237864-1**

**Eurofins Cleveland**

## Job Narrative 240-237864-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### Receipt

The samples were received on 11/15/2025 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 3.9°C and 4.3°C.

### GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

# Method Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-237864-1


Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Sample Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-237864-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
240-237864-1	TRIP BLANK_124	Water	11/14/25 00:00	11/15/25 08:00	Michigan
240-237864-2	MW-35_111425	Water	11/14/25 08:50	11/15/25 08:00	Michigan

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-237864-1

**Client Sample ID: TRIP BLANK\_124**

**Lab Sample ID: 240-237864-1**

No Detections.

**Client Sample ID: MW-35\_111425**

**Lab Sample ID: 240-237864-2**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	4.0		2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	0.51	J	1.0	0.45	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-237864-1

**Client Sample ID: TRIP BLANK\_124**

**Lab Sample ID: 240-237864-1**

Date Collected: 11/14/25 00:00

Matrix: Water

Date Received: 11/15/25 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/19/25 11:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/19/25 11:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/19/25 11:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/19/25 11:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/19/25 11:46	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/19/25 11:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		62 - 137		11/19/25 11:46	1
4-Bromofluorobenzene (Surr)	101		56 - 136		11/19/25 11:46	1
Toluene-d8 (Surr)	98		78 - 122		11/19/25 11:46	1
Dibromofluoromethane (Surr)	98		73 - 120		11/19/25 11:46	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-237864-1

**Client Sample ID: MW-35\_111425**

**Lab Sample ID: 240-237864-2**

Date Collected: 11/14/25 08:50

Matrix: Water

Date Received: 11/15/25 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	4.0		2.0	0.86	ug/L			11/22/25 14:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		64 - 136					11/22/25 14:35	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/19/25 14:18	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/19/25 14:18	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/19/25 14:18	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/19/25 14:18	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/19/25 14:18	1
Vinyl chloride	0.51	J	1.0	0.45	ug/L			11/19/25 14:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		62 - 137					11/19/25 14:18	1
4-Bromofluorobenzene (Surr)	102		56 - 136					11/19/25 14:18	1
Toluene-d8 (Surr)	98		78 - 122					11/19/25 14:18	1
Dibromofluoromethane (Surr)	100		73 - 120					11/19/25 14:18	1

# Surrogate Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-237864-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-237864-1	TRIP BLANK_124	102	101	98	98
240-237864-2	MW-35_111425	105	102	98	100
240-237870-D-2 MS	Matrix Spike	107	103	96	103
240-237870-E-2 MSD	Matrix Spike Duplicate	108	104	96	105
LCS 240-681150/4	Lab Control Sample	100	102	98	99
MB 240-681150/9	Method Blank	102	102	98	97

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (64-136)
240-237860-A-3 MS	Matrix Spike	101
240-237860-A-3 MSD	Matrix Spike Duplicate	111
240-237864-2	MW-35_111425	104
LCS 240-681709/5	Lab Control Sample	103
MB 240-681709/7	Method Blank	105

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-237864-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

**Lab Sample ID: MB 240-681150/9**

**Matrix: Water**

**Analysis Batch: 681150**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			11/19/25 11:27	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			11/19/25 11:27	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			11/19/25 11:27	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			11/19/25 11:27	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			11/19/25 11:27	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			11/19/25 11:27	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	102		62 - 137		11/19/25 11:27	1
4-Bromofluorobenzene (Surr)	102		56 - 136		11/19/25 11:27	1
Toluene-d8 (Surr)	98		78 - 122		11/19/25 11:27	1
Dibromofluoromethane (Surr)	97		73 - 120		11/19/25 11:27	1

**Lab Sample ID: LCS 240-681150/4**

**Matrix: Water**

**Analysis Batch: 681150**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	22.9		ug/L		92	77 - 123
Tetrachloroethene	25.0	23.1		ug/L		92	76 - 123
trans-1,2-Dichloroethene	25.0	22.8		ug/L		91	75 - 124
Trichloroethene	25.0	25.4		ug/L		102	70 - 122
Vinyl chloride	12.5	10.3		ug/L		82	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	100		62 - 137
4-Bromofluorobenzene (Surr)	102		56 - 136
Toluene-d8 (Surr)	98		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

**Lab Sample ID: 240-237870-D-2 MS**

**Matrix: Water**

**Analysis Batch: 681150**

**Client Sample ID: Matrix Spike**

**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	25.0	23.2		ug/L		93	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	23.3		ug/L		93	66 - 128
Tetrachloroethene	1.0	U	25.0	21.7		ug/L		87	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	22.7		ug/L		91	56 - 136
Trichloroethene	1.0	U	25.0	25.4		ug/L		102	61 - 124
Vinyl chloride	1.0	U	12.5	10.3		ug/L		83	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	107		62 - 137
4-Bromofluorobenzene (Surr)	103		56 - 136
Toluene-d8 (Surr)	96		78 - 122

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-237864-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-237870-D-2 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 681150

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	103		73 - 120

Lab Sample ID: 240-237870-E-2 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 681150

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	23.4		ug/L		94	56 - 135	1	26
cis-1,2-Dichloroethene	1.0	U	25.0	22.8		ug/L		91	66 - 128	2	14
Tetrachloroethene	1.0	U	25.0	22.3		ug/L		89	62 - 131	3	20
trans-1,2-Dichloroethene	1.0	U	25.0	23.1		ug/L		92	56 - 136	2	15
Trichloroethene	1.0	U	25.0	25.5		ug/L		102	61 - 124	0	15
Vinyl chloride	1.0	U	12.5	11.6		ug/L		93	43 - 157	11	24

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	108		62 - 137
4-Bromofluorobenzene (Surr)	104		56 - 136
Toluene-d8 (Surr)	96		78 - 122
Dibromofluoromethane (Surr)	105		73 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-681709/7

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 681709

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			11/22/25 10:17	1

	MB	MB		Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits			
1,2-Dichloroethane-d4 (Surr)	105		64 - 136		11/22/25 10:17	1

Lab Sample ID: LCS 240-681709/5

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 681709

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.35		ug/L		83	68 - 120

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103		64 - 136

Lab Sample ID: 240-237860-A-3 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 681709

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	22		10.0	32.3		ug/L		105	45 - 145

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-237864-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	101		64 - 136

**Lab Sample ID: 240-237860-A-3 MSD**  
**Matrix: Water**  
**Analysis Batch: 681709**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,4-Dioxane	22		10.0	32.6		ug/L		108	45 - 145	1	19

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	111		64 - 136

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# QC Association Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-237864-1

## GC/MS VOA

### Analysis Batch: 681150

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-237864-1	TRIP BLANK_124	Total/NA	Water	8260D	
240-237864-2	MW-35_111425	Total/NA	Water	8260D	
MB 240-681150/9	Method Blank	Total/NA	Water	8260D	
LCS 240-681150/4	Lab Control Sample	Total/NA	Water	8260D	
240-237870-D-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-237870-E-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

### Analysis Batch: 681709

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-237864-2	MW-35_111425	Total/NA	Water	8260D SIM	
MB 240-681709/7	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-681709/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-237860-A-3 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-237860-A-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

# Lab Chronicle

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-237864-1

## Client Sample ID: TRIP BLANK\_124

Lab Sample ID: 240-237864-1

Date Collected: 11/14/25 00:00

Matrix: Water

Date Received: 11/15/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	681150	LEE	EET CLE	11/19/25 11:46

## Client Sample ID: MW-35\_111425

Lab Sample ID: 240-237864-2

Date Collected: 11/14/25 08:50

Matrix: Water

Date Received: 11/15/25 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	681150	LEE	EET CLE	11/19/25 14:18
Total/NA	Analysis	8260D SIM		1	681709	R5XG	EET CLE	11/22/25 14:35

### Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# Accreditation/Certification Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-237864-1

## Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	09-30-26
Georgia	State	4062	02-27-26
Illinois	NELAP	200004	08-31-26
Iowa	State	421	06-01-27
Kansas	NELAP	E-10336	01-31-26
Kentucky (UST)	State	112225	02-28-26
Kentucky (WW)	State	KY98016	12-31-25
Minnesota	NELAP	039-999-348	12-31-25
New Hampshire	NELAP	2250	09-30-26
New Jersey	NELAP	OH001	06-30-26
New York	NELAP	10975	04-01-26
North Dakota	State	R-244	02-27-26
Ohio	State	8303	02-27-26
Ohio VAP	State	ORELAP 4062	02-28-26
Oregon	NELAP	4062	02-27-26
Pennsylvania	NELAP	68-00340	08-31-26
Texas	NELAP	T104704517	08-31-26
US Fish & Wildlife	US Federal Programs	A26406	02-28-26
USDA	US Federal Programs	P330-18-00281	01-05-27
Virginia	NELAP	460175	09-30-26
West Virginia DEP	State	210	12-31-25
Wisconsin	State	399167560	08-31-26

# Chain of Custody Record

4/11 TestAmerica  
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratory location: Farmington Hills -- 38855 Hills Tech Drive, Suite 600, Farmington Hills 48331

<b>Client Contact</b>		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										<b>TestAmerica Laboratories, Inc.</b>																	
Company Name: Arcadis		Client Project Manager: Megan Meckley			Site Contact: Samantha Szaichler			Lab Contact: Mike DelMonico				COC No:																	
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240			Telephone: 248-994-2240			Telephone: 330-497-9396				1 of 1 COCs																	
City/State/Zip: Novi, MI, 48377		Email: megan.meckley@arcadis.com			<b>Analysis Turnaround Time</b>			<b>Analyses</b>				For lab use only																	
Phone: 248-994-2240		Sampler Name: <b>JOE FOJTIK</b>			TAT if different from below							Walk-in client																	
Project Name: Ford LTP		Method of Shipment/Carrier:			10 day <input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day							Lab sampling																	
Project Number: 30251157.401.04		Shipping/Tracking No:										Job/SDG No:																	
PO # US3410032803																													
<b>Sample Identification</b>		<b>Sample Date</b> <b>Sample Time</b>		<b>Matrix</b>					<b>Containers &amp; Preservatives</b>					<b>Sample Specific Notes / Special Instructions:</b>															
				Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc			H2O2	Unpres	Other:	Filtered Sample (Y/N)	Composite-C / Grab=C	1,1-DCE 8260D	cis-1,2-DCE 8260D	Trans-1,2-DCE 8260D	POE 8260D	TCE 8260D	Vinyl Chloride 8260D	1,4-Dioxane 8260D SIM		
TRIP BLANK_124		---		1					1					1 Trip Blank															
MW-35_111425		11-14-25 850		6					6					3 VOAs for 8260D 3 VOAs for 8260D SIM															
														<p>240-237864 COC</p>															
<b>Possible Hazard Identification</b>										<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b>																			
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown										<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																			
<b>Special Instructions/QC Requirements &amp; Comments:</b>																													
Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728 <b>Onsite ES</b>																													
Relinquished by: <b>JOE FOJTIK</b> / <i>[Signature]</i>		Company: Arcadis		Date/Time: 11-14-25 / 1300		Received by: <b>Novel Cold Storage</b>		Company: Arcadis		Date/Time: 11-17-25 / 1300																			
Relinquished by: <i>[Signature]</i>		Company: Arcadis		Date/Time: 11/14/25 1030		Received by: <i>[Signature]</i>		Company: <b>EETA</b>		Date/Time: 11/14/25																			
Relinquished by: <i>[Signature]</i> / <i>[Signature]</i>		Company: <b>EETA</b>		Date/Time: 11/14/25		Received in Laboratory by: <b>JLM</b>		Company: <b>EETA</b>		Date/Time: 11/15/25 0800																			

©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

Eurofins - Cleveland Sample Receipt Form/Narrative  
 Barberon Facility

Login # \_\_\_\_\_

Client Alcedis

Site Name \_\_\_\_\_

Cooler unpacked by XLH

Cooler Received on 11/15/25

Opened on 11/18/25

FedEx. 1<sup>st</sup> Grd Exp UPS

FAS (Waypoint)

Client Drop Off

Eurofins Courier

Other \_\_\_\_\_

Receipt After-hours Drop-off Date/Time \_\_\_\_\_

Storage Location \_\_\_\_\_

Eurofins Cooler # EC Foam Box Client Cooler Box \_\_\_\_\_ Other \_\_\_\_\_  
 Packing material used Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_  
 COOLANT Wet Ice Blue Ice Dry Ice Water None

1 Cooler temperature upon receipt \_\_\_\_\_

See Multiple Cooler Form

IR GUN # 17 (CF + 0 7 °C) Observed Cooler Temp \_\_\_\_\_ °C Corrected Cooler Temp \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1  Yes  No

-Were the seals on the outside of the cooler(s) signed & dated?  Yes  No NA

-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No

-Were tamper/custody seals intact and uncompromised?  Yes  No NA

3 Shippers' packing slip attached to the cooler(s)?  Yes  No

4 Did custody papers accompany the sample(s)?  Yes  No

5 Were the custody papers relinquished & signed in the appropriate place?  Yes  No

6. Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No

7 Did all bottles arrive in good condition (Unbroken)?  Yes  No

8 Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No

9 For each sample, does the COC specify preservatives  (Y/N), # of containers  (Y/N), and sample type of grab/comp  (Y/N)?  Yes  No

10 Were correct bottle(s) used for the test(s) indicated?  Yes  No

11 Sufficient quantity received to perform indicated analyses?  Yes  No

12. Are these work share samples and all listed on the COC?  Yes  No

If yes, Questions 13-17 have been checked at the originating laboratory

13 Were all preserved sample(s) at the correct pH upon receipt?  Yes  No NA pH Strip Lot# HC567196

14 Were VOAs on the COC?  Yes  No

15 Were air bubbles > 6 mm in any VOA vials?  Yes  No NA

16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # covered  Yes  No

17 Was a LL Hg or Me Hg trip blank present?  Yes  No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_

Concerning \_\_\_\_\_

18 CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page

Labeled by: \_\_\_\_\_

Labels Verified by: \_\_\_\_\_

19 SAMPLE CONDITION

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired

Sample(s) \_\_\_\_\_ were received in a broken container

Sample(s) \_\_\_\_\_ were received with bubble > 6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) \_\_\_\_\_ were further preserved in the laboratory

Time preserved \_\_\_\_\_ Preservative(s) added/Lot number(s) \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen \_\_\_\_\_

Tests that are not checked for pH by Receiving  
 VOAs  
 Oil and Grease  
 TOC



Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u> <u>pH</u>	<u>Preservation</u> <u>Temp</u>	<u>Preservation</u> <u>Added</u>	<u>Preservation</u> <u>Lot Number</u>
TRIP BLANK_124	240-237864-A-1	Voa Vial 40ml - Hydrochloric Acid				
MW-35_111425	240-237864-A-2	Voa Vial 40ml - Hydrochloric Acid				
MW-35_111425	240-237864-B-2	Voa Vial 40ml - Hydrochloric Acid				
MW-35_111425	240-237864-C-2	Voa Vial 40ml - Hydrochloric Acid				
MW-35_111425	240-237864-D-2	Voa Vial 40ml - Hydrochloric Acid				
MW-35_111425	240-237864 E-2	Voa Vial 40ml - Hydrochloric Acid				
MW-35_111425	240-237864-F-2	Voa Vial 40ml - Hydrochloric Acid				

# DATA VERIFICATION REPORT



November 25, 2025

Megan Meckley  
Arcadis  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728  
Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil  
Project number: 30251157.401.04 LTP  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Cleveland  
Laboratory submittal: 237864-1  
Sample date: 2025-11-14  
Report received by CADENA: 2025-11-25  
Initial Data Verification completed by CADENA: 2025-11-25  
Number of Samples:2  
Sample Matrices:Water  
Test Categories:GCMS VOC  
**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

# Analytical Results Summary

**CADENA Project ID:** E203728

**Laboratory:** Eurofins Environment Testing LLC - Cleveland

**Laboratory Submittal:** 237864-1

<b>Sample Name:</b>	TRIP BLANK_124	MW-35_111425
<b>Lab Sample ID:</b>	2402378641	2402378642
<b>Sample Date:</b>	11/14/2025	11/14/2025

Analyte	Cas No.	Report		Valid		Report		Valid	
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier

## GC/MS VOC

### OSW-8260D

1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	0.51	1.0	ug/l	J

### OSW-8260DSIM

1,4-Dioxane	123-91-1					4.0	2.0	ug/l	---
-------------	----------	--	--	--	--	-----	-----	------	-----