

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 2/23/2026 1:23:47 PM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-243335-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
2/23/2026 1:23:47 PM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)966-9783



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	19
Lab Chronicle	20
Certification Summary	21
Chain of Custody	22

Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis US Inc.
Project: Ford LTP

Job ID: 240-243335-1

Job ID: 240-243335-1

Eurofins Cleveland

Job Narrative 240-243335-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 2/14/2026 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.4°C and 3.1°C.

GC/MS VOA

Method 8260D: The continuing calibration verification (CCV) associated with batch 240-690894 recovered above the upper control limit for Vinyl chloride. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
240-243335-1	TRIP BLANK_51	Water	02/11/26 00:00	02/14/26 08:00	Michigan
240-243335-2	MW-44_021126	Water	02/11/26 09:55	02/14/26 08:00	Michigan
240-243335-3	MW-70_021126	Water	02/11/26 11:00	02/14/26 08:00	Michigan
240-243335-4	MW-224S_021126	Water	02/11/26 12:05	02/14/26 08:00	Michigan
240-243335-5	MW-07_021126	Water	02/11/26 13:15	02/14/26 08:00	Michigan

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

Client Sample ID: TRIP BLANK_51

Lab Sample ID: 240-243335-1

No Detections.

Client Sample ID: MW-44_021126

Lab Sample ID: 240-243335-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
1,4-Dioxane	3.8		2.0	0.86	ug/L			1	8260D SIM	Total/NA
Vinyl chloride	0.62	J	1.0	0.45	ug/L			1	8260D	Total/NA

Client Sample ID: MW-70_021126

Lab Sample ID: 240-243335-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
1,4-Dioxane	7.7		2.0	0.86	ug/L			1	8260D SIM	Total/NA
cis-1,2-Dichloroethene	70		10	4.6	ug/L			10	8260D	Total/NA
Vinyl chloride	570		20	9.0	ug/L			20	8260D	Total/NA

Client Sample ID: MW-224S_021126

Lab Sample ID: 240-243335-4

No Detections.

Client Sample ID: MW-07_021126

Lab Sample ID: 240-243335-5

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

Client Sample ID: TRIP BLANK_51

Lab Sample ID: 240-243335-1

Date Collected: 02/11/26 00:00

Matrix: Water

Date Received: 02/14/26 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/19/26 13:42	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/19/26 13:42	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 13:42	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/19/26 13:42	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 13:42	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/19/26 13:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		62 - 137		02/19/26 13:42	1
4-Bromofluorobenzene (Surr)	99		56 - 136		02/19/26 13:42	1
Toluene-d8 (Surr)	101		78 - 122		02/19/26 13:42	1
Dibromofluoromethane (Surr)	101		73 - 120		02/19/26 13:42	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

Client Sample ID: MW-44_021126

Lab Sample ID: 240-243335-2

Date Collected: 02/11/26 09:55

Matrix: Water

Date Received: 02/14/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	3.8		2.0	0.86	ug/L			02/20/26 14:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		64 - 136					02/20/26 14:30	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/19/26 16:28	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/19/26 16:28	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 16:28	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/19/26 16:28	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 16:28	1
Vinyl chloride	0.62	J	1.0	0.45	ug/L			02/19/26 16:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		62 - 137					02/19/26 16:28	1
4-Bromofluorobenzene (Surr)	100		56 - 136					02/19/26 16:28	1
Toluene-d8 (Surr)	101		78 - 122					02/19/26 16:28	1
Dibromofluoromethane (Surr)	100		73 - 120					02/19/26 16:28	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

Client Sample ID: MW-70_021126

Lab Sample ID: 240-243335-3

Date Collected: 02/11/26 11:00

Matrix: Water

Date Received: 02/14/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	7.7		2.0	0.86	ug/L			02/20/26 14:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		64 - 136					02/20/26 14:53	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	10	U	10	4.9	ug/L			02/19/26 16:51	10
cis-1,2-Dichloroethene	70		10	4.6	ug/L			02/19/26 16:51	10
Tetrachloroethene	10	U	10	4.4	ug/L			02/19/26 16:51	10
trans-1,2-Dichloroethene	10	U	10	5.1	ug/L			02/19/26 16:51	10
Trichloroethene	10	U	10	4.4	ug/L			02/19/26 16:51	10
Vinyl chloride	570		20	9.0	ug/L			02/20/26 13:43	20
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		62 - 137					02/19/26 16:51	10
1,2-Dichloroethane-d4 (Surr)	97		62 - 137					02/20/26 13:43	20
4-Bromofluorobenzene (Surr)	97		56 - 136					02/19/26 16:51	10
4-Bromofluorobenzene (Surr)	84		56 - 136					02/20/26 13:43	20
Toluene-d8 (Surr)	100		78 - 122					02/19/26 16:51	10
Toluene-d8 (Surr)	86		78 - 122					02/20/26 13:43	20
Dibromofluoromethane (Surr)	99		73 - 120					02/19/26 16:51	10
Dibromofluoromethane (Surr)	91		73 - 120					02/20/26 13:43	20

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

Client Sample ID: MW-224S_021126

Lab Sample ID: 240-243335-4

Date Collected: 02/11/26 12:05

Matrix: Water

Date Received: 02/14/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/20/26 15:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		64 - 136					02/20/26 15:17	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/19/26 17:15	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/19/26 17:15	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 17:15	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/19/26 17:15	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 17:15	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/19/26 17:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		62 - 137					02/19/26 17:15	1
4-Bromofluorobenzene (Surr)	99		56 - 136					02/19/26 17:15	1
Toluene-d8 (Surr)	102		78 - 122					02/19/26 17:15	1
Dibromofluoromethane (Surr)	103		73 - 120					02/19/26 17:15	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

Client Sample ID: MW-07_021126

Lab Sample ID: 240-243335-5

Date Collected: 02/11/26 13:15

Matrix: Water

Date Received: 02/14/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/20/26 15:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		64 - 136					02/20/26 15:40	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/19/26 17:39	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/19/26 17:39	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 17:39	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/19/26 17:39	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 17:39	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/19/26 17:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137					02/19/26 17:39	1
4-Bromofluorobenzene (Surr)	98		56 - 136					02/19/26 17:39	1
Toluene-d8 (Surr)	101		78 - 122					02/19/26 17:39	1
Dibromofluoromethane (Surr)	102		73 - 120					02/19/26 17:39	1

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-243242-B-2 MS	Matrix Spike	95	91	88	95
240-243242-B-2 MSD	Matrix Spike Duplicate	96	88	87	94
240-243335-1	TRIP BLANK_51	99	99	101	101
240-243335-2	MW-44_021126	99	100	101	100
240-243335-3	MW-70_021126	101	97	100	99
240-243335-3	MW-70_021126	97	84	86	91
240-243335-3 MS	MW-70_021126	103	106	101	103
240-243335-3 MSD	MW-70_021126	104	106	104	104
240-243335-4	MW-224S_021126	101	99	102	103
240-243335-5	MW-07_021126	98	98	101	102
LCS 240-690894/3	Lab Control Sample	99	103	99	101
LCS 240-691015/4	Lab Control Sample	97	91	88	95
MB 240-690894/7	Method Blank	100	103	105	103
MB 240-691015/9	Method Blank	98	87	88	93

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (64-136)
240-243335-2	MW-44_021126	94
240-243335-3	MW-70_021126	91
240-243335-4	MW-224S_021126	92
240-243335-5	MW-07_021126	93
500-281614-C-7 MS	Matrix Spike	87
500-281614-C-7 MSD	Matrix Spike Duplicate	85
LCS 240-691011/4	Lab Control Sample	91
MB 240-691011/6	Method Blank	85

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-690894/7

Matrix: Water

Analysis Batch: 690894

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/19/26 11:13	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/19/26 11:13	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 11:13	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/19/26 11:13	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 11:13	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/19/26 11:13	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		02/19/26 11:13	1
4-Bromofluorobenzene (Surr)	103		56 - 136		02/19/26 11:13	1
Toluene-d8 (Surr)	105		78 - 122		02/19/26 11:13	1
Dibromofluoromethane (Surr)	103		73 - 120		02/19/26 11:13	1

Lab Sample ID: LCS 240-690894/3

Matrix: Water

Analysis Batch: 690894

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	25.4		ug/L		102	63 - 134
cis-1,2-Dichloroethene	25.0	25.9		ug/L		104	77 - 123
Tetrachloroethene	25.0	25.7		ug/L		103	76 - 123
trans-1,2-Dichloroethene	25.0	24.6		ug/L		99	75 - 124
Trichloroethene	25.0	25.2		ug/L		101	70 - 122
Vinyl chloride	25.0	33.1		ug/L		132	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	103		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	101		73 - 120

Lab Sample ID: 240-243335-3 MS

Matrix: Water

Analysis Batch: 690894

Client Sample ID: MW-70_021126

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	10	U	250	230		ug/L		92	56 - 135
cis-1,2-Dichloroethene	70		250	314		ug/L		98	66 - 128
Tetrachloroethene	10	U	250	224		ug/L		89	62 - 131
trans-1,2-Dichloroethene	10	U	250	226		ug/L		90	56 - 136
Trichloroethene	10	U	250	225		ug/L		90	61 - 124

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103		62 - 137
4-Bromofluorobenzene (Surr)	106		56 - 136
Toluene-d8 (Surr)	101		78 - 122
Dibromofluoromethane (Surr)	103		73 - 120

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-243335-3 MSD

Client Sample ID: MW-70_021126

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 690894

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	10	U	250	252		ug/L		101	56 - 135	9	26
cis-1,2-Dichloroethene	70		250	331		ug/L		104	66 - 128	5	14
Tetrachloroethene	10	U	250	245		ug/L		98	62 - 131	9	20
trans-1,2-Dichloroethene	10	U	250	252		ug/L		101	56 - 136	11	15
Trichloroethene	10	U	250	257		ug/L		103	61 - 124	13	15

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		62 - 137
4-Bromofluorobenzene (Surr)	106		56 - 136
Toluene-d8 (Surr)	104		78 - 122
Dibromofluoromethane (Surr)	104		73 - 120

Lab Sample ID: MB 240-691015/9

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 691015

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/20/26 11:11	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/20/26 11:11	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/20/26 11:11	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/20/26 11:11	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/20/26 11:11	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/20/26 11:11	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		02/20/26 11:11	1
4-Bromofluorobenzene (Surr)	87		56 - 136		02/20/26 11:11	1
Toluene-d8 (Surr)	88		78 - 122		02/20/26 11:11	1
Dibromofluoromethane (Surr)	93		73 - 120		02/20/26 11:11	1

Lab Sample ID: LCS 240-691015/4

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 691015

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	22.4		ug/L		90	63 - 134
cis-1,2-Dichloroethene	25.0	21.4		ug/L		86	77 - 123
Tetrachloroethene	25.0	22.5		ug/L		90	76 - 123
trans-1,2-Dichloroethene	25.0	21.1		ug/L		84	75 - 124
Trichloroethene	25.0	25.1		ug/L		100	70 - 122
Vinyl chloride	12.5	12.6		ug/L		101	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	91		56 - 136
Toluene-d8 (Surr)	88		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-243242-B-2 MS
Matrix: Water
Analysis Batch: 691015

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier					
1,1-Dichloroethene	50	U	1250	1080		ug/L		86		56 - 135
cis-1,2-Dichloroethene	50	U	1250	1080		ug/L		87		66 - 128
Tetrachloroethene	50	U	1250	1060		ug/L		84		62 - 131
trans-1,2-Dichloroethene	50	U	1250	1020		ug/L		82		56 - 136
Trichloroethene	50	U	1250	1190		ug/L		95		61 - 124
Vinyl chloride	50	U	625	609		ug/L		97		43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	95		62 - 137
4-Bromofluorobenzene (Surr)	91		56 - 136
Toluene-d8 (Surr)	88		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-243242-B-2 MSD
Matrix: Water
Analysis Batch: 691015

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	Limits	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier						Limit	
1,1-Dichloroethene	50	U	1250	1050		ug/L		84		56 - 135	2	26
cis-1,2-Dichloroethene	50	U	1250	1080		ug/L		87		66 - 128	0	14
Tetrachloroethene	50	U	1250	1010		ug/L		80		62 - 131	5	20
trans-1,2-Dichloroethene	50	U	1250	1030		ug/L		83		56 - 136	1	15
Trichloroethene	50	U	1250	1200		ug/L		96		61 - 124	1	15
Vinyl chloride	50	U	625	599		ug/L		96		43 - 157	2	24

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	88		56 - 136
Toluene-d8 (Surr)	87		78 - 122
Dibromofluoromethane (Surr)	94		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-691011/6
Matrix: Water
Analysis Batch: 691011

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/20/26 10:35	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	85		64 - 136		02/20/26 10:35	1

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-691011/4

Matrix: Water

Analysis Batch: 691011

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.17		ug/L		82	68 - 120
Surrogate		%Recovery	Qualifier				Limits
1,2-Dichloroethane-d4 (Surr)		91					64 - 136

Lab Sample ID: 500-281614-C-7 MS

Matrix: Water

Analysis Batch: 691011

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	5900		500	6810	4	ug/L		188	45 - 145
Surrogate		%Recovery		Qualifier					Limits
1,2-Dichloroethane-d4 (Surr)		87							64 - 136

Lab Sample ID: 500-281614-C-7 MSD

Matrix: Water

Analysis Batch: 691011

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
1,4-Dioxane	5900		500	6350	4	ug/L		97	45 - 145	7	19
Surrogate		%Recovery		Qualifier					Limits		
1,2-Dichloroethane-d4 (Surr)		85							64 - 136		

QC Association Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

GC/MS VOA

Analysis Batch: 690894

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-243335-1	TRIP BLANK_51	Total/NA	Water	8260D	
240-243335-2	MW-44_021126	Total/NA	Water	8260D	
240-243335-3	MW-70_021126	Total/NA	Water	8260D	
240-243335-4	MW-224S_021126	Total/NA	Water	8260D	
240-243335-5	MW-07_021126	Total/NA	Water	8260D	
MB 240-690894/7	Method Blank	Total/NA	Water	8260D	
LCS 240-690894/3	Lab Control Sample	Total/NA	Water	8260D	
240-243335-3 MS	MW-70_021126	Total/NA	Water	8260D	
240-243335-3 MSD	MW-70_021126	Total/NA	Water	8260D	

Analysis Batch: 691011

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-243335-2	MW-44_021126	Total/NA	Water	8260D SIM	
240-243335-3	MW-70_021126	Total/NA	Water	8260D SIM	
240-243335-4	MW-224S_021126	Total/NA	Water	8260D SIM	
240-243335-5	MW-07_021126	Total/NA	Water	8260D SIM	
MB 240-691011/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-691011/4	Lab Control Sample	Total/NA	Water	8260D SIM	
500-281614-C-7 MS	Matrix Spike	Total/NA	Water	8260D SIM	
500-281614-C-7 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 691015

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-243335-3	MW-70_021126	Total/NA	Water	8260D	
MB 240-691015/9	Method Blank	Total/NA	Water	8260D	
LCS 240-691015/4	Lab Control Sample	Total/NA	Water	8260D	
240-243242-B-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-243242-B-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

Client Sample ID: TRIP BLANK_51

Lab Sample ID: 240-243335-1

Date Collected: 02/11/26 00:00

Matrix: Water

Date Received: 02/14/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	690894	LEE	EET CLE	02/19/26 13:42

Client Sample ID: MW-44_021126

Lab Sample ID: 240-243335-2

Date Collected: 02/11/26 09:55

Matrix: Water

Date Received: 02/14/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	690894	LEE	EET CLE	02/19/26 16:28
Total/NA	Analysis	8260D SIM		1	691011	MDH	EET CLE	02/20/26 14:30

Client Sample ID: MW-70_021126

Lab Sample ID: 240-243335-3

Date Collected: 02/11/26 11:00

Matrix: Water

Date Received: 02/14/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		10	690894	LEE	EET CLE	02/19/26 16:51
Total/NA	Analysis	8260D		20	691015	LEE	EET CLE	02/20/26 13:43
Total/NA	Analysis	8260D SIM		1	691011	MDH	EET CLE	02/20/26 14:53

Client Sample ID: MW-224S_021126

Lab Sample ID: 240-243335-4

Date Collected: 02/11/26 12:05

Matrix: Water

Date Received: 02/14/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	690894	LEE	EET CLE	02/19/26 17:15
Total/NA	Analysis	8260D SIM		1	691011	MDH	EET CLE	02/20/26 15:17

Client Sample ID: MW-07_021126

Lab Sample ID: 240-243335-5

Date Collected: 02/11/26 13:15

Matrix: Water

Date Received: 02/14/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	690894	LEE	EET CLE	02/19/26 17:39
Total/NA	Analysis	8260D SIM		1	691011	MDH	EET CLE	02/20/26 15:40

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243335-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	09-30-26
Georgia	State	4062	02-27-26
Illinois	NELAP	200004	08-31-26
Iowa	State	421	06-01-27
Kentucky (UST)	State	112225	02-27-26
Kentucky (WW)	State	KY98016	12-31-26
Minnesota	NELAP	039-999-348	12-31-26
New Hampshire	NELAP	2250	09-30-26
New Jersey	NELAP	OH001	06-30-26
New York	NELAP	10975	04-01-26
North Dakota	State	R-244	02-27-26
Ohio	State	8303	02-27-26
Ohio VAP	State	ORELAP 4062	02-27-26
Oregon	NELAP	4062	02-27-26
Pennsylvania	NELAP	68-00340	08-31-26
Texas	NELAP	T104704517	08-31-26
US Fish & Wildlife	US Federal Programs	A26406	02-28-26
USDA	US Federal Programs	525-24-5-34740	01-05-27
Virginia	NELAP	460175	09-30-26
West Virginia DEP	State	210	03-31-26
Wisconsin	State	399167560	08-31-26

Chain of Custody Record

TestAmerica Laboratory location: Farmington Hills — 38855 Hills Tech Drive, Suite 600, Farmington Hills 48331

Client Contact		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										TestAmerica Laboratories, Inc.													
Company Name: Arcadis		Client Project Manager: Megan Meckley			Site Contact: Samantha Szaichler			Lab Contact: Mike DelMosico			COC No:														
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240			Telephone: 248-994-2240			Telephone: 330-497-9396			1 of 1 COCs														
City/State/Zip: Novi, MI, 48377		Email: megan.meckley@arcadis.com			Analysis Turnaround Time			Analyses			For lab use only														
Phone: 248-994-2240		Sampler Name: <i>Jenny Myers</i>			TAT if different from below			<input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day			Walk-in client Lab sampling Job/SDG No:														
Project Name: Ford LTP		Method of Shipment/Carrier:			Filtered Sample (Y/N)									Composite-C/Grab-G											
Project Number: 30309849.401.04		Shipping/Tracking No:			Matrix			Containers & Preservatives			Sample Specific Notes / Special Instructions:														
PO # US					Air Aqueous Sediment Solid Other: H2SO4 HNO3 HCl NaOH ZnO/NaOH Upretic Other:			1,1-DCE 8260D Composite-C/Grab-G cis-1,2-DCE 8260D Trans-1,2-DCE 8260D PCE 8280D TCE 8280D Vinyl Chloride 8280D 1,4-Dioxane 8260D SIM																	
Sample Identification		Sample Date	Sample Time	Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnO/NaOH	Upretic	Other:	Filtered Sample (Y/N)	Composite-C/Grab-G	1,1-DCE 8260D	cis-1,2-DCE 8260D	Trans-1,2-DCE 8260D	PCE 8280D	TCE 8280D	Vinyl Chloride 8280D	1,4-Dioxane 8260D SIM	Sample Specific Notes / Special Instructions:
TRIP BLANK_51		---	---	1							1					NG	X	X	X	X	X	X		1 Trip Blank	
MW-44_021126		02/11/26	09:55	6							6					NG	X	X	X	X	X	X		3 VOAs for 8260D 3 VOAs for 8260D SIM	
MW-70_021126		02/11/26	11:00	6							6					NG	X	X	X	X	X	X			
MW-2245_021126		02/11/26	12:05	6							6					NG	X	X	X	X	X	X			
MW-07_021126		02/11/26	13:15	6							6					NG	X	X	X	X	X	X			
Possible Hazard Identification		<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown										Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)													
Special Instructions/QC Requirements & Comments:		<input checked="" type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																							
Submit all results through Cadena at jtomalla@cadenaco.com, Cadena #E203728 Level IV Reporting requested.		Onsite																							
Relinquished by: <i>[Signature]</i>		Company: Arcadis			Date/Time: 2/11/26 14:00			Received by: <i>[Signature]</i> Cold Storage			Company: Arcadis			Date/Time: 2/11/26 14:00											
Relinquished by: <i>[Signature]</i>		Company: Arcadis			Date/Time: 2/13/26 1640			Received by: <i>[Signature]</i>			Company: EETA			Date/Time: 2/13/26											
Relinquished by: <i>[Signature]</i>		Company: EETA			Date/Time: 2/13/26 1640			Received in Laboratory by: <i>[Signature]</i> MICHAEL BUTKE			Company: EETA			Date/Time: 2/14/26 800											



1
2
3
4
5
6
7
8
9
10
11
12
13
14

©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

Eurofins - Cleveland Sample Receipt Form/Narrative
Barberton Facility

Login #

Client AECADIS

Site Name

Cooler unpacked by: LWS

Cooler Received on 2/14/26

Opened on 2/14/26

FedEx 1st Grd Exp UPS

RAS Warranty

Client Drop Off

Eurofins Courier

Other

Receipt After-hours Drop-off Date/Time

Storage Location

Eurofins Cooler # EC

Foam Box

Client Cooler

Box

Other

Packing material used Bubble Wrap

Foam

Plastic Bags

None

Other

COOLANT Wet Ice

Blue Ice

Dry Ice

Water

None

1 Cooler temperature upon receipt

See Multiple Cooler Form

IR GUN # WY 17

(CF 0.5 °C)

Observed Cooler Temp. 0.9 °C

Corrected Cooler Temp 1.4 °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity

-Were the seals on the outside of the cooler(s) signed & dated?

-Were tamper/custody seals on the bottle(s) or bottle kis (LLHg/MeHg)?

-Were tamper/custody seals intact and uncompromised?

3 Shippers' packing slip attached to the cooler(s)?

4 Did custody papers accompany the sample(s)?

5 Were the custody papers relinquished & signed in the appropriate place?

6 Was/were the person(s) who collected the samples clearly identified on the COC?

7 Did all bottles arrive in good condition (Unbroken)?

8 Could all bottle labels (ID/Date/Time) be reconciled with the COC?

9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?

10 Were correct bottle(s) used for the test(s) indicated?

11 Sufficient quantity received to perform indicated analyses?

12 Are these work share samples and all listed on the COC?

13 Were all preserved sample(s) at the correct pH upon receipt?

14 Were VOAs on the COC?

15 Were air bubbles >6 mm in any VOA vials? Larger than this

16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # Q229011

17 Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page

Labeled by: MICHAEL BUTKE

Labels Verified by: MICHAEL BUTKE

19 SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container

Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20 SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory

Time preserved _____ Preservative(s) added/Lot number(s) _____

VOA Sample Preservation - Date/Time VOAs Frozen _____

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u> pH	<u>Preservation</u> Temp	<u>Preservation</u> Added	<u>Preservation</u> Lot Number
TRIP BLANK_51	240-243335-A-1	Voa Vial 40ml - Hydrochloric Acid				
MW-44_021126	240-243335-A-2	Voa Vial 40ml - Hydrochloric Acid				
MW-44_021126	240-243335-B-2	Voa Vial 40ml - Hydrochloric Acid				
MW-44_021126	240-243335-C-2	Voa Vial 40ml - Hydrochloric Acid				
MW-44_021126	240-243335-D-2	Voa Vial 40ml - Hydrochloric Acid				
MW-44_021126	240-243335-E-2	Voa Vial 40ml - Hydrochloric Acid				
MW-44_021126	240-243335-F-2	Voa Vial 40ml - Hydrochloric Acid				
MW-70_021126	240-243335-A-3	Voa Vial 40ml - Hydrochloric Acid				
MW-70_021126	240-243335-B-3	Voa Vial 40ml - Hydrochloric Acid				
MW-70_021126	240-243335-C-3	Voa Vial 40ml - Hydrochloric Acid				
MW-70_021126	240-243335-D-3	Voa Vial 40ml - Hydrochloric Acid				
MW-70_021126	240-243335-E-3	Voa Vial 40ml - Hydrochloric Acid				
MW-70_021126	240-243335-F-3	Voa Vial 40ml - Hydrochloric Acid				
MW-224S_021126	240-243335-A-4	Voa Vial 40ml - Hydrochloric Acid				
MW-224S_021126	240-243335-B-4	Voa Vial 40ml - Hydrochloric Acid				
MW-224S_021126	240-243335-C-4	Voa Vial 40ml - Hydrochloric Acid				
MW-224S_021126	240-243335-D-4	Voa Vial 40ml - Hydrochloric Acid				
MW-224S_021126	240-243335-E-4	Voa Vial 40ml - Hydrochloric Acid				
MW-224S_021126	240-243335-F-4	Voa Vial 40ml - Hydrochloric Acid				
MW-07_021126	240-243335-A-5	Voa Vial 40ml - Hydrochloric Acid				
MW-07_021126	240-243335-B-5	Voa Vial 40ml - Hydrochloric Acid				
MW-07_021126	240-243335-C-5	Voa Vial 40ml - Hydrochloric Acid				
MW-07_021126	240-243335-D-5	Voa Vial 40ml - Hydrochloric Acid				
MW-07_021126	240-243335-E-5	Voa Vial 40ml - Hydrochloric Acid				
MW-07_021126	240-243335-F-5	Voa Vial 40ml - Hydrochloric Acid				

DATA VERIFICATION REPORT



February 23, 2026

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil
Project number: 30309849.401.04
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 243335-1
Sample date: 2026-02-11
Report received by CADENA: 2026-02-23
Initial Data Verification completed by CADENA: 2026-02-23
Number of Samples:5
Sample Matrices:Water
Test Categories:GCMS VOC
Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch CCV response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 243335-1

Sample Name: TRIP BLANK_51	MW-44_021126	MW-70_021126	MW-224S_021126	MW-07_021126
Lab Sample ID: 2402433351	2402433352	2402433353	2402433354	2402433355
Sample Date: 2/11/2026	2/11/2026	2/11/2026	2/11/2026	2/11/2026

Analyte	Cas No.	Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid		
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MSVOC																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	10	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	70	10	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	10	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	10	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	10	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	0.62	1.0	ug/l	J	570	20	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					3.8	2.0	ug/l	---	7.7	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---