

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Ms. Megan Meckley  
Arcadis US Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 2/23/2026 1:24:37 PM

## JOB DESCRIPTION

Ford LTP

## JOB NUMBER

240-243337-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
2/23/2026 1:24:37 PM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)966-9783



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	13
QC Sample Results . . . . .	14
QC Association Summary . . . . .	18
Lab Chronicle . . . . .	19
Certification Summary . . . . .	20
Chain of Custody . . . . .	21

# Definitions/Glossary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-243337-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Arcadis US Inc.  
Project: Ford LTP

Job ID: 240-243337-1

**Job ID: 240-243337-1**

**Eurofins Cleveland**

## Job Narrative 240-243337-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### Receipt

The samples were received on 2/14/2026 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.4°C and 3.1°C.

### GC/MS VOA

Method 8260D: The continuing calibration verification (CCV) associated with batch 240-690894 recovered above the upper control limit for Vinyl chloride. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

# Method Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-243337-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Sample Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-243337-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
240-243337-1	TRIP BLANK_44	Water	02/12/26 00:00	02/14/26 08:00	Michigan
240-243337-2	MW-21_021226	Water	02/12/26 11:10	02/14/26 08:00	Michigan
240-243337-3	MW-220S_021226	Water	02/12/26 12:30	02/14/26 08:00	Michigan
240-243337-4	MW-219S_021226	Water	02/12/26 13:50	02/14/26 08:00	Michigan

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-243337-1

**Client Sample ID: TRIP BLANK\_44**

**Lab Sample ID: 240-243337-1**

No Detections.

**Client Sample ID: MW-21\_021226**

**Lab Sample ID: 240-243337-2**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	2.3		2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	2.6		1.0	0.46	ug/L	1		8260D	Total/NA
Vinyl chloride	2.4		1.0	0.45	ug/L	1		8260D	Total/NA

**Client Sample ID: MW-220S\_021226**

**Lab Sample ID: 240-243337-3**

No Detections.

**Client Sample ID: MW-219S\_021226**

**Lab Sample ID: 240-243337-4**

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-243337-1

**Client Sample ID: TRIP BLANK\_44**

**Lab Sample ID: 240-243337-1**

Date Collected: 02/12/26 00:00

Matrix: Water

Date Received: 02/14/26 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/19/26 14:06	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/19/26 14:06	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 14:06	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/19/26 14:06	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 14:06	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/19/26 14:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		62 - 137		02/19/26 14:06	1
4-Bromofluorobenzene (Surr)	95		56 - 136		02/19/26 14:06	1
Toluene-d8 (Surr)	98		78 - 122		02/19/26 14:06	1
Dibromofluoromethane (Surr)	103		73 - 120		02/19/26 14:06	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-243337-1

**Client Sample ID: MW-21\_021226**

**Lab Sample ID: 240-243337-2**

Date Collected: 02/12/26 11:10

Matrix: Water

Date Received: 02/14/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>1,4-Dioxane</b>	<b>2.3</b>		2.0	0.86	ug/L			02/20/26 16:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		64 - 136					02/20/26 16:04	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/19/26 18:02	1
<b>cis-1,2-Dichloroethene</b>	<b>2.6</b>		1.0	0.46	ug/L			02/19/26 18:02	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 18:02	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/19/26 18:02	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 18:02	1
<b>Vinyl chloride</b>	<b>2.4</b>		1.0	0.45	ug/L			02/20/26 14:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		62 - 137					02/19/26 18:02	1
1,2-Dichloroethane-d4 (Surr)	101		62 - 137					02/20/26 14:02	1
4-Bromofluorobenzene (Surr)	100		56 - 136					02/19/26 18:02	1
4-Bromofluorobenzene (Surr)	89		56 - 136					02/20/26 14:02	1
Toluene-d8 (Surr)	102		78 - 122					02/19/26 18:02	1
Toluene-d8 (Surr)	90		78 - 122					02/20/26 14:02	1
Dibromofluoromethane (Surr)	104		73 - 120					02/19/26 18:02	1
Dibromofluoromethane (Surr)	95		73 - 120					02/20/26 14:02	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-243337-1

**Client Sample ID: MW-220S\_021226**

**Lab Sample ID: 240-243337-3**

Date Collected: 02/12/26 12:30

Matrix: Water

Date Received: 02/14/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/20/26 16:27	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	88		64 - 136					02/20/26 16:27	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/19/26 18:26	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/19/26 18:26	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 18:26	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/19/26 18:26	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 18:26	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/19/26 18:26	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	102		62 - 137					02/19/26 18:26	1
4-Bromofluorobenzene (Surr)	101		56 - 136					02/19/26 18:26	1
Toluene-d8 (Surr)	103		78 - 122					02/19/26 18:26	1
Dibromofluoromethane (Surr)	105		73 - 120					02/19/26 18:26	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-243337-1

**Client Sample ID: MW-219S\_021226**

**Lab Sample ID: 240-243337-4**

Date Collected: 02/12/26 13:50

Matrix: Water

Date Received: 02/14/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/20/26 16:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		64 - 136					02/20/26 16:51	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/19/26 18:50	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/19/26 18:50	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 18:50	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/19/26 18:50	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 18:50	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/19/26 18:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137					02/19/26 18:50	1
4-Bromofluorobenzene (Surr)	99		56 - 136					02/19/26 18:50	1
Toluene-d8 (Surr)	103		78 - 122					02/19/26 18:50	1
Dibromofluoromethane (Surr)	100		73 - 120					02/19/26 18:50	1

# Surrogate Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-243337-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-243242-B-2 MS	Matrix Spike	95	91	88	95
240-243242-B-2 MSD	Matrix Spike Duplicate	96	88	87	94
240-243335-B-3 MS	Matrix Spike	103	106	101	103
240-243335-B-3 MSD	Matrix Spike Duplicate	104	106	104	104
240-243337-1	TRIP BLANK_44	102	95	98	103
240-243337-2	MW-21_021226	103	100	102	104
240-243337-2	MW-21_021226	101	89	90	95
240-243337-3	MW-220S_021226	102	101	103	105
240-243337-4	MW-219S_021226	100	99	103	100
LCS 240-690894/3	Lab Control Sample	99	103	99	101
LCS 240-691015/4	Lab Control Sample	97	91	88	95
MB 240-690894/7	Method Blank	100	103	105	103
MB 240-691015/9	Method Blank	98	87	88	93

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (64-136)
240-243337-2	MW-21_021226	88
240-243337-3	MW-220S_021226	88
240-243337-4	MW-219S_021226	89
500-281614-C-7 MS	Matrix Spike	87
500-281614-C-7 MSD	Matrix Spike Duplicate	85
LCS 240-691011/4	Lab Control Sample	91
MB 240-691011/6	Method Blank	85

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-243337-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

**Lab Sample ID: MB 240-690894/7**  
**Matrix: Water**  
**Analysis Batch: 690894**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/19/26 11:13	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/19/26 11:13	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 11:13	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/19/26 11:13	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/19/26 11:13	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/19/26 11:13	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		02/19/26 11:13	1
4-Bromofluorobenzene (Surr)	103		56 - 136		02/19/26 11:13	1
Toluene-d8 (Surr)	105		78 - 122		02/19/26 11:13	1
Dibromofluoromethane (Surr)	103		73 - 120		02/19/26 11:13	1

**Lab Sample ID: LCS 240-690894/3**  
**Matrix: Water**  
**Analysis Batch: 690894**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	25.9		ug/L		104	77 - 123
Tetrachloroethene	25.0	25.7		ug/L		103	76 - 123
trans-1,2-Dichloroethene	25.0	24.6		ug/L		99	75 - 124
Trichloroethene	25.0	25.2		ug/L		101	70 - 122
Vinyl chloride	25.0	33.1		ug/L		132	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	103		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	101		73 - 120

**Lab Sample ID: 240-243335-B-3 MS**  
**Matrix: Water**  
**Analysis Batch: 690894**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
	Result	Qualifier							
1,1-Dichloroethene	10	U	250	230		ug/L		92	56 - 135
cis-1,2-Dichloroethene	70		250	314		ug/L		98	66 - 128
Tetrachloroethene	10	U	250	224		ug/L		89	62 - 131
trans-1,2-Dichloroethene	10	U	250	226		ug/L		90	56 - 136
Trichloroethene	10	U	250	225		ug/L		90	61 - 124
Vinyl chloride	690	E	250	1050	E	ug/L		144	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	103		62 - 137
4-Bromofluorobenzene (Surr)	106		56 - 136
Toluene-d8 (Surr)	101		78 - 122

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-243337-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 240-243335-B-3 MS**  
**Matrix: Water**  
**Analysis Batch: 690894**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	103		73 - 120

**Lab Sample ID: 240-243335-B-3 MSD**  
**Matrix: Water**  
**Analysis Batch: 690894**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec	%Rec	Limits	RPD	RPD	Limit
	Result	Qualifier		Result	Qualifier								
1,1-Dichloroethene	10	U	250	252		ug/L		101	56 - 135		9		26
cis-1,2-Dichloroethene	70		250	331		ug/L		104	66 - 128		5		14
Tetrachloroethene	10	U	250	245		ug/L		98	62 - 131		9		20
trans-1,2-Dichloroethene	10	U	250	252		ug/L		101	56 - 136		11		15
Trichloroethene	10	U	250	257		ug/L		103	61 - 124		13		15
Vinyl chloride	690	E	250	1040	E	ug/L		138	43 - 157		1		24

  

Surrogate	MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	104		62 - 137
4-Bromofluorobenzene (Surr)	106		56 - 136
Toluene-d8 (Surr)	104		78 - 122
Dibromofluoromethane (Surr)	104		73 - 120

**Lab Sample ID: MB 240-691015/9**  
**Matrix: Water**  
**Analysis Batch: 691015**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L		02/20/26 11:11	1	
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L		02/20/26 11:11	1	
Tetrachloroethene	1.0	U	1.0	0.44	ug/L		02/20/26 11:11	1	
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L		02/20/26 11:11	1	
Trichloroethene	1.0	U	1.0	0.44	ug/L		02/20/26 11:11	1	
Vinyl chloride	1.0	U	1.0	0.45	ug/L		02/20/26 11:11	1	

  

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		02/20/26 11:11	1
4-Bromofluorobenzene (Surr)	87		56 - 136		02/20/26 11:11	1
Toluene-d8 (Surr)	88		78 - 122		02/20/26 11:11	1
Dibromofluoromethane (Surr)	93		73 - 120		02/20/26 11:11	1

**Lab Sample ID: LCS 240-691015/4**  
**Matrix: Water**  
**Analysis Batch: 691015**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike	LCS		Unit	D	%Rec	%Rec
		Added	Result				
1,1-Dichloroethene	25.0	22.4		ug/L		90	63 - 134
cis-1,2-Dichloroethene	25.0	21.4		ug/L		86	77 - 123
Tetrachloroethene	25.0	22.5		ug/L		90	76 - 123
trans-1,2-Dichloroethene	25.0	21.1		ug/L		84	75 - 124
Trichloroethene	25.0	25.1		ug/L		100	70 - 122

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-243337-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-691015/4

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 691015

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	12.5	12.6		ug/L		101	60 - 144

  

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	91		56 - 136
Toluene-d8 (Surr)	88		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-243242-B-2 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 691015

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	50	U	1250	1080		ug/L		86	56 - 135
cis-1,2-Dichloroethene	50	U	1250	1080		ug/L		87	66 - 128
Tetrachloroethene	50	U	1250	1060		ug/L		84	62 - 131
trans-1,2-Dichloroethene	50	U	1250	1020		ug/L		82	56 - 136
Trichloroethene	50	U	1250	1190		ug/L		95	61 - 124
Vinyl chloride	50	U	625	609		ug/L		97	43 - 157

  

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	95		62 - 137
4-Bromofluorobenzene (Surr)	91		56 - 136
Toluene-d8 (Surr)	88		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-243242-B-2 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 691015

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	50	U	1250	1050		ug/L		84	56 - 135	2	26
cis-1,2-Dichloroethene	50	U	1250	1080		ug/L		87	66 - 128	0	14
Tetrachloroethene	50	U	1250	1010		ug/L		80	62 - 131	5	20
trans-1,2-Dichloroethene	50	U	1250	1030		ug/L		83	56 - 136	1	15
Trichloroethene	50	U	1250	1200		ug/L		96	61 - 124	1	15
Vinyl chloride	50	U	625	599		ug/L		96	43 - 157	2	24

  

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	88		56 - 136
Toluene-d8 (Surr)	87		78 - 122
Dibromofluoromethane (Surr)	94		73 - 120

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-243337-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-691011/6

Matrix: Water

Analysis Batch: 691011

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/20/26 10:35	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	85		64 - 136					02/20/26 10:35	1

Lab Sample ID: LCS 240-691011/4

Matrix: Water

Analysis Batch: 691011

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.17		ug/L		82	68 - 120
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1,2-Dichloroethane-d4 (Surr)	91		64 - 136				

Lab Sample ID: 500-281614-C-7 MS

Matrix: Water

Analysis Batch: 691011

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	5900		500	6810	4	ug/L		188	45 - 145
Surrogate	MS %Recovery	MS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	87		64 - 136						

Lab Sample ID: 500-281614-C-7 MSD

Matrix: Water

Analysis Batch: 691011

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	5900		500	6350	4	ug/L		97	45 - 145	7	19
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	85		64 - 136								

# QC Association Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-243337-1

## GC/MS VOA

### Analysis Batch: 690894

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-243337-1	TRIP BLANK_44	Total/NA	Water	8260D	
240-243337-2	MW-21_021226	Total/NA	Water	8260D	
240-243337-3	MW-220S_021226	Total/NA	Water	8260D	
240-243337-4	MW-219S_021226	Total/NA	Water	8260D	
MB 240-690894/7	Method Blank	Total/NA	Water	8260D	
LCS 240-690894/3	Lab Control Sample	Total/NA	Water	8260D	
240-243335-B-3 MS	Matrix Spike	Total/NA	Water	8260D	
240-243335-B-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

### Analysis Batch: 691011

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-243337-2	MW-21_021226	Total/NA	Water	8260D SIM	
240-243337-3	MW-220S_021226	Total/NA	Water	8260D SIM	
240-243337-4	MW-219S_021226	Total/NA	Water	8260D SIM	
MB 240-691011/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-691011/4	Lab Control Sample	Total/NA	Water	8260D SIM	
500-281614-C-7 MS	Matrix Spike	Total/NA	Water	8260D SIM	
500-281614-C-7 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

### Analysis Batch: 691015

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-243337-2	MW-21_021226	Total/NA	Water	8260D	
MB 240-691015/9	Method Blank	Total/NA	Water	8260D	
LCS 240-691015/4	Lab Control Sample	Total/NA	Water	8260D	
240-243242-B-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-243242-B-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

# Lab Chronicle

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-243337-1

**Client Sample ID: TRIP BLANK\_44**

**Lab Sample ID: 240-243337-1**

Date Collected: 02/12/26 00:00

Matrix: Water

Date Received: 02/14/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	690894	LEE	EET CLE	02/19/26 14:06

**Client Sample ID: MW-21\_021226**

**Lab Sample ID: 240-243337-2**

Date Collected: 02/12/26 11:10

Matrix: Water

Date Received: 02/14/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	690894	LEE	EET CLE	02/19/26 18:02
Total/NA	Analysis	8260D		1	691015	LEE	EET CLE	02/20/26 14:02
Total/NA	Analysis	8260D SIM		1	691011	MDH	EET CLE	02/20/26 16:04

**Client Sample ID: MW-220S\_021226**

**Lab Sample ID: 240-243337-3**

Date Collected: 02/12/26 12:30

Matrix: Water

Date Received: 02/14/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	690894	LEE	EET CLE	02/19/26 18:26
Total/NA	Analysis	8260D SIM		1	691011	MDH	EET CLE	02/20/26 16:27

**Client Sample ID: MW-219S\_021226**

**Lab Sample ID: 240-243337-4**

Date Collected: 02/12/26 13:50

Matrix: Water

Date Received: 02/14/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	690894	LEE	EET CLE	02/19/26 18:50
Total/NA	Analysis	8260D SIM		1	691011	MDH	EET CLE	02/20/26 16:51

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# Accreditation/Certification Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-243337-1

## Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	09-30-26
Georgia	State	4062	02-27-26
Illinois	NELAP	200004	08-31-26
Iowa	State	421	06-01-27
Kentucky (UST)	State	112225	02-27-26
Kentucky (WW)	State	KY98016	12-31-26
Minnesota	NELAP	039-999-348	12-31-26
New Hampshire	NELAP	2250	09-30-26
New Jersey	NELAP	OH001	06-30-26
New York	NELAP	10975	04-01-26
North Dakota	State	R-244	02-27-26
Ohio	State	8303	02-27-26
Ohio VAP	State	ORELAP 4062	02-27-26
Oregon	NELAP	4062	02-27-26
Pennsylvania	NELAP	68-00340	08-31-26
Texas	NELAP	T104704517	08-31-26
US Fish & Wildlife	US Federal Programs	A26406	02-28-26
USDA	US Federal Programs	525-24-5-34740	01-05-27
Virginia	NELAP	460175	09-30-26
West Virginia DEP	State	210	03-31-26
Wisconsin	State	399167560	08-31-26





Eurofins - Cleveland Sample Receipt Form/Narrative Login # \_\_\_\_\_  
 Barberton Facility

Client AECADIS Site Name \_\_\_\_\_ Cooler unpacked by: KWS

Cooler Received on 2/14/20 UPS FAS Waypoint Client Drop Off 2/14/20 Eurofins Courier Other \_\_\_\_\_

Receipt After-hours Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

Eurofins Cooler # EC Foam Box Roam Client Cooler Plastic Bag Box \_\_\_\_\_ Other \_\_\_\_\_  
 Packing material used Bubble Wrap Wet Ice Blue Ice Dry Ice Water None  
 COOLANT \_\_\_\_\_  
 1 Cooler temperature upon receipt  See Multiple Cooler Form  
 IR GUN # 10217 (CF 0.5 °C) Observed Cooler Temp. 0.9 °C Corrected Cooler Temp 1.4 °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity \_\_\_\_\_  
 -Were the seals on the outside of the cooler(s) signed & dated?  Yes  No  NA  
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?  Yes  No  NA  
 -Were tamper/custody seals intact and uncompromised?  Yes  No  NA  
 3 Shippers' packing slip attached to the cooler(s)?  Yes  No  
 4. Did custody papers accompany the sample(s)?  Yes  No  
 5 Were the custody papers relinquished & signed in the appropriate place?  Yes  No  
 6 Was/were the person(s) who collected the samples clearly identified on the COC?  Yes  No  
 7 Did all bottles arrive in good condition (Unbroken)?  Yes  No  
 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC?  Yes  No  
 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?  Yes  No  
 10 Were correct bottle(s) used for the test(s) indicated?  Yes  No  
 11 Sufficient quantity received to perform indicated analyses?  Yes  No  
 12 Are these work share samples and all listed on the COC?  Yes  No  
 13 Were all preserved sample(s) at the correct pH upon receipt?  Yes  No  NA pH Strip Lot# HC567196  
 14 Were VOAAs on the COC?  Yes  No  
 15 Were air bubbles >6 mm in any VOA vials?  Yes  No  NA  
 16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 022901  Yes  No  
 17 Was a LL Hg or Me Hg trip blank present?  Yes  No

Tests that are not checked for pH by Receiving:  
 VOAs  
 Oil and Grease  
 TOC

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_  
 Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page  
 Labeled by: MICHAEL BUTKE  
 Labels Verified by: MICHAEL BUTKE

19. SAMPLE CONDITION  
 Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired  
 Sample(s) \_\_\_\_\_ were received in a broken container  
 Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION  
 Sample(s) \_\_\_\_\_ were further preserved in the laboratory  
 Time preserved \_\_\_\_\_ Preservative(s) added/Lot number(s) \_\_\_\_\_  
 VOA Sample Preservation - Date/Time VOAs Frozen \_\_\_\_\_



Temperature readings

Client Sample ID	Lab ID	Container Type	Container pH	Preservation Temp	Preservation Added	Preservation Lot Number
TRIP BLANK_44	240-243337-A-1	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-21_021226	240-243337-A-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-21_021226	240-243337-B-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-21_021226	240-243337-C-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-21_021226	240-243337-D-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-21_021226	240-243337-E-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-21_021226	240-243337-F-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-220S_021226	240-243337-A-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-220S_021226	240-243337-B-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-220S_021226	240-243337-C-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-220S_021226	240-243337-D-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-220S_021226	240-243337-E-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-219S_021226	240-243337-A-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-219S_021226	240-243337-B-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-219S_021226	240-243337-C-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-219S_021226	240-243337-D-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-219S_021226	240-243337-E-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-219S_021226	240-243337-F-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____

# DATA VERIFICATION REPORT



February 23, 2026

Megan Meckley  
Arcadis  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728  
Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil  
Project number: 30309849.401.04  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Cleveland  
Laboratory submittal: 243337-1  
Sample date: 2026-02-12  
Report received by CADENA: 2026-02-23  
Initial Data Verification completed by CADENA: 2026-02-23  
Number of Samples:4  
Sample Matrices:Water  
Test Categories:GCMS VOC  
**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch CCV response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

## Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 243337-1

Analyte	Cas No.	Sample Name: TRIP BLANK_44				MW-21_021226				MW-220S_021226				MW-219S_021226			
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
		2402433371				2402433372				2402433373				2402433374			
		2/12/2026				2/12/2026				2/12/2026				2/12/2026			

### GC/MS VOC

#### OSW-8260D

1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	2.6	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	2.4	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---

#### OSW-8260DSIM

1,4-Dioxane	123-91-1					2.3	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---
-------------	----------	--	--	--	--	-----	-----	------	-----	----	-----	------	-----	----	-----	------	-----