

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 2/25/2026 2:52:55 PM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-243649-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
2/25/2026 2:52:55 PM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)966-9783



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	20
Lab Chronicle	21
Certification Summary	22
Chain of Custody	23

Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis US Inc.
Project: Ford LTP

Job ID: 240-243649-1

Job ID: 240-243649-1

Eurofins Cleveland

Job Narrative 240-243649-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 2/18/2026 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.3°C and 4.0°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
240-243649-1	TRIP BLANK_41	Water	02/13/26 00:00	02/18/26 08:00	Michigan
240-243649-2	MW-03_021326	Water	02/13/26 10:35	02/18/26 08:00	Michigan
240-243649-3	MW-05_021326	Water	02/13/26 11:25	02/18/26 08:00	Michigan
240-243649-4	MW-10_021326	Water	02/13/26 12:20	02/18/26 08:00	Michigan

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Client Sample ID: TRIP BLANK_41

Lab Sample ID: 240-243649-1

No Detections.

Client Sample ID: MW-03_021326

Lab Sample ID: 240-243649-2

No Detections.

Client Sample ID: MW-05_021326

Lab Sample ID: 240-243649-3

No Detections.

Client Sample ID: MW-10_021326

Lab Sample ID: 240-243649-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	4.6		2.0	0.86	ug/L	1		8260D SIM	Total/NA
cis-1,2-Dichloroethene	2.2		1.0	0.46	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	1.6		1.0	0.51	ug/L	1		8260D	Total/NA
Vinyl chloride	5700		200	90	ug/L	200		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Client Sample ID: TRIP BLANK_41

Lab Sample ID: 240-243649-1

Date Collected: 02/13/26 00:00

Matrix: Water

Date Received: 02/18/26 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/23/26 18:17	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/23/26 18:17	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/23/26 18:17	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/23/26 18:17	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/23/26 18:17	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/23/26 18:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		62 - 137		02/23/26 18:17	1
4-Bromofluorobenzene (Surr)	98		56 - 136		02/23/26 18:17	1
Toluene-d8 (Surr)	91		78 - 122		02/23/26 18:17	1
Dibromofluoromethane (Surr)	104		73 - 120		02/23/26 18:17	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Client Sample ID: MW-03_021326

Lab Sample ID: 240-243649-2

Date Collected: 02/13/26 10:35

Matrix: Water

Date Received: 02/18/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/23/26 18:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		64 - 136					02/23/26 18:26	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/23/26 18:40	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/23/26 18:40	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/23/26 18:40	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/23/26 18:40	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/23/26 18:40	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/23/26 18:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		62 - 137					02/23/26 18:40	1
4-Bromofluorobenzene (Surr)	97		56 - 136					02/23/26 18:40	1
Toluene-d8 (Surr)	93		78 - 122					02/23/26 18:40	1
Dibromofluoromethane (Surr)	108		73 - 120					02/23/26 18:40	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Client Sample ID: MW-05_021326

Lab Sample ID: 240-243649-3

Date Collected: 02/13/26 11:25

Matrix: Water

Date Received: 02/18/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/23/26 18:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		64 - 136					02/23/26 18:50	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/23/26 19:03	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/23/26 19:03	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/23/26 19:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/23/26 19:03	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/23/26 19:03	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/23/26 19:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		62 - 137					02/23/26 19:03	1
4-Bromofluorobenzene (Surr)	99		56 - 136					02/23/26 19:03	1
Toluene-d8 (Surr)	93		78 - 122					02/23/26 19:03	1
Dibromofluoromethane (Surr)	108		73 - 120					02/23/26 19:03	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Client Sample ID: MW-10_021326

Lab Sample ID: 240-243649-4

Date Collected: 02/13/26 12:20

Matrix: Water

Date Received: 02/18/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	4.6		2.0	0.86	ug/L			02/23/26 19:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		64 - 136					02/23/26 19:13	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/23/26 16:21	1
cis-1,2-Dichloroethene	2.2		1.0	0.46	ug/L			02/23/26 16:21	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/23/26 16:21	1
trans-1,2-Dichloroethene	1.6		1.0	0.51	ug/L			02/23/26 16:21	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/23/26 16:21	1
Vinyl chloride	5700		200	90	ug/L			02/24/26 15:44	200
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		62 - 137					02/23/26 16:21	1
1,2-Dichloroethane-d4 (Surr)	98		62 - 137					02/24/26 15:44	200
4-Bromofluorobenzene (Surr)	98		56 - 136					02/23/26 16:21	1
4-Bromofluorobenzene (Surr)	96		56 - 136					02/24/26 15:44	200
Toluene-d8 (Surr)	101		78 - 122					02/23/26 16:21	1
Toluene-d8 (Surr)	101		78 - 122					02/24/26 15:44	200
Dibromofluoromethane (Surr)	99		73 - 120					02/23/26 16:21	1
Dibromofluoromethane (Surr)	96		73 - 120					02/24/26 15:44	200

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-243647-B-2 MS	Matrix Spike	98	107	94	98
240-243647-B-2 MSD	Matrix Spike Duplicate	99	108	98	97
240-243649-1	TRIP BLANK_41	108	98	91	104
240-243649-2	MW-03_021326	110	97	93	108
240-243649-3	MW-05_021326	108	99	93	108
240-243649-4	MW-10_021326	102	98	101	99
240-243649-4	MW-10_021326	98	96	101	96
240-243649-4 MS	MW-10_021326	102	97	99	97
240-243649-4 MSD	MW-10_021326	103	96	100	99
240-243657-E-5 MS	Matrix Spike	98	96	101	100
240-243657-E-5 MSD	Matrix Spike Duplicate	99	100	100	101
LCS 240-691174/4	Lab Control Sample	99	107	97	99
LCS 240-691205/3	Lab Control Sample	98	101	99	102
LCS 240-691330/4	Lab Control Sample	96	93	96	97
MB 240-691174/8	Method Blank	110	99	92	110
MB 240-691205/7	Method Blank	98	97	102	96
MB 240-691330/8	Method Blank	94	94	99	94

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (64-136)
240-243647-E-2 MS	Matrix Spike	93
240-243647-E-2 MSD	Matrix Spike Duplicate	90
240-243649-2	MW-03_021326	89
240-243649-3	MW-05_021326	92
240-243649-4	MW-10_021326	88
LCS 240-691197/4	Lab Control Sample	84
MB 240-691197/6	Method Blank	83

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (10-150)
MRL 240-691197/5	Lab Control Sample	82

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-691174/8

Matrix: Water

Analysis Batch: 691174

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/23/26 11:48	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/23/26 11:48	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/23/26 11:48	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/23/26 11:48	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/23/26 11:48	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/23/26 11:48	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	110		62 - 137		02/23/26 11:48	1
4-Bromofluorobenzene (Surr)	99		56 - 136		02/23/26 11:48	1
Toluene-d8 (Surr)	92		78 - 122		02/23/26 11:48	1
Dibromofluoromethane (Surr)	110		73 - 120		02/23/26 11:48	1

Lab Sample ID: LCS 240-691174/4

Matrix: Water

Analysis Batch: 691174

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	26.5		ug/L		106	77 - 123
Tetrachloroethene	25.0	23.8		ug/L		95	76 - 123
trans-1,2-Dichloroethene	25.0	24.2		ug/L		97	75 - 124
Trichloroethene	25.0	25.1		ug/L		100	70 - 122
Vinyl chloride	12.5	10.2		ug/L		81	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	107		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

Lab Sample ID: 240-243647-B-2 MS

Matrix: Water

Analysis Batch: 691174

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	1.0	U	25.0	22.4			90	66 - 128	
Tetrachloroethene	1.0	U	25.0	19.8			79	62 - 131	
trans-1,2-Dichloroethene	1.0	U	25.0	20.4			82	56 - 136	
Trichloroethene	1.0	U	25.0	21.0			84	61 - 124	
Vinyl chloride	1.0	U	12.5	8.93			71	43 - 157	

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	98		62 - 137
4-Bromofluorobenzene (Surr)	107		56 - 136
Toluene-d8 (Surr)	94		78 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-243647-B-2 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 691174

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	98		73 - 120

Lab Sample ID: 240-243647-B-2 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 691174

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	23.8		ug/L		95	56 - 135	6	26
cis-1,2-Dichloroethene	1.0	U	25.0	23.4		ug/L		94	66 - 128	4	14
Tetrachloroethene	1.0	U	25.0	20.7		ug/L		83	62 - 131	4	20
trans-1,2-Dichloroethene	1.0	U	25.0	21.7		ug/L		87	56 - 136	6	15
Trichloroethene	1.0	U	25.0	21.8		ug/L		87	61 - 124	4	15
Vinyl chloride	1.0	U	12.5	9.71		ug/L		78	43 - 157	8	24

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	108		56 - 136
Toluene-d8 (Surr)	98		78 - 122
Dibromofluoromethane (Surr)	97		73 - 120

Lab Sample ID: MB 240-691205/7

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 691205

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/23/26 12:20	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/23/26 12:20	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/23/26 12:20	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/23/26 12:20	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/23/26 12:20	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/23/26 12:20	1

	MB	MB		Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits			
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		02/23/26 12:20	1
4-Bromofluorobenzene (Surr)	97		56 - 136		02/23/26 12:20	1
Toluene-d8 (Surr)	102		78 - 122		02/23/26 12:20	1
Dibromofluoromethane (Surr)	96		73 - 120		02/23/26 12:20	1

Lab Sample ID: LCS 240-691205/3

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 691205

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	25.5		ug/L		102	63 - 134
cis-1,2-Dichloroethene	25.0	24.7		ug/L		99	77 - 123
Tetrachloroethene	25.0	24.5		ug/L		98	76 - 123
trans-1,2-Dichloroethene	25.0	24.8		ug/L		99	75 - 124
Trichloroethene	25.0	25.0		ug/L		100	70 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 240-691205/3

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 691205

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Vinyl chloride	25.0	27.3		ug/L		109	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		62 - 137
4-Bromofluorobenzene (Surr)	101		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	102		73 - 120

Lab Sample ID: 240-243657-E-5 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 691205

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	25.0	21.1		ug/L		85	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	23.5		ug/L		94	66 - 128
Tetrachloroethene	1.0	U	25.0	19.5		ug/L		78	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	20.9		ug/L		84	56 - 136
Trichloroethene	1.0	U	25.0	20.8		ug/L		83	61 - 124
Vinyl chloride	1.0	U	12.5	10.1		ug/L		81	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		62 - 137
4-Bromofluorobenzene (Surr)	96		56 - 136
Toluene-d8 (Surr)	101		78 - 122
Dibromofluoromethane (Surr)	100		73 - 120

Lab Sample ID: 240-243657-E-5 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 691205

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	25.0	21.7		ug/L		87	56 - 135	3	26
cis-1,2-Dichloroethene	1.0	U	25.0	22.1		ug/L		88	66 - 128	6	14
Tetrachloroethene	1.0	U	25.0	19.4		ug/L		78	62 - 131	0	20
trans-1,2-Dichloroethene	1.0	U	25.0	20.7		ug/L		83	56 - 136	1	15
Trichloroethene	1.0	U	25.0	20.9		ug/L		84	61 - 124	0	15
Vinyl chloride	1.0	U	12.5	11.9		ug/L		95	43 - 157	17	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	101		73 - 120

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-691330/8

Matrix: Water

Analysis Batch: 691330

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/24/26 11:30	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/24/26 11:30	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/24/26 11:30	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/24/26 11:30	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/24/26 11:30	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/24/26 11:30	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	94		62 - 137		02/24/26 11:30	1
4-Bromofluorobenzene (Surr)	94		56 - 136		02/24/26 11:30	1
Toluene-d8 (Surr)	99		78 - 122		02/24/26 11:30	1
Dibromofluoromethane (Surr)	94		73 - 120		02/24/26 11:30	1

Lab Sample ID: LCS 240-691330/4

Matrix: Water

Analysis Batch: 691330

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	25.2		ug/L		101	77 - 123
Tetrachloroethene	25.0	22.9		ug/L		92	76 - 123
trans-1,2-Dichloroethene	25.0	25.5		ug/L		102	75 - 124
Trichloroethene	25.0	25.2		ug/L		101	70 - 122
Vinyl chloride	25.0	28.1		ug/L		112	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	93		56 - 136
Toluene-d8 (Surr)	96		78 - 122
Dibromofluoromethane (Surr)	97		73 - 120

Lab Sample ID: 240-243649-4 MS

Matrix: Water

Analysis Batch: 691330

Client Sample ID: MW-10_021326

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
	Result	Qualifier							
1,1-Dichloroethene	200	U	5000	5060		ug/L		101	56 - 135
cis-1,2-Dichloroethene	200	U	5000	4870		ug/L		97	66 - 128
Tetrachloroethene	200	U	5000	4390		ug/L		88	62 - 131
trans-1,2-Dichloroethene	200	U	5000	4990		ug/L		100	56 - 136
Trichloroethene	200	U	5000	4840		ug/L		97	61 - 124
Vinyl chloride	5700		5000	11400		ug/L		113	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	102		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	99		78 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-243649-4 MS
Matrix: Water
Analysis Batch: 691330

Client Sample ID: MW-10_021326
Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	97		73 - 120

Lab Sample ID: 240-243649-4 MSD
Matrix: Water
Analysis Batch: 691330

Client Sample ID: MW-10_021326
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier		Result	Qualifier				Limits		Limit
1,1-Dichloroethene	200	U	5000	5570		ug/L		111	56 - 135	10	26
cis-1,2-Dichloroethene	200	U	5000	5330		ug/L		107	66 - 128	9	14
Tetrachloroethene	200	U	5000	4780		ug/L		96	62 - 131	8	20
trans-1,2-Dichloroethene	200	U	5000	5400		ug/L		108	56 - 136	8	15
Trichloroethene	200	U	5000	5220		ug/L		104	61 - 124	8	15
Vinyl chloride	5700		5000	11600		ug/L		118	43 - 157	2	24

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103		62 - 137
4-Bromofluorobenzene (Surr)	96		56 - 136
Toluene-d8 (Surr)	100		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-691197/6
Matrix: Water
Analysis Batch: 691197

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			02/23/26 13:21	1

	MB	MB		Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits			
1,2-Dichloroethane-d4 (Surr)	83		64 - 136		02/23/26 13:21	1

Lab Sample ID: LCS 240-691197/4
Matrix: Water
Analysis Batch: 691197

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
1,4-Dioxane	10.0	7.32		ug/L		73	68 - 120

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		64 - 136

Lab Sample ID: MRL 240-691197/5
Matrix: Water
Analysis Batch: 691197

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	MRL	MRL	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
1,4-Dioxane	0.00200	0.00180	J	ng/uL		90	10 - 150

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>MRL</i> <i>%Recovery</i>	<i>MRL</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	82		10 - 150

Lab Sample ID: 240-243647-E-2 MS
Matrix: Water
Analysis Batch: 691197

Client Sample ID: Matrix Spike
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample</i> <i>Result</i>	<i>Sample</i> <i>Qualifier</i>	<i>Spike</i> <i>Added</i>	<i>MS</i> <i>Result</i>	<i>MS</i> <i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec</i> <i>Limits</i>
1,4-Dioxane	2.0	U	10.0	7.67		ug/L		77	45 - 145

<i>Surrogate</i>	<i>MS</i> <i>%Recovery</i>	<i>MS</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	93		64 - 136

Lab Sample ID: 240-243647-E-2 MSD
Matrix: Water
Analysis Batch: 691197

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample</i> <i>Result</i>	<i>Sample</i> <i>Qualifier</i>	<i>Spike</i> <i>Added</i>	<i>MSD</i> <i>Result</i>	<i>MSD</i> <i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec</i> <i>Limits</i>	<i>RPD</i> <i>Limit</i>
1,4-Dioxane	2.0	U	10.0	8.11		ug/L		81	45 - 145	6 19

<i>Surrogate</i>	<i>MSD</i> <i>%Recovery</i>	<i>MSD</i> <i>Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	90		64 - 136

QC Association Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

GC/MS VOA

Analysis Batch: 691174

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-243649-1	TRIP BLANK_41	Total/NA	Water	8260D	
240-243649-2	MW-03_021326	Total/NA	Water	8260D	
240-243649-3	MW-05_021326	Total/NA	Water	8260D	
MB 240-691174/8	Method Blank	Total/NA	Water	8260D	
LCS 240-691174/4	Lab Control Sample	Total/NA	Water	8260D	
240-243647-B-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-243647-B-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 691197

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-243649-2	MW-03_021326	Total/NA	Water	8260D SIM	
240-243649-3	MW-05_021326	Total/NA	Water	8260D SIM	
240-243649-4	MW-10_021326	Total/NA	Water	8260D SIM	
MB 240-691197/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-691197/4	Lab Control Sample	Total/NA	Water	8260D SIM	
MRL 240-691197/5	Lab Control Sample	Total/NA	Water	8260D SIM	
240-243647-E-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-243647-E-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Analysis Batch: 691205

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-243649-4	MW-10_021326	Total/NA	Water	8260D	
MB 240-691205/7	Method Blank	Total/NA	Water	8260D	
LCS 240-691205/3	Lab Control Sample	Total/NA	Water	8260D	
240-243657-E-5 MS	Matrix Spike	Total/NA	Water	8260D	
240-243657-E-5 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 691330

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-243649-4	MW-10_021326	Total/NA	Water	8260D	
MB 240-691330/8	Method Blank	Total/NA	Water	8260D	
LCS 240-691330/4	Lab Control Sample	Total/NA	Water	8260D	
240-243649-4 MS	MW-10_021326	Total/NA	Water	8260D	
240-243649-4 MSD	MW-10_021326	Total/NA	Water	8260D	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Client Sample ID: TRIP BLANK_41

Lab Sample ID: 240-243649-1

Date Collected: 02/13/26 00:00

Matrix: Water

Date Received: 02/18/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	691174	LEE	EET CLE	02/23/26 18:17

Client Sample ID: MW-03_021326

Lab Sample ID: 240-243649-2

Date Collected: 02/13/26 10:35

Matrix: Water

Date Received: 02/18/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	691174	LEE	EET CLE	02/23/26 18:40
Total/NA	Analysis	8260D SIM		1	691197	MDH	EET CLE	02/23/26 18:26

Client Sample ID: MW-05_021326

Lab Sample ID: 240-243649-3

Date Collected: 02/13/26 11:25

Matrix: Water

Date Received: 02/18/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	691174	LEE	EET CLE	02/23/26 19:03
Total/NA	Analysis	8260D SIM		1	691197	MDH	EET CLE	02/23/26 18:50

Client Sample ID: MW-10_021326

Lab Sample ID: 240-243649-4

Date Collected: 02/13/26 12:20

Matrix: Water

Date Received: 02/18/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		200	691330	HMB	EET CLE	02/24/26 15:44
Total/NA	Analysis	8260D		1	691205	SAM	EET CLE	02/23/26 16:21
Total/NA	Analysis	8260D SIM		1	691197	MDH	EET CLE	02/23/26 19:13

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-243649-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	09-30-26
Georgia	State	4062	02-27-26
Illinois	NELAP	200004	08-31-26
Iowa	State	421	06-01-27
Kentucky (UST)	State	112225	02-27-26
Kentucky (WW)	State	KY98016	12-31-26
Michigan	State	9135	01-10-27
Minnesota	NELAP	039-999-348	12-31-26
New Hampshire	NELAP	2250	09-30-26
New Jersey	NELAP	OH001	06-30-26
New York	NELAP	10975	04-01-26
North Dakota	State	R-244	02-27-26
Ohio	State	8303	02-27-26
Ohio VAP	State	ORELAP 4062	02-27-26
Oregon	NELAP	4062	02-27-26
Pennsylvania	NELAP	68-00340	08-31-26
Texas	NELAP	T104704517	08-31-26
US Fish & Wildlife	US Federal Programs	A26406	02-28-26
USDA	US Federal Programs	525-24-5-34740	01-05-27
Virginia	NELAP	460175	09-30-26
West Virginia DEP	State	210	03-31-26
Wisconsin	State	399167560	08-31-26



Chain of Custody Record

578

TestAmerica Laboratory location: Farmington Hills — 38855 Hills Tech Drive, Suite 600, Farmington Hills 48331

Client Contact		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										TestAmerica Laboratories, Inc.														
Company Name: Arcadis		Client Project Manager: Megan Meckley					Site Contact: Samantha Szaichler					Lab Contact: Mike DelMonico					COC No:									
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240					Telephone: 248-994-2240					Telephone: 330-497-9396					1 of 1 COCs									
City/State/Zip: Novi, MI, 48377		Email: megan.meckley@arcadis.com					Analysis Turnaround Time					Analyses					For lab use only									
Phone: 248-994-2240		Sampler Name: <i>Jemmy Myers</i>					TAT if different from below					<input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day					Walk-in client Lab sampling Job/SDG No:									
Project Name: Ford LTP		Method of Shipment/Carrier:					10 day																			
Project Number: 30309849.401.04		Shipping/Tracking No:					Matrix					Containers & Preservatives					Sample Specific Notes / Special Instructions:									
PO # US3460029524		Sample Date		Sample Time		Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Uppres						Other:	Filtered Sample (Y/N)	Composite-C/Grab-G	1,1-DCE 8260D	cis-1,2-DCE 8260D
TRIP BLANK_41		---		---		1												NG	X	X	X	X	X	X		1 Trip Blank
MW-03_021326		02/13/26		10:35		6							6					NG	X	X	X	X	X	X		3 VOAs for 8260D 3 VOAs for 8260D SIM
MW-05_021326		02/13/26		11:25		6							6					NG	X	X	X	X	X	X		" "
MW-10_021326		02/15/26		12:20		6							6					NG	X	X	X	X	X	X		" "



Possible Hazard Identification: Non-Hazard Flammable Irritant Poison B Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month): Return to Client Disposal By Lab Archive For _____ Months

Special Instructions/QC Requirements & Comments: *Onsite*

Submit all results through Cadena at jtomalia@cadenco.com. Cadena #E203728
Level IV Reporting requested.

Relinquished by: <i>[Signature]</i>	Company: <i>Arcadis</i>	Date/Time: <i>02/13/26 13:15</i>	Received by: <i>Novi Cid Stora</i>	Company: <i>Arcadis</i>	Date/Time: <i>02/13/26 13:15</i>
Relinquished by: <i>[Signature]</i>	Company: <i>Arcadis</i>	Date/Time: <i>2/16/26 1530</i>	Received by: <i>[Signature]</i>	Company: <i>ETA</i>	Date/Time: <i>2/16/26 1530</i>
Relinquished by: <i>[Signature]</i>	Company: <i>ETA</i>	Date/Time: <i>2-16-26 1530</i>	Received in Laboratory by: <i>[Signature]</i>	Company: <i>EC</i>	Date/Time: <i>2/18/26 0200</i>

©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design™ are trademarks of TestAmerica Laboratories, Inc.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Eurofins - Cleveland Sample Receipt Form/Narrative Login #: 243049

Barberton Facility

Client Area Dis Site Name _____ Cooler unpacked by: _____

Cooler Received on 2/18/2026 Opened on 2/20/2026

Fedex: 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # _____ Foam Box Client Cooler Box Other _____

Packing material used: Bubble Wrap Foam Plastic Bag None Other _____

COOLANT: Wet Ice Blue Ice Dry Ice Water None _____

See Multiple Cooler Form

1. Cooler temperature upon receipt _____ IR GUN # IR1F (GF+0.5 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes/Quantity Yes No _____
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No NA _____

-Were tamper/custody seals on the bottle(s) or bottle kits (LH/MHg)? Yes No NA _____

-Were tamper/custody seals intact and uncompromised? Yes No NA _____

3. Shippers' packing slip attached to the cooler(s)? Yes No _____

4. Did custody papers accompany the sample(s)? Yes No _____

5. Were the custody papers relinquished & signed in the appropriate place? Yes No _____

6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No _____

7. Did all bottles arrive in good condition (Unbroken)? Yes No _____

8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No _____

9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No _____

10. Were correct bottle(s) used for the test(s) indicated? Yes No _____

11. Sufficient quantity received to perform indicated analyses? Yes No _____

12. Are these work share samples and all listed on the COC? Yes No _____

If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC567196

14. Were VOAs on the COC? Yes No _____

15. Were air bubbles >6 mm in any VOA vials? Yes No NA Larger than this.

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # 64324 Yes No _____

17. Was a LL Hg or Me Hg trip blank present? Yes No _____

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

Labeled by: [Signature]
 Labels Verified by: TC

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u> <u>pH</u>	<u>Preservation</u> <u>Temp</u>	<u>Preservation</u> <u>Added</u>	<u>Preservation</u> <u>Lot Number</u>
TRIP BLANK_41	240-243649-A-1	Voa Vial 40ml - Hydrochloric Acid				
MW-03_021326	240-243649-A-2	Voa Vial 40ml - Hydrochloric Acid				
MW-03_021326	240-243649-B-2	Voa Vial 40ml - Hydrochloric Acid				
MW-03_021326	240-243649-C-2	Voa Vial 40ml - Hydrochloric Acid				
MW-03_021326	240-243649-D-2	Voa Vial 40ml - Hydrochloric Acid				
MW-03_021326	240-243649-E-2	Voa Vial 40ml - Hydrochloric Acid				
MW-03_021326	240-243649-F-2	Voa Vial 40ml - Hydrochloric Acid				
MW-05_021326	240-243649-A-3	Voa Vial 40ml - Hydrochloric Acid				
MW-05_021326	240-243649-B-3	Voa Vial 40ml - Hydrochloric Acid				
MW-05_021326	240-243649-C-3	Voa Vial 40ml - Hydrochloric Acid				
MW-05_021326	240-243649-D-3	Voa Vial 40ml - Hydrochloric Acid				
MW-05_021326	240-243649-E-3	Voa Vial 40ml - Hydrochloric Acid				
MW-05_021326	240-243649-F-3	Voa Vial 40ml - Hydrochloric Acid				
MW-010_021326	240-243649-A-4	Voa Vial 40ml - Hydrochloric Acid				
MW-010_021326	240-243649-B-4	Voa Vial 40ml - Hydrochloric Acid				
MW-010_021326	240-243649-C-4	Voa Vial 40ml - Hydrochloric Acid				
MW-010_021326	240-243649-D-4	Voa Vial 40ml - Hydrochloric Acid				
MW-010_021326	240-243649-E-4	Voa Vial 40ml - Hydrochloric Acid				
MW-010_021326	240-243649-F-4	Voa Vial 40ml - Hydrochloric Acid				

DATA VERIFICATION REPORT



February 25, 2026

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil
Project number: 30309849.401.04
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 243649-1
Sample date: 2026-02-13
Report received by CADENA: 2026-02-25
Initial Data Verification completed by CADENA: 2026-02-25
Number of Samples:4
Sample Matrices:Water
Test Categories:GCMS VOC
Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 243649-1

Sample Name:	TRIP BLANK_41	MW-03_021326	MW-05_021326	MW-10_021326
Lab Sample ID:	2402436491	2402436492	2402436493	2402436494
Sample Date:	2/13/2026	2/13/2026	2/13/2026	2/13/2026

Analyte	Cas No.	Sample 1				Sample 2				Sample 3				Sample 4			
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier

GC/MS VOC

OSW-8260D

1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	2.2	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	1.6	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	5700	200	ug/l	---

OSW-8260DSIM

1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---	4.6	2.0	ug/l	---
-------------	----------	--	--	--	--	----	-----	------	-----	----	-----	------	-----	-----	-----	------	-----