

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Ms. Megan Meckley  
Arcadis US Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 3/5/2026 1:31:29 PM

## JOB DESCRIPTION

Ford LTP

## JOB NUMBER

240-244008-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
3/5/2026 1:31:29 PM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)966-9783



# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 3  |
| Definitions/Glossary . . . . .   | 4  |
| Case Narrative . . . . .         | 5  |
| Method Summary . . . . .         | 6  |
| Sample Summary . . . . .         | 7  |
| Detection Summary . . . . .      | 8  |
| Client Sample Results . . . . .  | 9  |
| Surrogate Summary . . . . .      | 14 |
| QC Sample Results . . . . .      | 15 |
| QC Association Summary . . . . . | 19 |
| Lab Chronicle . . . . .          | 20 |
| Certification Summary . . . . .  | 21 |
| Chain of Custody . . . . .       | 22 |

# Definitions/Glossary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

## Qualifiers

### GC/MS VOA

| Qualifier | Qualifier Description                                    |
|-----------|--|
| U         | Indicates the analyte was analyzed for but not detected. |

## Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|---|
| ☼              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery  |
| CFL            | Contains Free Liquid  |
| CFU            | Colony Forming Unit   |
| CNF            | Contains No Free Liquid   |
| DER            | Duplicate Error Ratio (normalized absolute difference)  |
| Dil Fac        | Dilution Factor   |
| DL             | Detection Limit (DoD/DOE)   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)   |
| EDL            | Estimated Detection Limit (Dioxin)  |
| LOD            | Limit of Detection (DoD/DOE)  |
| LOQ            | Limit of Quantitation (DoD/DOE)   |
| MCL            | EPA recommended "Maximum Contaminant Level"   |
| MDA            | Minimum Detectable Activity (Radiochemistry)  |
| MDC            | Minimum Detectable Concentration (Radiochemistry)   |
| MDL            | Method Detection Limit  |
| ML             | Minimum Level (Dioxin)  |
| MPN            | Most Probable Number  |
| MQL            | Method Quantitation Limit   |
| NC             | Not Calculated  |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)  |
| NEG            | Negative / Absent   |
| POS            | Positive / Present  |
| PQL            | Practical Quantitation Limit  |
| PRES           | Presumptive   |
| QC             | Quality Control   |
| RER            | Relative Error Ratio (Radiochemistry)   |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)   |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)   |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)   |
| TNTC           | Too Numerous To Count   |

# Case Narrative

Client: Arcadis US Inc.  
Project: Ford LTP

Job ID: 240-244008-1

**Job ID: 240-244008-1**

**Eurofins Cleveland**

## Job Narrative 240-244008-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### Receipt

The samples were received on 2/26/2026 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 1.2°C, 2.2°C and 3.4°C.

### GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

# Method Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

| Method    | Method Description                  | Protocol | Laboratory |
|-----------|-------------------------------------|----------|------------|
| 8260D     | Volatile Organic Compounds by GC/MS | SW846    | EET CLE    |
| 8260D SIM | Volatile Organic Compounds (GC/MS)  | SW846    | EET CLE    |
| 5030C     | Purge and Trap                      | SW846    | EET CLE    |

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Sample Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       | Sample Origin |
|---------------|------------------|--------|----------------|----------------|---------------|
| 240-244008-1  | TRIP BLANK_132   | Water  | 02/25/26 00:00 | 02/26/26 08:00 | Michigan      |
| 240-244008-2  | MW-201_022526    | Water  | 02/25/26 09:35 | 02/26/26 08:00 | Michigan      |
| 240-244008-3  | MW-201S_022526   | Water  | 02/25/26 10:20 | 02/26/26 08:00 | Michigan      |
| 240-244008-4  | MW-221S_022526   | Water  | 02/25/26 12:10 | 02/26/26 08:00 | Michigan      |
| 240-244008-5  | MW-29_022526     | Water  | 02/25/26 13:00 | 02/26/26 08:00 | Michigan      |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

**Client Sample ID: TRIP BLANK\_132**

**Lab Sample ID: 240-244008-1**

No Detections.

**Client Sample ID: MW-201\_022526**

**Lab Sample ID: 240-244008-2**

No Detections.

**Client Sample ID: MW-201S\_022526**

**Lab Sample ID: 240-244008-3**

No Detections.

**Client Sample ID: MW-221S\_022526**

**Lab Sample ID: 240-244008-4**

| Analyte                | Result | Qualifier | RL  | MDL  | Unit | Dil Fac | D | Method | Prep Type |
|------------------------|--------|-----------|-----|------|------|---------|---|--------|-----------|
| cis-1,2-Dichloroethene | 1.5    |           | 1.0 | 0.46 | ug/L | 1       |   | 8260D  | Total/NA  |
| Trichloroethene        | 1.7    |           | 1.0 | 0.44 | ug/L | 1       |   | 8260D  | Total/NA  |

**Client Sample ID: MW-29\_022526**

**Lab Sample ID: 240-244008-5**

| Analyte     | Result | Qualifier | RL  | MDL  | Unit | Dil Fac | D | Method    | Prep Type |
|-------------|--------|-----------|-----|------|------|---------|---|-----------|-----------|
| 1,4-Dioxane | 8.2    |           | 2.0 | 0.86 | ug/L | 1       |   | 8260D SIM | Total/NA  |

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

**Client Sample ID: TRIP BLANK\_132**

**Lab Sample ID: 240-244008-1**

Date Collected: 02/25/26 00:00

Matrix: Water

Date Received: 02/26/26 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

| Analyte                  | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.49 | ug/L |   |          | 03/02/26 17:38 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.46 | ug/L |   |          | 03/02/26 17:38 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 03/02/26 17:38 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.51 | ug/L |   |          | 03/02/26 17:38 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 03/02/26 17:38 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.45 | ug/L |   |          | 03/02/26 17:38 | 1       |

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 101       |           | 62 - 137 |          | 03/02/26 17:38 | 1       |
| 4-Bromofluorobenzene (Surr)  | 84        |           | 56 - 136 |          | 03/02/26 17:38 | 1       |
| Toluene-d8 (Surr)            | 92        |           | 78 - 122 |          | 03/02/26 17:38 | 1       |
| Dibromofluoromethane (Surr)  | 99        |           | 73 - 120 |          | 03/02/26 17:38 | 1       |

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

**Client Sample ID: MW-201\_022526**

**Lab Sample ID: 240-244008-2**

Date Collected: 02/25/26 09:35

Matrix: Water

Date Received: 02/26/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,4-Dioxane                  | 2.0       | U         | 2.0      | 0.86 | ug/L |   |          | 03/04/26 18:51 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 92        |           | 64 - 136 |      |      |   |          | 03/04/26 18:51 | 1       |

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene           | 1.0       | U         | 1.0      | 0.49 | ug/L |   |          | 03/02/26 19:14 | 1       |
| cis-1,2-Dichloroethene       | 1.0       | U         | 1.0      | 0.46 | ug/L |   |          | 03/02/26 19:14 | 1       |
| Tetrachloroethene            | 1.0       | U         | 1.0      | 0.44 | ug/L |   |          | 03/02/26 19:14 | 1       |
| trans-1,2-Dichloroethene     | 1.0       | U         | 1.0      | 0.51 | ug/L |   |          | 03/02/26 19:14 | 1       |
| Trichloroethene              | 1.0       | U         | 1.0      | 0.44 | ug/L |   |          | 03/02/26 19:14 | 1       |
| Vinyl chloride               | 1.0       | U         | 1.0      | 0.45 | ug/L |   |          | 03/02/26 19:14 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 104       |           | 62 - 137 |      |      |   |          | 03/02/26 19:14 | 1       |
| 4-Bromofluorobenzene (Surr)  | 84        |           | 56 - 136 |      |      |   |          | 03/02/26 19:14 | 1       |
| Toluene-d8 (Surr)            | 93        |           | 78 - 122 |      |      |   |          | 03/02/26 19:14 | 1       |
| Dibromofluoromethane (Surr)  | 104       |           | 73 - 120 |      |      |   |          | 03/02/26 19:14 | 1       |

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

**Client Sample ID: MW-201S\_022526**

**Lab Sample ID: 240-244008-3**

Date Collected: 02/25/26 10:20

Matrix: Water

Date Received: 02/26/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

| Analyte                      | Result           | Qualifier        | RL            | MDL  | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------------|------------------|------------------|---------------|------|------|---|-----------------|-----------------|----------------|
| 1,4-Dioxane                  | 2.0              | U                | 2.0           | 0.86 | ug/L |   |                 | 03/04/26 22:50  | 1              |
| <b>Surrogate</b>             | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |      |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 1,2-Dichloroethane-d4 (Surr) | 90               |                  | 64 - 136      |      |      |   |                 | 03/04/26 22:50  | 1              |

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

| Analyte                      | Result           | Qualifier        | RL            | MDL  | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------------|------------------|------------------|---------------|------|------|---|-----------------|-----------------|----------------|
| 1,1-Dichloroethene           | 1.0              | U                | 1.0           | 0.49 | ug/L |   |                 | 03/02/26 19:38  | 1              |
| cis-1,2-Dichloroethene       | 1.0              | U                | 1.0           | 0.46 | ug/L |   |                 | 03/02/26 19:38  | 1              |
| Tetrachloroethene            | 1.0              | U                | 1.0           | 0.44 | ug/L |   |                 | 03/02/26 19:38  | 1              |
| trans-1,2-Dichloroethene     | 1.0              | U                | 1.0           | 0.51 | ug/L |   |                 | 03/02/26 19:38  | 1              |
| Trichloroethene              | 1.0              | U                | 1.0           | 0.44 | ug/L |   |                 | 03/02/26 19:38  | 1              |
| Vinyl chloride               | 1.0              | U                | 1.0           | 0.45 | ug/L |   |                 | 03/02/26 19:38  | 1              |
| <b>Surrogate</b>             | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |      |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 1,2-Dichloroethane-d4 (Surr) | 101              |                  | 62 - 137      |      |      |   |                 | 03/02/26 19:38  | 1              |
| 4-Bromofluorobenzene (Surr)  | 83               |                  | 56 - 136      |      |      |   |                 | 03/02/26 19:38  | 1              |
| Toluene-d8 (Surr)            | 94               |                  | 78 - 122      |      |      |   |                 | 03/02/26 19:38  | 1              |
| Dibromofluoromethane (Surr)  | 104              |                  | 73 - 120      |      |      |   |                 | 03/02/26 19:38  | 1              |

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

**Client Sample ID: MW-221S\_022526**

**Lab Sample ID: 240-244008-4**

Date Collected: 02/25/26 12:10

Matrix: Water

Date Received: 02/26/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

| Analyte                      | Result           | Qualifier        | RL            | MDL  | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------------|------------------|------------------|---------------|------|------|---|-----------------|-----------------|----------------|
| 1,4-Dioxane                  | 2.0              | U                | 2.0           | 0.86 | ug/L |   |                 | 03/04/26 17:15  | 1              |
| <b>Surrogate</b>             | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |      |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 1,2-Dichloroethane-d4 (Surr) | 93               |                  | 64 - 136      |      |      |   |                 | 03/04/26 17:15  | 1              |

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

| Analyte                       | Result           | Qualifier        | RL            | MDL  | Unit | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------|------------------|------------------|---------------|------|------|---|-----------------|-----------------|----------------|
| 1,1-Dichloroethene            | 1.0              | U                | 1.0           | 0.49 | ug/L |   |                 | 03/02/26 20:01  | 1              |
| <b>cis-1,2-Dichloroethene</b> | <b>1.5</b>       |                  | 1.0           | 0.46 | ug/L |   |                 | 03/02/26 20:01  | 1              |
| Tetrachloroethene             | 1.0              | U                | 1.0           | 0.44 | ug/L |   |                 | 03/02/26 20:01  | 1              |
| trans-1,2-Dichloroethene      | 1.0              | U                | 1.0           | 0.51 | ug/L |   |                 | 03/02/26 20:01  | 1              |
| <b>Trichloroethene</b>        | <b>1.7</b>       |                  | 1.0           | 0.44 | ug/L |   |                 | 03/02/26 20:01  | 1              |
| Vinyl chloride                | 1.0              | U                | 1.0           | 0.45 | ug/L |   |                 | 03/02/26 20:01  | 1              |
| <b>Surrogate</b>              | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |      |      |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 1,2-Dichloroethane-d4 (Surr)  | 104              |                  | 62 - 137      |      |      |   |                 | 03/02/26 20:01  | 1              |
| 4-Bromofluorobenzene (Surr)   | 87               |                  | 56 - 136      |      |      |   |                 | 03/02/26 20:01  | 1              |
| Toluene-d8 (Surr)             | 95               |                  | 78 - 122      |      |      |   |                 | 03/02/26 20:01  | 1              |
| Dibromofluoromethane (Surr)   | 108              |                  | 73 - 120      |      |      |   |                 | 03/02/26 20:01  | 1              |

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

**Client Sample ID: MW-29\_022526**

**Lab Sample ID: 240-244008-5**

Date Collected: 02/25/26 13:00

Matrix: Water

Date Received: 02/26/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,4-Dioxane                  | 8.2       |           | 2.0      | 0.86 | ug/L |   |          | 03/05/26 00:02 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 90        |           | 64 - 136 |      |      |   |          | 03/05/26 00:02 | 1       |

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

| Analyte                      | Result    | Qualifier | RL       | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|------|------|---|----------|----------------|---------|
| 1,1-Dichloroethene           | 1.0       | U         | 1.0      | 0.49 | ug/L |   |          | 03/02/26 20:25 | 1       |
| cis-1,2-Dichloroethene       | 1.0       | U         | 1.0      | 0.46 | ug/L |   |          | 03/02/26 20:25 | 1       |
| Tetrachloroethene            | 1.0       | U         | 1.0      | 0.44 | ug/L |   |          | 03/02/26 20:25 | 1       |
| trans-1,2-Dichloroethene     | 1.0       | U         | 1.0      | 0.51 | ug/L |   |          | 03/02/26 20:25 | 1       |
| Trichloroethene              | 1.0       | U         | 1.0      | 0.44 | ug/L |   |          | 03/02/26 20:25 | 1       |
| Vinyl chloride               | 1.0       | U         | 1.0      | 0.45 | ug/L |   |          | 03/02/26 20:25 | 1       |
| Surrogate                    | %Recovery | Qualifier | Limits   |      |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 99        |           | 62 - 137 |      |      |   |          | 03/02/26 20:25 | 1       |
| 4-Bromofluorobenzene (Surr)  | 76        |           | 56 - 136 |      |      |   |          | 03/02/26 20:25 | 1       |
| Toluene-d8 (Surr)            | 87        |           | 78 - 122 |      |      |   |          | 03/02/26 20:25 | 1       |
| Dibromofluoromethane (Surr)  | 100       |           | 73 - 120 |      |      |   |          | 03/02/26 20:25 | 1       |

# Surrogate Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

| Lab Sample ID    | Client Sample ID   | Percent Surrogate Recovery (Acceptance Limits) |                 |                 |                  |
|------------------|--------------------|--|-----------------|-----------------|------------------|
|                  |                    | DCA<br>(62-137)                                | BFB<br>(56-136) | TOL<br>(78-122) | DBFM<br>(73-120) |
| 240-244008-1     | TRIP BLANK_132     | 101  | 84              | 92              | 99               |
| 240-244008-2     | MW-201_022526      | 104  | 84              | 93              | 104              |
| 240-244008-3     | MW-201S_022526     | 101  | 83              | 94              | 104              |
| 240-244008-3 MS  | MW-201S-MS_022526  | 98   | 106             | 97              | 101              |
| 240-244008-3 MSD | MW-201S-MSD_022526 | 95   | 96              | 93              | 98               |
| 240-244008-4     | MW-221S_022526     | 104  | 87              | 95              | 108              |
| 240-244008-5     | MW-29_022526       | 99   | 76              | 87              | 100              |
| LCS 240-691957/3 | Lab Control Sample | 93   | 100             | 98              | 100              |
| LCS 240-691957/4 | Lab Control Sample | 92   | 93              | 93              | 96               |
| MB 240-691957/7  | Method Blank       | 95   | 84              | 91              | 101              |

**Surrogate Legend**

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

| Lab Sample ID      | Client Sample ID       | Percent Surrogate Recovery (Acceptance Limits) |
|--------------------|------------------------|--|
|                    |                        | DCA<br>(64-136)                                |
| 240-244006-F-3 MS  | Matrix Spike           | 93   |
| 240-244006-F-3 MSD | Matrix Spike Duplicate | 92   |
| 240-244008-2       | MW-201_022526          | 92   |
| 240-244008-3       | MW-201S_022526         | 90   |
| 240-244008-3 MS    | MW-201S-MS_022526      | 90   |
| 240-244008-3 MSD   | MW-201S-MSD_022526     | 91   |
| 240-244008-4       | MW-221S_022526         | 93   |
| 240-244008-5       | MW-29_022526           | 90   |
| LCS 240-692287/3   | Lab Control Sample     | 94   |
| LCS 240-692288/3   | Lab Control Sample     | 91   |
| MB 240-692287/5    | Method Blank           | 94   |
| MB 240-692288/5    | Method Blank           | 90   |

**Surrogate Legend**

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-691957/7

Matrix: Water

Analysis Batch: 691957

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                  | MB     | MB        | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
|                          | Result | Qualifier |     |      |      |   |          |                |         |
| 1,1-Dichloroethene       | 1.0    | U         | 1.0 | 0.49 | ug/L |   |          | 03/02/26 12:04 | 1       |
| cis-1,2-Dichloroethene   | 1.0    | U         | 1.0 | 0.46 | ug/L |   |          | 03/02/26 12:04 | 1       |
| Tetrachloroethene        | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 03/02/26 12:04 | 1       |
| trans-1,2-Dichloroethene | 1.0    | U         | 1.0 | 0.51 | ug/L |   |          | 03/02/26 12:04 | 1       |
| Trichloroethene          | 1.0    | U         | 1.0 | 0.44 | ug/L |   |          | 03/02/26 12:04 | 1       |
| Vinyl chloride           | 1.0    | U         | 1.0 | 0.45 | ug/L |   |          | 03/02/26 12:04 | 1       |

| Surrogate                    | MB        | MB        | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
|                              | %Recovery | Qualifier |          |          |                |         |
| 1,2-Dichloroethane-d4 (Surr) | 95        |           | 62 - 137 |          | 03/02/26 12:04 | 1       |
| 4-Bromofluorobenzene (Surr)  | 84        |           | 56 - 136 |          | 03/02/26 12:04 | 1       |
| Toluene-d8 (Surr)            | 91        |           | 78 - 122 |          | 03/02/26 12:04 | 1       |
| Dibromofluoromethane (Surr)  | 101       |           | 73 - 120 |          | 03/02/26 12:04 | 1       |

Lab Sample ID: LCS 240-691957/3

Matrix: Water

Analysis Batch: 691957

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                  | Spike Added | LCS    | LCS       | Unit | D | %Rec | %Rec Limits |
|--------------------------|-------------|--------|-----------|------|---|------|-------------|
|                          |             | Result | Qualifier |      |   |      |             |
| 1,1-Dichloroethene       | 50.0        | 45.6   |           | ug/L |   | 91   | 63 - 134    |
| cis-1,2-Dichloroethene   | 50.0        | 46.6   |           | ug/L |   | 93   | 77 - 123    |
| Tetrachloroethene        | 50.0        | 50.9   |           | ug/L |   | 102  | 76 - 123    |
| trans-1,2-Dichloroethene | 50.0        | 42.9   |           | ug/L |   | 86   | 75 - 124    |
| Trichloroethene          | 50.0        | 47.9   |           | ug/L |   | 96   | 70 - 122    |
| Vinyl chloride           | 50.0        | 50.6   |           | ug/L |   | 101  | 60 - 144    |

| Surrogate                    | LCS       | LCS       | Limits   |
|------------------------------|-----------|-----------|----------|
|                              | %Recovery | Qualifier |          |
| 1,2-Dichloroethane-d4 (Surr) | 93        |           | 62 - 137 |
| 4-Bromofluorobenzene (Surr)  | 100       |           | 56 - 136 |
| Toluene-d8 (Surr)            | 98        |           | 78 - 122 |
| Dibromofluoromethane (Surr)  | 100       |           | 73 - 120 |

Lab Sample ID: LCS 240-691957/4

Matrix: Water

Analysis Batch: 691957

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Surrogate                    | LCS       | LCS       | Limits   |
|------------------------------|-----------|-----------|----------|
|                              | %Recovery | Qualifier |          |
| 1,2-Dichloroethane-d4 (Surr) | 92        |           | 62 - 137 |
| 4-Bromofluorobenzene (Surr)  | 93        |           | 56 - 136 |
| Toluene-d8 (Surr)            | 93        |           | 78 - 122 |
| Dibromofluoromethane (Surr)  | 96        |           | 73 - 120 |

Lab Sample ID: 240-244008-3 MS

Matrix: Water

Analysis Batch: 691957

Client Sample ID: MW-201S-MS\_022526

Prep Type: Total/NA

| Analyte                | Sample | Sample    | Spike Added | MS     | MS        | Unit | D | %Rec | %Rec Limits |
|------------------------|--------|-----------|-------------|--------|-----------|------|---|------|-------------|
|                        | Result | Qualifier |             | Result | Qualifier |      |   |      |             |
| 1,1-Dichloroethene     | 1.0    | U         | 50.0        | 43.8   |           | ug/L |   | 88   | 56 - 135    |
| cis-1,2-Dichloroethene | 1.0    | U         | 50.0        | 44.0   |           | ug/L |   | 88   | 66 - 128    |

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-244008-3 MS

Client Sample ID: MW-2015-MS\_022526

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 691957

| Analyte                  | Sample | Sample    | Spike<br>Added | MS     | MS        | Unit | D | %Rec | %Rec<br>Limits |
|--------------------------|--------|-----------|----------------|--------|-----------|------|---|------|----------------|
|                          | Result | Qualifier |                | Result | Qualifier |      |   |      |                |
| Tetrachloroethene        | 1.0    | U         | 50.0           | 45.1   |           | ug/L |   | 90   | 62 - 131       |
| trans-1,2-Dichloroethene | 1.0    | U         | 50.0           | 39.8   |           | ug/L |   | 80   | 56 - 136       |
| Trichloroethene          | 1.0    | U         | 50.0           | 45.5   |           | ug/L |   | 91   | 61 - 124       |
| Vinyl chloride           | 1.0    | U         | 50.0           | 44.7   |           | ug/L |   | 89   | 43 - 157       |

| Surrogate                    | MS        | MS        | Limits   |
|------------------------------|-----------|-----------|----------|
|                              | %Recovery | Qualifier |          |
| 1,2-Dichloroethane-d4 (Surr) | 98        |           | 62 - 137 |
| 4-Bromofluorobenzene (Surr)  | 106       |           | 56 - 136 |
| Toluene-d8 (Surr)            | 97        |           | 78 - 122 |
| Dibromofluoromethane (Surr)  | 101       |           | 73 - 120 |

Lab Sample ID: 240-244008-3 MSD

Client Sample ID: MW-2015-MSD\_022526

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 691957

| Analyte                  | Sample | Sample    | Spike<br>Added | MSD    | MSD       | Unit | D | %Rec | %Rec<br>Limits | RPD | RPD<br>Limit |
|--------------------------|--------|-----------|----------------|--------|-----------|------|---|------|----------------|-----|--------------|
|                          | Result | Qualifier |                | Result | Qualifier |      |   |      |                |     |              |
| 1,1-Dichloroethene       | 1.0    | U         | 50.0           | 45.3   |           | ug/L |   | 91   | 56 - 135       | 3   | 26           |
| cis-1,2-Dichloroethene   | 1.0    | U         | 50.0           | 45.5   |           | ug/L |   | 91   | 66 - 128       | 3   | 14           |
| Tetrachloroethene        | 1.0    | U         | 50.0           | 49.4   |           | ug/L |   | 99   | 62 - 131       | 9   | 20           |
| trans-1,2-Dichloroethene | 1.0    | U         | 50.0           | 42.4   |           | ug/L |   | 85   | 56 - 136       | 7   | 15           |
| Trichloroethene          | 1.0    | U         | 50.0           | 48.5   |           | ug/L |   | 97   | 61 - 124       | 6   | 15           |
| Vinyl chloride           | 1.0    | U         | 50.0           | 47.5   |           | ug/L |   | 95   | 43 - 157       | 6   | 24           |

| Surrogate                    | MSD       | MSD       | Limits   |
|------------------------------|-----------|-----------|----------|
|                              | %Recovery | Qualifier |          |
| 1,2-Dichloroethane-d4 (Surr) | 95        |           | 62 - 137 |
| 4-Bromofluorobenzene (Surr)  | 96        |           | 56 - 136 |
| Toluene-d8 (Surr)            | 93        |           | 78 - 122 |
| Dibromofluoromethane (Surr)  | 98        |           | 73 - 120 |

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-692287/5

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 692287

| Analyte     | MB     | MB        | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
|             | Result | Qualifier |     |      |      |   |          |                |         |
| 1,4-Dioxane | 2.0    | U         | 2.0 | 0.86 | ug/L |   |          | 03/04/26 11:15 | 1       |

| Surrogate                    | MB        | MB        | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
|                              | %Recovery | Qualifier |          |          |                |         |
| 1,2-Dichloroethane-d4 (Surr) | 94        |           | 64 - 136 |          | 03/04/26 11:15 | 1       |

Lab Sample ID: LCS 240-692287/3

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 692287

| Analyte     | Spike<br>Added | LCS    | LCS       | Unit | D | %Rec | %Rec<br>Limits |
|-------------|----------------|--------|-----------|------|---|------|----------------|
|             |                | Result | Qualifier |      |   |      |                |
| 1,4-Dioxane | 10.0           | 8.19   |           | ug/L |   | 82   | 68 - 120       |

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-692287/3

Matrix: Water

Analysis Batch: 692287

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

|                              | LCS       | LCS       |          |
|------------------------------|-----------|-----------|----------|
| Surrogate                    | %Recovery | Qualifier | Limits   |
| 1,2-Dichloroethane-d4 (Surr) | 94        |           | 64 - 136 |

Lab Sample ID: 240-244006-F-3 MS

Matrix: Water

Analysis Batch: 692287

Client Sample ID: Matrix Spike

Prep Type: Total/NA

| Analyte                      | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |  |
|------------------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|-------------|--|
| 1,4-Dioxane                  | 2.0           | U                | 10.0        | 8.70      |              | ug/L |   | 87   | 45 - 145    |  |
| Surrogate                    | %Recovery     | Qualifier        | Limits      |           |              |      |   |      |             |  |
| 1,2-Dichloroethane-d4 (Surr) | 93            |                  | 64 - 136    |           |              |      |   |      |             |  |

Lab Sample ID: 240-244006-F-3 MSD

Matrix: Water

Analysis Batch: 692287

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

| Analyte                      | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|------------------------------|---------------|------------------|-------------|------------|---------------|------|---|------|-------------|-----|-----------|
| 1,4-Dioxane                  | 2.0           | U                | 10.0        | 8.95       |               | ug/L |   | 90   | 45 - 145    | 3   | 19        |
| Surrogate                    | %Recovery     | Qualifier        | Limits      |            |               |      |   |      |             |     |           |
| 1,2-Dichloroethane-d4 (Surr) | 92            |                  | 64 - 136    |            |               |      |   |      |             |     |           |

Lab Sample ID: MB 240-692288/5

Matrix: Water

Analysis Batch: 692288

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                      | MB Result | MB Qualifier | RL       | MDL      | Unit           | D       | Prepared | Analyzed       | Dil Fac |  |
|------------------------------|-----------|--------------|----------|----------|----------------|---------|----------|----------------|---------|--|
| 1,4-Dioxane                  | 2.0       | U            | 2.0      | 0.86     | ug/L           |         |          | 03/04/26 22:26 | 1       |  |
| Surrogate                    | %Recovery | Qualifier    | Limits   | Prepared | Analyzed       | Dil Fac |          |                |         |  |
| 1,2-Dichloroethane-d4 (Surr) | 90        |              | 64 - 136 |          | 03/04/26 22:26 | 1       |          |                |         |  |

Lab Sample ID: LCS 240-692288/3

Matrix: Water

Analysis Batch: 692288

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                      | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|------------------------------|-------------|------------|---------------|------|---|------|-------------|
| 1,4-Dioxane                  | 10.0        | 8.85       |               | ug/L |   | 89   | 68 - 120    |
| Surrogate                    | %Recovery   | Qualifier  | Limits        |      |   |      |             |
| 1,2-Dichloroethane-d4 (Surr) | 91          |            | 64 - 136      |      |   |      |             |

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-244008-3 MS

Matrix: Water

Analysis Batch: 692288

Client Sample ID: MW-201S-MS\_022526

Prep Type: Total/NA

| Analyte                      | Sample Result    | Sample Qualifier    | Spike Added      | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |  |
|------------------------------|------------------|---------------------|------------------|-----------|--------------|------|---|------|-------------|--|
| 1,4-Dioxane                  | 2.0              | U                   | 10.0             | 8.51      |              | ug/L |   | 85   | 45 - 145    |  |
| <b>Surrogate</b>             | <b>%Recovery</b> | <b>MS Qualifier</b> | <b>MS Limits</b> |           |              |      |   |      |             |  |
| 1,2-Dichloroethane-d4 (Surr) | 90               |                     | 64 - 136         |           |              |      |   |      |             |  |

Lab Sample ID: 240-244008-3 MSD

Matrix: Water

Analysis Batch: 692288

Client Sample ID: MW-201S-MSD\_022526

Prep Type: Total/NA

| Analyte                      | Sample Result    | Sample Qualifier     | Spike Added       | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|------------------------------|------------------|----------------------|-------------------|------------|---------------|------|---|------|-------------|-----|-----------|
| 1,4-Dioxane                  | 2.0              | U                    | 10.0              | 9.02       |               | ug/L |   | 90   | 45 - 145    | 6   | 19        |
| <b>Surrogate</b>             | <b>%Recovery</b> | <b>MSD Qualifier</b> | <b>MSD Limits</b> |            |               |      |   |      |             |     |           |
| 1,2-Dichloroethane-d4 (Surr) | 91               |                      | 64 - 136          |            |               |      |   |      |             |     |           |

# QC Association Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

## GC/MS VOA

### Analysis Batch: 691957

| Lab Sample ID    | Client Sample ID   | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|--------|------------|
| 240-244008-1     | TRIP BLANK_132     | Total/NA  | Water  | 8260D  |            |
| 240-244008-2     | MW-201_022526      | Total/NA  | Water  | 8260D  |            |
| 240-244008-3     | MW-201S_022526     | Total/NA  | Water  | 8260D  |            |
| 240-244008-4     | MW-221S_022526     | Total/NA  | Water  | 8260D  |            |
| 240-244008-5     | MW-29_022526       | Total/NA  | Water  | 8260D  |            |
| MB 240-691957/7  | Method Blank       | Total/NA  | Water  | 8260D  |            |
| LCS 240-691957/3 | Lab Control Sample | Total/NA  | Water  | 8260D  |            |
| LCS 240-691957/4 | Lab Control Sample | Total/NA  | Water  | 8260D  |            |
| 240-244008-3 MS  | MW-201S-MS_022526  | Total/NA  | Water  | 8260D  |            |
| 240-244008-3 MSD | MW-201S-MSD_022526 | Total/NA  | Water  | 8260D  |            |

### Analysis Batch: 692287

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method    | Prep Batch |
|--------------------|------------------------|-----------|--------|-----------|------------|
| 240-244008-2       | MW-201_022526          | Total/NA  | Water  | 8260D SIM |            |
| 240-244008-4       | MW-221S_022526         | Total/NA  | Water  | 8260D SIM |            |
| MB 240-692287/5    | Method Blank           | Total/NA  | Water  | 8260D SIM |            |
| LCS 240-692287/3   | Lab Control Sample     | Total/NA  | Water  | 8260D SIM |            |
| 240-244006-F-3 MS  | Matrix Spike           | Total/NA  | Water  | 8260D SIM |            |
| 240-244006-F-3 MSD | Matrix Spike Duplicate | Total/NA  | Water  | 8260D SIM |            |

### Analysis Batch: 692288

| Lab Sample ID    | Client Sample ID   | Prep Type | Matrix | Method    | Prep Batch |
|------------------|--------------------|-----------|--------|-----------|------------|
| 240-244008-3     | MW-201S_022526     | Total/NA  | Water  | 8260D SIM |            |
| 240-244008-5     | MW-29_022526       | Total/NA  | Water  | 8260D SIM |            |
| MB 240-692288/5  | Method Blank       | Total/NA  | Water  | 8260D SIM |            |
| LCS 240-692288/3 | Lab Control Sample | Total/NA  | Water  | 8260D SIM |            |
| 240-244008-3 MS  | MW-201S-MS_022526  | Total/NA  | Water  | 8260D SIM |            |
| 240-244008-3 MSD | MW-201S-MSD_022526 | Total/NA  | Water  | 8260D SIM |            |

# Lab Chronicle

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

## Client Sample ID: TRIP BLANK\_132

Lab Sample ID: 240-244008-1

Date Collected: 02/25/26 00:00

Matrix: Water

Date Received: 02/26/26 08:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260D        |     | 1               | 691957       | HMB     | EET CLE | 03/02/26 17:38       |

## Client Sample ID: MW-201\_022526

Lab Sample ID: 240-244008-2

Date Collected: 02/25/26 09:35

Matrix: Water

Date Received: 02/26/26 08:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260D        |     | 1               | 691957       | HMB     | EET CLE | 03/02/26 19:14       |
| Total/NA  | Analysis   | 8260D SIM    |     | 1               | 692287       | MDH     | EET CLE | 03/04/26 18:51       |

## Client Sample ID: MW-201S\_022526

Lab Sample ID: 240-244008-3

Date Collected: 02/25/26 10:20

Matrix: Water

Date Received: 02/26/26 08:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260D        |     | 1               | 691957       | HMB     | EET CLE | 03/02/26 19:38       |
| Total/NA  | Analysis   | 8260D SIM    |     | 1               | 692288       | MDH     | EET CLE | 03/04/26 22:50       |

## Client Sample ID: MW-221S\_022526

Lab Sample ID: 240-244008-4

Date Collected: 02/25/26 12:10

Matrix: Water

Date Received: 02/26/26 08:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260D        |     | 1               | 691957       | HMB     | EET CLE | 03/02/26 20:01       |
| Total/NA  | Analysis   | 8260D SIM    |     | 1               | 692287       | MDH     | EET CLE | 03/04/26 17:15       |

## Client Sample ID: MW-29\_022526

Lab Sample ID: 240-244008-5

Date Collected: 02/25/26 13:00

Matrix: Water

Date Received: 02/26/26 08:00

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab     | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA  | Analysis   | 8260D        |     | 1               | 691957       | HMB     | EET CLE | 03/02/26 20:25       |
| Total/NA  | Analysis   | 8260D SIM    |     | 1               | 692288       | MDH     | EET CLE | 03/05/26 00:02       |

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# Accreditation/Certification Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244008-1

## Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority         | Program             | Identification Number | Expiration Date |
|-------------------|---------------------|-----------------------|-----------------|
| Connecticut       | State               | PH-0806               | 09-30-26        |
| Illinois          | NELAP               | 200004                | 08-31-26        |
| Iowa              | State               | 421                   | 06-01-27        |
| Kansas            | NELAP               | E-10336               | 01-31-26 *      |
| Kentucky (WW)     | State               | KY98016               | 12-31-26        |
| Michigan          | State               | 9135                  | 01-10-27        |
| Minnesota         | NELAP               | 039-999-348           | 12-31-26        |
| New Hampshire     | NELAP               | 2250                  | 09-30-26        |
| New Jersey        | NELAP               | OH001                 | 06-30-26        |
| New York          | NELAP               | 10975                 | 04-01-26        |
| Oregon            | NELAP               | 4062                  | 02-27-26 *      |
| Pennsylvania      | NELAP               | 68-00340              | 08-31-26        |
| Texas             | NELAP               | T104704517            | 08-31-26        |
| USDA              | US Federal Programs | 525-24-5-34740        | 01-05-27        |
| Virginia          | NELAP               | 460175                | 09-30-26        |
| West Virginia DEP | State               | 210                   | 03-31-26        |
| Wisconsin         | State               | 399167560             | 08-31-26        |

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.



TestAmerica Laboratory location: Farmington Hills — 38855 Hills Tech Drive, Suite 600, Farmington Hills 48331

| <b>Client Contact</b>                 |             | <b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other |        | TestAmerica Laboratories, Inc.                |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|---------------------------------------|-------------|--|--------|---|----------|-------|--------|----------------------------|------|-----|------|------|------|--------|--------|-----------------------|--------------------|---|---------------|-------------------|---------------------|-----------|-----------|----------------------|-----------------------|--|--|
| Company Name: Arcadis                 |             | Client Project Manager: Megan Meckley  |        | Site Contact: Samantha Szaichler              |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
| Address: 28550 Cabot Drive, Suite 500 |             | Telephone: 248-994-2240  |        | Lab Contact: Mike DelMonico                   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
| City/State/Zip: Novi, MI, 48377       |             | Telephone: 248-994-2240  |        | Telephone: 330-497-9396                       |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
| Phone: 248-994-2240                   |             | Email: megan.meckley@arcadis.com   |        | COC No:                                       |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
| Project Name: Ford LTP                |             | Method of Shipment/Carrier:  |        | 1 of 1 COCs                                   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
| Project Number: 30309849.401.04       |             | Shipping/Tracking No:  |        | For lab use only                              |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
| PO # US3460029524                     |             | Analysis Turnaround Time   |        | Walk-in client                                |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
| Sampler Name: <i>Jerry Myco</i>       |             | TAT if different from below  |        | Lab sampling                                  |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
| Method of Shipment/Carrier:           |             | 10 day <input type="checkbox"/> 3 weeks <input type="checkbox"/>   |        | Job/SDG No:                                   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
| Shipping/Tracking No:                 |             | <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/>   |        | Sample Specific Notes / Special Instructions: |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
| Shipping/Tracking No:                 |             | <input type="checkbox"/> 1 week <input type="checkbox"/>   |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
| Shipping/Tracking No:                 |             | <input type="checkbox"/> 2 days <input type="checkbox"/>   |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
| Shipping/Tracking No:                 |             | <input type="checkbox"/> 1 day <input type="checkbox"/>  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
| Sample Identification                 | Sample Date | Sample Time  | Matrix |   |          |       |        | Containers & Preservatives |      |     |      |      |      |        |        |                       |                    | Sample Specific Notes / Special Instructions: |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  | Air    | Aqueous                                       | Sediment | Solid | Other: | H2SO4                      | HNO3 | HCl | NaOH | ZnAc | NaOH | Unpres | Other: | Filtered Sample (Y/N) | Composite-C/Grab-G |   | 1,1-DCE 8260D | dis-1,2-DCE 8260D | Trans-1,2-DCE 8260D | PCE 8260D | TCE 8260D | Vinyl Chloride 8260D | 1,4-Dioxane 8260D SIM |  |  |
| TRIP BLANK 132                        | ---         | ---  | 1      |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  | 1 Trip Blank                             |
| MW-201-022526                         | 02/25/26    | 9:35   | 6      |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  | 3 VOAs for 8260D<br>3 VOAs for 8260D SIM |
| MW-205-022526                         | 02/25/26    | 10:20  | 6      |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
| MW-205-MS-022526                      | 02/25/26    | 10:20  | 6      |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  | Run MS/MSD                               |
| MW-205-MSR-022526                     | 02/25/26    | 10:20  | 6      |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  | Run MS/MSD                               |
| MW-215-022526                         | 02/25/26    | 12:10  | 6      |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  | <del>Run MS/MSD</del>                    |
| MW-29-022526                          | 02/25/26    | 13:00  | 6      |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |
|                                       |             |  |        |   |          |       |        |                            |      |     |      |      |      |        |        |                       |                    |   |               |                   |                     |           |           |                      |                       |  |  |

Eurofins - Cleveland Sample Receipt Form/Narrative

Login # : \_\_\_\_\_

Barberton Facility

Client ARCADIS

Site Name \_\_\_\_\_

Cooler unpacked by: JE

Cooler Received on 2-26-26

Opened on 2-26-26

FedEx: 1<sup>st</sup> Gnd Exp UPS

FAS WAYPORT

Client Drop Off \_\_\_\_\_ Eurofins Courier \_\_\_\_\_ Other \_\_\_\_\_

Receipt After-hours: Drop-off Date/Time \_\_\_\_\_

Storage Location \_\_\_\_\_

Eurofins Cooler # \_\_\_\_\_

Bubble Wrap Foam Box \_\_\_\_\_

Client Cooler \_\_\_\_\_

Box \_\_\_\_\_

Other \_\_\_\_\_

Packing material used: Bubble Wrap

Foam Plastic Bag \_\_\_\_\_

None \_\_\_\_\_

Other \_\_\_\_\_

COOLANT: Wet Ice

Blue Ice \_\_\_\_\_

Dry Ice \_\_\_\_\_

Water \_\_\_\_\_

1. Cooler temperature upon receipt \_\_\_\_\_

See Multiple Cooler Form

IR GUN # \_\_\_\_\_

(CF \_\_\_\_\_ °C)

Observed Cooler Temp. \_\_\_\_\_ °C

92 °C

Observed Cooler Temp. \_\_\_\_\_ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 2 Yes No

-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA

-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA

-Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shippers' packing slip attached to the cooler(s)? Yes No

4. Did custody papers accompany the sample(s)? Yes No

5. Were the custody papers relinquished & signed in the appropriate place? Yes No

6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No

7. Did all bottles arrive in good condition (Unbroken)? Yes No

8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No

9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No

10. Were correct bottle(s) used for the test(s) indicated? Yes No

11. Sufficient quantity received to perform indicated analyses? Yes No

12. Are these work share samples and all listed on the COC? Yes No

If Yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC567196

14. Were VOAs on the COC? Yes No

15. Were air bubbles >6 mm in any VOA vials?  Larger than this Yes No NA

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # NA Yes No

17. Was a LL Hg or Me Hg trip blank present? NA Yes No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_

Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page

Labeled by: \_\_\_\_\_

Labels Verified by: \_\_\_\_\_

19. SAMPLE CONDITION

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.

Sample(s) \_\_\_\_\_ were received in a broken container.

Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.

Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_

Tests that are not checked for pH by Receiving:  
VOAs  
Oil and Grease  
TOC



Temperature readings: \_\_\_\_\_

| Client Sample ID | Lab ID             | Container Type                    | Container | Preservation | Preservation | Lot Number |
|------------------|--------------------|-----------------------------------|-----------|--------------|--------------|------------|
|                  |                    |                                   | pH        | Temp         | Added        |            |
| TRIP BLANK_132   | 240-244008-A-1     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201_022526   | 240-244008-A-2     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201_022526   | 240-244008-B-2     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201_022526   | 240-244008-C-2     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201_022526   | 240-244008-D-2     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201_022526   | 240-244008-E-2     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201_022526   | 240-244008-F-2     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-A-3     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-A-3 MS  | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-A-3 MSD | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-B-3     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-B-3 MS  | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-B-3 MSD | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-C-3     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-C-3 MS  | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-C-3 MSD | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-E-3     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-E-3 MS  | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-E-3 MSD | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-F-3     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-F-3 MS  | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-F-3 MSD | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-A-4     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-B-4     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-C-4     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-D-4     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-E-4     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-201S_022526  | 240-244008-F-4     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |
| MMW-29_022526    | 240-244008-A-5     | Voa Vial 40ml - Hydrochloric Acid |           |              |              |            |



| <u>Client Sample ID</u> | <u>Lab ID</u>  | <u>Container Type</u>             | <u>Container</u> | <u>pH</u> | <u>Temp</u> | <u>Preservation</u> | <u>Added</u> | <u>Preservation</u> | <u>Lot Number</u> |
|-------------------------|----------------|-----------------------------------|------------------|-----------|-------------|---------------------|--------------|---------------------|-------------------|
| MW-29_022526            | 240-244008-B-5 | Voa Vial 40ml - Hydrochloric Acid |                  |           |             |                     |              |                     |                   |
| MW-29_022526            | 240-244008-C-5 | Voa Vial 40ml - Hydrochloric Acid |                  |           |             |                     |              |                     |                   |
| MW-29_022526            | 240-244008-D-5 | Voa Vial 40ml - Hydrochloric Acid |                  |           |             |                     |              |                     |                   |
| MW-29_022526            | 240-244008-E-5 | Voa Vial 40ml - Hydrochloric Acid |                  |           |             |                     |              |                     |                   |
| MW-29_022526            | 240-244008-F-5 | Voa Vial 40ml - Hydrochloric Acid |                  |           |             |                     |              |                     |                   |

# DATA VERIFICATION REPORT



March 05, 2026

Megan Meckley  
Arcadis  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728  
Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil  
Project number: 30309849.401.04  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Cleveland  
Laboratory submittal: 244008-1  
Sample date: 2026-02-25  
Report received by CADENA: 2026-03-05  
Initial Data Verification completed by CADENA: 2026-03-05  
Number of Samples:5  
Sample Matrices:Water  
Test Categories:GCMS VOC  
**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

## CADENA Valid Qualifiers

| Valid Qualifiers | Description  |
|------------------|--|
| <                | Less than the reported concentration.  |
| >                | Greater than the reported concentration.   |
| B                | The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration. |
| E                | The analyte / Compound reported exceeds the calibration range and is considered estimated.   |
| EMPC             | Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.  |
| J                | Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.                     |
| J-               | The result is an estimated quantity, but the result may be biased low.   |
| JB               | NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED   |
| JH               | The sample result is considered estimated and is potentially biased high.  |
| JL               | The sample result is considered estimated and is potentially biased low.   |
| JUB              | NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED  |
| NJ               | Tentatively identified compound with approximated concentration.   |
| R                | Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)  |
| TNTC             | Too Numerous to Count - Asbestos and Microbiological Results.  |
| U                | Indicates that the analyte / compound was analyzed for, but not detected.  |
| UB               | The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.   |
| UJ               | The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.  |

# Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 244008-1

|                                    |               |                |                |              |
|------------------------------------|---------------|----------------|----------------|--------------|
| <b>Sample Name:</b> TRIP BLANK_132 | MW-201_022526 | MW-201S_022526 | MW-221S_022526 | MW-29_022526 |
| <b>Lab Sample ID:</b> 2402440081   | 2402440082    | 2402440083     | 2402440084     | 2402440085   |
| <b>Sample Date:</b> 2/25/2026      | 2/25/2026     | 2/25/2026      | 2/25/2026      | 2/25/2026    |

| Analyte                  | Cas No.  | Report |       | Valid | Report    |        | Valid | Report |           | Valid  | Report |       | Valid     | Report |       | Valid | Report    |        | Valid |       |           |
|--------------------------|----------|--------|-------|-------|-----------|--------|-------|--------|-----------|--------|--------|-------|-----------|--------|-------|-------|-----------|--------|-------|-------|-----------|
|                          |          | Result | Limit | Units | Qualifier | Result | Limit | Units  | Qualifier | Result | Limit  | Units | Qualifier | Result | Limit | Units | Qualifier | Result | Limit | Units | Qualifier |
| <b>GC/MSVOC</b>          |          |        |       |       |           |        |       |        |           |        |        |       |           |        |       |       |           |        |       |       |           |
| <u>OSW-8260D</u>         |          |        |       |       |           |        |       |        |           |        |        |       |           |        |       |       |           |        |       |       |           |
| 1,1-Dichloroethene       | 75-35-4  | ND     | 1.0   | ug/l  | ---       | ND     | 1.0   | ug/l   | ---       | ND     | 1.0    | ug/l  | ---       | ND     | 1.0   | ug/l  | ---       | ND     | 1.0   | ug/l  | ---       |
| cis-1,2-Dichloroethene   | 156-59-2 | ND     | 1.0   | ug/l  | ---       | ND     | 1.0   | ug/l   | ---       | ND     | 1.0    | ug/l  | ---       | 1.5    | 1.0   | ug/l  | ---       | ND     | 1.0   | ug/l  | ---       |
| Tetrachloroethene        | 127-18-4 | ND     | 1.0   | ug/l  | ---       | ND     | 1.0   | ug/l   | ---       | ND     | 1.0    | ug/l  | ---       | ND     | 1.0   | ug/l  | ---       | ND     | 1.0   | ug/l  | ---       |
| trans-1,2-Dichloroethene | 156-60-5 | ND     | 1.0   | ug/l  | ---       | ND     | 1.0   | ug/l   | ---       | ND     | 1.0    | ug/l  | ---       | ND     | 1.0   | ug/l  | ---       | ND     | 1.0   | ug/l  | ---       |
| Trichloroethene          | 79-01-6  | ND     | 1.0   | ug/l  | ---       | ND     | 1.0   | ug/l   | ---       | ND     | 1.0    | ug/l  | ---       | 1.7    | 1.0   | ug/l  | ---       | ND     | 1.0   | ug/l  | ---       |
| Vinyl chloride           | 75-01-4  | ND     | 1.0   | ug/l  | ---       | ND     | 1.0   | ug/l   | ---       | ND     | 1.0    | ug/l  | ---       | ND     | 1.0   | ug/l  | ---       | ND     | 1.0   | ug/l  | ---       |
| <u>OSW-8260DSIM</u>      |          |        |       |       |           |        |       |        |           |        |        |       |           |        |       |       |           |        |       |       |           |
| 1,4-Dioxane              | 123-91-1 |        |       |       |           | ND     | 2.0   | ug/l   | ---       | ND     | 2.0    | ug/l  | ---       | ND     | 2.0   | ug/l  | ---       | 8.2    | 2.0   | ug/l  | ---       |