

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 3/5/2026 1:33:24 PM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-244010-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
3/5/2026 1:33:24 PM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)966-9783



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	19
Lab Chronicle	20
Certification Summary	21
Chain of Custody	22

Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis US Inc.
Project: Ford LTP

Job ID: 240-244010-1

Job ID: 240-244010-1

Eurofins Cleveland

Job Narrative 240-244010-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 2/26/2026 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 1.2°C, 2.2°C and 3.4°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
240-244010-1	TRIP BLANK_130	Water	02/25/26 00:00	02/26/26 08:00	Michigan
240-244010-2	MW-58_022526	Water	02/25/26 09:40	02/26/26 08:00	Michigan
240-244010-3	MW-196_022526	Water	02/25/26 10:45	02/26/26 08:00	Michigan
240-244010-4	MW-196S_022526	Water	02/25/26 11:35	02/26/26 08:00	Michigan
240-244010-5	MW-195S_022526	Water	02/25/26 12:40	02/26/26 08:00	Michigan

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

Client Sample ID: TRIP BLANK_130

Lab Sample ID: 240-244010-1

No Detections.

Client Sample ID: MW-58_022526

Lab Sample ID: 240-244010-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	4.8		2.0	0.86	ug/L	1		8260D SIM	Total/NA

Client Sample ID: MW-196_022526

Lab Sample ID: 240-244010-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethene	1.1		1.0	0.49	ug/L	1		8260D	Total/NA
cis-1,2-Dichloroethene	390		1.0	0.46	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	130		1.0	0.51	ug/L	1		8260D	Total/NA
Trichloroethene	380		1.0	0.44	ug/L	1		8260D	Total/NA

Client Sample ID: MW-196S_022526

Lab Sample ID: 240-244010-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	76		1.0	0.46	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	1.9		1.0	0.51	ug/L	1		8260D	Total/NA
Trichloroethene	42		1.0	0.44	ug/L	1		8260D	Total/NA

Client Sample ID: MW-195S_022526

Lab Sample ID: 240-244010-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethene	0.95	J	1.0	0.49	ug/L	1		8260D	Total/NA
cis-1,2-Dichloroethene	110		1.0	0.46	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	160		1.0	0.51	ug/L	1		8260D	Total/NA
Trichloroethene	1800	F1	10	4.4	ug/L	10		8260D	Total/NA
Vinyl chloride	3.0		1.0	0.45	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

Client Sample ID: TRIP BLANK_130

Lab Sample ID: 240-244010-1

Date Collected: 02/25/26 00:00

Matrix: Water

Date Received: 02/26/26 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/03/26 15:27	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/03/26 15:27	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/03/26 15:27	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/03/26 15:27	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/03/26 15:27	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/03/26 15:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		03/03/26 15:27	1
4-Bromofluorobenzene (Surr)	79		56 - 136		03/03/26 15:27	1
Toluene-d8 (Surr)	87		78 - 122		03/03/26 15:27	1
Dibromofluoromethane (Surr)	99		73 - 120		03/03/26 15:27	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

Client Sample ID: MW-58_022526

Lab Sample ID: 240-244010-2

Date Collected: 02/25/26 09:40

Matrix: Water

Date Received: 02/26/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	4.8		2.0	0.86	ug/L			03/05/26 02:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		64 - 136					03/05/26 02:02	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/03/26 17:03	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/03/26 17:03	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/03/26 17:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/03/26 17:03	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/03/26 17:03	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/03/26 17:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		62 - 137					03/03/26 17:03	1
4-Bromofluorobenzene (Surr)	78		56 - 136					03/03/26 17:03	1
Toluene-d8 (Surr)	87		78 - 122					03/03/26 17:03	1
Dibromofluoromethane (Surr)	102		73 - 120					03/03/26 17:03	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

Client Sample ID: MW-196_022526

Lab Sample ID: 240-244010-3

Date Collected: 02/25/26 10:45

Matrix: Water

Date Received: 02/26/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/05/26 02:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		64 - 136					03/05/26 02:26	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.1		1.0	0.49	ug/L			03/03/26 17:27	1
cis-1,2-Dichloroethene	390		1.0	0.46	ug/L			03/03/26 17:27	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/03/26 17:27	1
trans-1,2-Dichloroethene	130		1.0	0.51	ug/L			03/03/26 17:27	1
Trichloroethene	380		1.0	0.44	ug/L			03/03/26 17:27	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/03/26 17:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		62 - 137					03/03/26 17:27	1
4-Bromofluorobenzene (Surr)	83		56 - 136					03/03/26 17:27	1
Toluene-d8 (Surr)	93		78 - 122					03/03/26 17:27	1
Dibromofluoromethane (Surr)	100		73 - 120					03/03/26 17:27	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

Client Sample ID: MW-196S_022526

Lab Sample ID: 240-244010-4

Date Collected: 02/25/26 11:35

Matrix: Water

Date Received: 02/26/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/05/26 02:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		64 - 136					03/05/26 02:50	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/03/26 17:51	1
cis-1,2-Dichloroethene	76		1.0	0.46	ug/L			03/03/26 17:51	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/03/26 17:51	1
trans-1,2-Dichloroethene	1.9		1.0	0.51	ug/L			03/03/26 17:51	1
Trichloroethene	42		1.0	0.44	ug/L			03/03/26 17:51	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/03/26 17:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		62 - 137					03/03/26 17:51	1
4-Bromofluorobenzene (Surr)	92		56 - 136					03/03/26 17:51	1
Toluene-d8 (Surr)	97		78 - 122					03/03/26 17:51	1
Dibromofluoromethane (Surr)	102		73 - 120					03/03/26 17:51	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

Client Sample ID: MW-195S_022526

Lab Sample ID: 240-244010-5

Date Collected: 02/25/26 12:40

Matrix: Water

Date Received: 02/26/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/05/26 03:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		64 - 136					03/05/26 03:14	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	0.95	J	1.0	0.49	ug/L			03/03/26 18:15	1
cis-1,2-Dichloroethene	110		1.0	0.46	ug/L			03/03/26 18:15	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/03/26 18:15	1
trans-1,2-Dichloroethene	160		1.0	0.51	ug/L			03/03/26 18:15	1
Trichloroethene	1800	F1	10	4.4	ug/L			03/04/26 15:32	10
Vinyl chloride	3.0		1.0	0.45	ug/L			03/03/26 18:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		62 - 137					03/03/26 18:15	1
1,2-Dichloroethane-d4 (Surr)	103		62 - 137					03/04/26 15:32	10
4-Bromofluorobenzene (Surr)	87		56 - 136					03/03/26 18:15	1
4-Bromofluorobenzene (Surr)	89		56 - 136					03/04/26 15:32	10
Toluene-d8 (Surr)	98		78 - 122					03/03/26 18:15	1
Toluene-d8 (Surr)	97		78 - 122					03/04/26 15:32	10
Dibromofluoromethane (Surr)	103		73 - 120					03/03/26 18:15	1
Dibromofluoromethane (Surr)	105		73 - 120					03/04/26 15:32	10

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-244010-1	TRIP BLANK_130	98	79	87	99
240-244010-2	MW-58_022526	101	78	87	102
240-244010-3	MW-196_022526	96	83	93	100
240-244010-4	MW-196S_022526	101	92	97	102
240-244010-5	MW-195S_022526	99	87	98	103
240-244010-5	MW-195S_022526	103	89	97	105
240-244010-5 MS	MW-195S_022526	96	98	93	99
240-244010-5 MS	MW-195S_022526	96	94	93	99
240-244010-5 MSD	MW-195S_022526	97	94	90	98
240-244010-5 MSD	MW-195S_022526	99	104	97	100
LCS 240-692105/3	Lab Control Sample	96	106	97	95
LCS 240-692267/3	Lab Control Sample	95	108	98	100
MB 240-692105/7	Method Blank	98	88	96	97
MB 240-692267/7	Method Blank	98	82	91	101

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (64-136)
240-244009-E-6 MS	Matrix Spike	88
240-244009-E-6 MSD	Matrix Spike Duplicate	88
240-244010-2	MW-58_022526	88
240-244010-3	MW-196_022526	90
240-244010-4	MW-196S_022526	89
240-244010-5	MW-195S_022526	87
LCS 240-692288/3	Lab Control Sample	91
MB 240-692288/5	Method Blank	90

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-692105/7

Matrix: Water

Analysis Batch: 692105

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/03/26 11:29	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/03/26 11:29	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/03/26 11:29	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/03/26 11:29	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/03/26 11:29	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/03/26 11:29	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		03/03/26 11:29	1
4-Bromofluorobenzene (Surr)	88		56 - 136		03/03/26 11:29	1
Toluene-d8 (Surr)	96		78 - 122		03/03/26 11:29	1
Dibromofluoromethane (Surr)	97		73 - 120		03/03/26 11:29	1

Lab Sample ID: LCS 240-692105/3

Matrix: Water

Analysis Batch: 692105

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	50.0	44.9		ug/L		90	63 - 134
cis-1,2-Dichloroethene	50.0	45.7		ug/L		91	77 - 123
Tetrachloroethene	50.0	51.6		ug/L		103	76 - 123
trans-1,2-Dichloroethene	50.0	42.9		ug/L		86	75 - 124
Trichloroethene	50.0	48.3		ug/L		97	70 - 122
Vinyl chloride	50.0	46.4		ug/L		93	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	106		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

Lab Sample ID: 240-244010-5 MS

Matrix: Water

Analysis Batch: 692105

Client Sample ID: MW-195S_022526

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	0.95	J	50.0	40.6		ug/L		79	56 - 135
cis-1,2-Dichloroethene	110		50.0	148		ug/L		75	66 - 128
Tetrachloroethene	1.0	U	50.0	45.3		ug/L		91	62 - 131
trans-1,2-Dichloroethene	160		50.0	187		ug/L		58	56 - 136
Vinyl chloride	3.0		50.0	47.2		ug/L		88	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	94		56 - 136
Toluene-d8 (Surr)	93		78 - 122
Dibromofluoromethane (Surr)	99		73 - 120

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-244010-5 MSD

Client Sample ID: MW-195S_022526

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 692105

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	0.95	J	50.0	44.1		ug/L		86	56 - 135	8	26
cis-1,2-Dichloroethene	110		50.0	152		ug/L		82	66 - 128	2	14
Tetrachloroethene	1.0	U	50.0	46.7		ug/L		93	62 - 131	3	20
trans-1,2-Dichloroethene	160		50.0	188		ug/L		61	56 - 136	1	15
Vinyl chloride	3.0		50.0	49.3		ug/L		93	43 - 157	4	24

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	104		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	100		73 - 120

Lab Sample ID: MB 240-692267/7

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 692267

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/04/26 11:57	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/04/26 11:57	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/04/26 11:57	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/04/26 11:57	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/04/26 11:57	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/04/26 11:57	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		62 - 137		03/04/26 11:57	1
4-Bromofluorobenzene (Surr)	82		56 - 136		03/04/26 11:57	1
Toluene-d8 (Surr)	91		78 - 122		03/04/26 11:57	1
Dibromofluoromethane (Surr)	101		73 - 120		03/04/26 11:57	1

Lab Sample ID: LCS 240-692267/3

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 692267

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	50.0	45.5		ug/L		91	63 - 134
cis-1,2-Dichloroethene	50.0	47.8		ug/L		96	77 - 123
Tetrachloroethene	50.0	52.1		ug/L		104	76 - 123
trans-1,2-Dichloroethene	50.0	43.8		ug/L		88	75 - 124
Trichloroethene	50.0	49.5		ug/L		99	70 - 122
Vinyl chloride	50.0	46.4		ug/L		93	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	95		62 - 137
4-Bromofluorobenzene (Surr)	108		56 - 136
Toluene-d8 (Surr)	98		78 - 122
Dibromofluoromethane (Surr)	100		73 - 120

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-244010-5 MS

Matrix: Water

Analysis Batch: 692267

Client Sample ID: MW-195S_022526

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier	Added	Result	Qualifier				
1,1-Dichloroethene	10	U	500	426		ug/L		85	56 - 135
cis-1,2-Dichloroethene	100		500	542		ug/L		88	66 - 128
Tetrachloroethene	10	U	500	457		ug/L		91	62 - 131
trans-1,2-Dichloroethene	150		500	549		ug/L		80	56 - 136
Trichloroethene	1800	F1	500	1990	F1	ug/L		36	61 - 124
Vinyl chloride	10	U	500	438		ug/L		88	43 - 157
MS MS									
Surrogate	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	96		62 - 137						
4-Bromofluorobenzene (Surr)	98		56 - 136						
Toluene-d8 (Surr)	93		78 - 122						
Dibromofluoromethane (Surr)	99		73 - 120						

Lab Sample ID: 240-244010-5 MSD

Matrix: Water

Analysis Batch: 692267

Client Sample ID: MW-195S_022526

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
	Result	Qualifier	Added	Result	Qualifier						
1,1-Dichloroethene	10	U	500	446		ug/L		89	56 - 135	5	26
cis-1,2-Dichloroethene	100		500	576		ug/L		94	66 - 128	6	14
Tetrachloroethene	10	U	500	478		ug/L		96	62 - 131	5	20
trans-1,2-Dichloroethene	150		500	577		ug/L		85	56 - 136	5	15
Trichloroethene	1800	F1	500	2080	F1	ug/L		53	61 - 124	4	15
Vinyl chloride	10	U	500	488		ug/L		98	43 - 157	11	24
MSD MSD											
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	97		62 - 137								
4-Bromofluorobenzene (Surr)	94		56 - 136								
Toluene-d8 (Surr)	90		78 - 122								
Dibromofluoromethane (Surr)	98		73 - 120								

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-692288/5

Matrix: Water

Analysis Batch: 692288

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/04/26 22:26	1
MB MB									
Surrogate	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	90		64 - 136						

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-692288/3

Matrix: Water

Analysis Batch: 692288

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	10.0	8.85		ug/L		89	68 - 120
Surrogate		%Recovery	Qualifier				Limits
1,2-Dichloroethane-d4 (Surr)		91					64 - 136

Lab Sample ID: 240-244009-E-6 MS

Matrix: Water

Analysis Batch: 692288

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dioxane	2.0	U	10.0	8.55		ug/L		85	45 - 145
Surrogate		%Recovery							Limits
1,2-Dichloroethane-d4 (Surr)		88							64 - 136

Lab Sample ID: 240-244009-E-6 MSD

Matrix: Water

Analysis Batch: 692288

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
1,4-Dioxane	2.0	U	10.0	8.29		ug/L		83	45 - 145	3	19
Surrogate		%Recovery							Limits		
1,2-Dichloroethane-d4 (Surr)		88							64 - 136		

QC Association Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

GC/MS VOA

Analysis Batch: 692105

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-244010-1	TRIP BLANK_130	Total/NA	Water	8260D	
240-244010-2	MW-58_022526	Total/NA	Water	8260D	
240-244010-3	MW-196_022526	Total/NA	Water	8260D	
240-244010-4	MW-196S_022526	Total/NA	Water	8260D	
240-244010-5	MW-195S_022526	Total/NA	Water	8260D	
MB 240-692105/7	Method Blank	Total/NA	Water	8260D	
LCS 240-692105/3	Lab Control Sample	Total/NA	Water	8260D	
240-244010-5 MS	MW-195S_022526	Total/NA	Water	8260D	
240-244010-5 MSD	MW-195S_022526	Total/NA	Water	8260D	

Analysis Batch: 692267

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-244010-5	MW-195S_022526	Total/NA	Water	8260D	
MB 240-692267/7	Method Blank	Total/NA	Water	8260D	
LCS 240-692267/3	Lab Control Sample	Total/NA	Water	8260D	
240-244010-5 MS	MW-195S_022526	Total/NA	Water	8260D	
240-244010-5 MSD	MW-195S_022526	Total/NA	Water	8260D	

Analysis Batch: 692288

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-244010-2	MW-58_022526	Total/NA	Water	8260D SIM	
240-244010-3	MW-196_022526	Total/NA	Water	8260D SIM	
240-244010-4	MW-196S_022526	Total/NA	Water	8260D SIM	
240-244010-5	MW-195S_022526	Total/NA	Water	8260D SIM	
MB 240-692288/5	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-692288/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-244009-E-6 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-244009-E-6 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

Client Sample ID: TRIP BLANK_130

Lab Sample ID: 240-244010-1

Date Collected: 02/25/26 00:00

Matrix: Water

Date Received: 02/26/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	692105	HMB	EET CLE	03/03/26 15:27

Client Sample ID: MW-58_022526

Lab Sample ID: 240-244010-2

Date Collected: 02/25/26 09:40

Matrix: Water

Date Received: 02/26/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	692105	HMB	EET CLE	03/03/26 17:03
Total/NA	Analysis	8260D SIM		1	692288	MDH	EET CLE	03/05/26 02:02

Client Sample ID: MW-196_022526

Lab Sample ID: 240-244010-3

Date Collected: 02/25/26 10:45

Matrix: Water

Date Received: 02/26/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	692105	HMB	EET CLE	03/03/26 17:27
Total/NA	Analysis	8260D SIM		1	692288	MDH	EET CLE	03/05/26 02:26

Client Sample ID: MW-196S_022526

Lab Sample ID: 240-244010-4

Date Collected: 02/25/26 11:35

Matrix: Water

Date Received: 02/26/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	692105	HMB	EET CLE	03/03/26 17:51
Total/NA	Analysis	8260D SIM		1	692288	MDH	EET CLE	03/05/26 02:50

Client Sample ID: MW-195S_022526

Lab Sample ID: 240-244010-5

Date Collected: 02/25/26 12:40

Matrix: Water

Date Received: 02/26/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	692105	HMB	EET CLE	03/03/26 18:15
Total/NA	Analysis	8260D		10	692267	HMB	EET CLE	03/04/26 15:32
Total/NA	Analysis	8260D SIM		1	692288	MDH	EET CLE	03/05/26 03:14

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244010-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	09-30-26
Illinois	NELAP	200004	08-31-26
Iowa	State	421	06-01-27
Kansas	NELAP	E-10336	01-31-26 *
Kentucky (WW)	State	KY98016	12-31-26
Michigan	State	9135	01-10-27
Minnesota	NELAP	039-999-348	12-31-26
New Hampshire	NELAP	2250	09-30-26
New Jersey	NELAP	OH001	06-30-26
New York	NELAP	10975	04-01-26
Oregon	NELAP	4062	02-27-26 *
Pennsylvania	NELAP	68-00340	08-31-26
Texas	NELAP	T104704517	08-31-26
USDA	US Federal Programs	525-24-5-34740	01-05-27
Virginia	NELAP	460175	09-30-26
West Virginia DEP	State	210	03-31-26
Wisconsin	State	399167560	08-31-26

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Chain of Custody Record

11/19

TestAmerica Laboratory location: Farmington Hills — 38855 Hills Tech Drive, Suite 600, Farmington Hills 48331

Client Contact		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other		TestAmerica Laboratories, Inc.									
Company Name: Arcadis		Client Project Manager: Megan Meckley		Site Contact: Samantha Szaichler		Lab Contact: Mike DelMonico		COC No:					
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240		Telephone: 248-994-2240		Telephone: 330-497-9396		1 of 1 COCs					
City/State/Zip: Novi, MI, 48377		Email: megan.meckley@arcadis.com		Analysis Turnaround Time		Analyses				For lab use only			
Phone: 248-994-2240		Sampler Name: <i>Margam Mariani</i>		TAT if different from below		Filtered Sample (Y/N) Composite-C/Grab-G 1,1-DCE 8260D cis-1,2-DCE 8260D Trans-1,2-DCE 8260D PCE 8260D TOE 8260D Vinyl Chloride 8260D 1,4-Dioxane 8260D SIM				Walk-in client			
Project Name: Ford LTP		Method of Shipment/Carrier:		<input checked="" type="checkbox"/> 10 day <input type="checkbox"/> 3 weeks <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day						Lab sampling			
Project Number: 30309849.401.04		Shipping/Tracking No:		Matrix		Containers & Preservatives				Job/SDG No:			
PO # US3460029524				Air Aqueous Sediment Solid Other:		H2SO4 HNO3 HCl NaOH Zn/NaOH Unpres Other:				Sample Specific Notes / Special Instructions:			
Sample Identification		Sample Date Sample Time											
TRIP BLANK_130		---		1		1				1 Trip Blank			
MW-58_022526		2/25/26 0940		6		6				3 VOAs for 8260D 3 VOAs for 8260D SIM			
MW-196_022526		2/25/26 1045		6		6							
MW-196S_022526		2/25/26 1135		6		6							
MW-195S_022526		2/25/26 1240		6		6							



Possible Hazard Identification: Non-Hazard Flammable Skin Irritant Poison B Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month): Return to Client Disposal By Lab Archive For _____ Months

Special Instructions/QC Requirements & Comments: *Onsite*

Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728
Level IV Reporting requested.

Relinquished by: <i>Margam Mariani</i>	Company: <i>Arcadis</i>	Date/Time: <i>2/25/26 1330</i>	Received by: <i>Non Cold Storage</i>	Company: <i>Arcadis</i>	Date/Time: <i>2/25/26 1330</i>
Relinquished by: <i>Elly Mc...</i>	Company: <i>ARCADIS</i>	Date/Time: <i>2/25/26 1633</i>	Received by: <i>Elly Mc...</i>	Company: <i>EETA</i>	Date/Time: <i>2/25/26</i>
Relinquished by: <i>Elly Mc...</i>	Company: <i>EETA</i>	Date/Time: <i>2/25/26 1633</i>	Received in Laboratory by: <i>[Signature]</i>	Company: <i>EL</i>	Date/Time: <i>2/26/26 CBCA</i>

©2008 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Eurofins - Cleveland Sample Receipt Form/Narrative Login # _____

Barberton Facility
 Client ARCADIS Site Name _____
 Cooler Received on 2-26-26 Opened on 2-26-26 Cooler unpacked by JC

FedEx: 1st Grd Exp UPS FAS Wayport Client Drop Off Eurofins Courier Other _____

Receipt After-hours, Drop-off Date/Time _____ Storage Location _____
 Eurofins Cooler # _____ Foam Box Client Cooler Box Other _____
 Packing material used ~~Bubble Wrap~~ Bubble Wrap Foam Plastic Bag None Other _____
 COOLANT: Wet Ice Blue Ice Dry Ice Water None

1 Cooler temperature upon receipt See Multiple Cooler Form
 IR GUN # _____ (CF . . . °C) Observed Cooler Temp _____ °C Corrected Cooler Temp _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 2
 -Were the seals on the outside of the cooler(s) signed & dated? Yes No
 -Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA

-Were tamper/custody seals intact and uncompromised? Yes No NA
 3 Shippers' packing slip attached to the cooler(s)? Yes No
 4 Did custody papers accompany the sample(s)? Yes No

5 Were the custody papers relinquished & signed in the appropriate place? Yes No
 6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes No
 7 Did all bottles arrive in good condition (Unbroken)? Yes No

8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No
 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No

10 Were correct bottle(s) used for the test(s) indicated? Yes No
 11 Sufficient quantity received to perform indicated analyses? Yes No
 12 Are these work share samples and all listed on the COC? Yes No

If yes, Questions 13-17 have been checked at the originating laboratory
 13 Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HCS67196
 14 Were VOAs on the COC? Yes No

15 Were air bubbles >6 mm in any VOA vials? Larger than this Yes No NA
 16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # NA Yes No
 17 Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

18 CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page
 Labeled by: _____
 Labels Verified by: _____

19 SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired.
 Sample(s) _____ were received in a broken container
 Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20 SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory
 Time preserved. _____ Preservative(s) added/L of number(s) _____
 VOA Sample Preservation - Date/Time VOAs Frozen _____

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

Temperature readings: _____

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u> <u>pH</u>	<u>Preservation</u> <u>Temp</u>	<u>Preservation</u> <u>Added</u>	<u>Preservation</u> <u>Lot Number</u>
TRIP BLANK_130	240-244010-A-1	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-58_022526	240-244010-A-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-58_022526	240-244010-B-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-58_022526	240-244010-C-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-58_022526	240-244010-D-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-58_022526	240-244010-E-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-58_022526	240-244010-F-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-196_022526	240-244010-A-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-196_022526	240-244010-B-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-196_022526	240-244010-C-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-196_022526	240-244010-D-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-196_022526	240-244010-E-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-196_022526	240-244010-F-3	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-196S_022526	240-244010-A-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-196S_022526	240-244010-B-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-196S_022526	240-244010-C-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-196S_022526	240-244010-D-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-196S_022526	240-244010-E-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-196S_022526	240-244010-F-4	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-195S_022526	240-244010-A-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-195S_022526	240-244010-B-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-195S_022526	240-244010-C-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-195S_022526	240-244010-D-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-195S_022526	240-244010-E-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-195S_022526	240-244010-F-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____

DATA VERIFICATION REPORT



March 05, 2026

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil
Project number: 30309849.401.04
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 244010-1
Sample date: 2026-02-25
Report received by CADENA: 2026-03-05
Initial Data Verification completed by CADENA: 2026-03-05
Number of Samples:5
Sample Matrices:Water
Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

MSD - GCMS VOC sample -005 MS and MSD recovery outliers were outliers with the recovery biased low for the following analyte: TRICHLOROETHENE. Client sample results for this analyte should be considered to be estimated and qualified with a J flag if detected.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Qualified Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 244010-1

Sample Name: MW-195S_022526

Lab Sample ID: 2402440105

Sample Date: 2/25/2026

Analyte	Cas No.	Report		Units	Valid Qualifier
		Result	Limit		
GC/MS VOC					
<u>OSW-8260D</u>					
Trichloroethene	79-01-6	1800	10	ug/l	J

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 244010-1

Analyte	Cas No.	Sample Name: TRIP BLANK_130				MW-58_022526				MW-196_022526				MW-196S_022526				MW-195S_022526			
		Lab Sample ID: 2402440101				2402440102				2402440103				2402440104				2402440105			
		Sample Date: 2/25/2026				2/25/2026				2/25/2026				2/25/2026				2/25/2026			
		Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid		
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MSVOC																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	1.1	1.0	ug/l	---	ND	1.0	ug/l	---	0.95	1.0	ug/l	J
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	390	1.0	ug/l	---	76	1.0	ug/l	---	110	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	130	1.0	ug/l	---	1.9	1.0	ug/l	---	160	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	380	1.0	ug/l	---	42	1.0	ug/l	---	1800	10	ug/l	J
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	3.0	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					4.8	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---