

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Ms. Megan Meckley  
Arcadis US Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 3/4/2026 2:58:31 PM

## JOB DESCRIPTION

Ford LTP

## JOB NUMBER

240-244028-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
3/4/2026 2:58:31 PM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)966-9783



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	14
QC Sample Results . . . . .	15
QC Association Summary . . . . .	18
Lab Chronicle . . . . .	19
Certification Summary . . . . .	20
Chain of Custody . . . . .	21

# Definitions/Glossary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244028-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Arcadis US Inc.  
Project: Ford LTP

Job ID: 240-244028-1

**Job ID: 240-244028-1**

**Eurofins Cleveland**

## Job Narrative 240-244028-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### Receipt

The samples were received on 2/25/2026 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.6°C and 3.1°C.

### GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

# Method Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244028-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



# Sample Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244028-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
240-244028-1	TRIP BLANK_106	Water	02/23/26 00:00	02/25/26 08:00	Michigan
240-244028-2	MW-30_022326	Water	02/23/26 10:45	02/25/26 08:00	Michigan
240-244028-3	MW-208S_022326	Water	02/23/26 11:45	02/25/26 08:00	Michigan
240-244028-4	MW-31_022326	Water	02/23/26 12:40	02/25/26 08:00	Michigan
240-244028-5	MW-40_022326	Water	02/23/26 13:30	02/25/26 08:00	Michigan

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244028-1

**Client Sample ID: TRIP BLANK\_106**

**Lab Sample ID: 240-244028-1**

No Detections.

**Client Sample ID: MW-30\_022326**

**Lab Sample ID: 240-244028-2**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	7.5		2.0	0.86	ug/L	1		8260D SIM	Total/NA

**Client Sample ID: MW-208S\_022326**

**Lab Sample ID: 240-244028-3**

No Detections.

**Client Sample ID: MW-31\_022326**

**Lab Sample ID: 240-244028-4**

No Detections.

**Client Sample ID: MW-40\_022326**

**Lab Sample ID: 240-244028-5**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.7		1.0	0.46	ug/L	1		8260D	Total/NA
Vinyl chloride	1.2		1.0	0.45	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244028-1

**Client Sample ID: TRIP BLANK\_106**

**Lab Sample ID: 240-244028-1**

Date Collected: 02/23/26 00:00

Matrix: Water

Date Received: 02/25/26 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/28/26 01:13	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/28/26 01:13	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/28/26 01:13	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/28/26 01:13	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/28/26 01:13	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/28/26 01:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		62 - 137		02/28/26 01:13	1
4-Bromofluorobenzene (Surr)	100		56 - 136		02/28/26 01:13	1
Toluene-d8 (Surr)	90		78 - 122		02/28/26 01:13	1
Dibromofluoromethane (Surr)	105		73 - 120		02/28/26 01:13	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244028-1

**Client Sample ID: MW-30\_022326**

**Lab Sample ID: 240-244028-2**

Date Collected: 02/23/26 10:45

Matrix: Water

Date Received: 02/25/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	7.5		2.0	0.86	ug/L			03/02/26 18:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	74		64 - 136					03/02/26 18:38	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/28/26 01:35	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/28/26 01:35	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/28/26 01:35	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/28/26 01:35	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/28/26 01:35	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/28/26 01:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		62 - 137					02/28/26 01:35	1
4-Bromofluorobenzene (Surr)	102		56 - 136					02/28/26 01:35	1
Toluene-d8 (Surr)	92		78 - 122					02/28/26 01:35	1
Dibromofluoromethane (Surr)	107		73 - 120					02/28/26 01:35	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244028-1

**Client Sample ID: MW-208S\_022326**

**Lab Sample ID: 240-244028-3**

Date Collected: 02/23/26 11:45

Matrix: Water

Date Received: 02/25/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/02/26 19:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	75		64 - 136					03/02/26 19:01	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/28/26 01:58	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/28/26 01:58	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/28/26 01:58	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/28/26 01:58	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/28/26 01:58	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/28/26 01:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		62 - 137					02/28/26 01:58	1
4-Bromofluorobenzene (Surr)	103		56 - 136					02/28/26 01:58	1
Toluene-d8 (Surr)	95		78 - 122					02/28/26 01:58	1
Dibromofluoromethane (Surr)	104		73 - 120					02/28/26 01:58	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244028-1

**Client Sample ID: MW-31\_022326**

**Lab Sample ID: 240-244028-4**

Date Collected: 02/23/26 12:40

Matrix: Water

Date Received: 02/25/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/02/26 19:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	73		64 - 136					03/02/26 19:25	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/28/26 02:21	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/28/26 02:21	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/28/26 02:21	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/28/26 02:21	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/28/26 02:21	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/28/26 02:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		62 - 137					02/28/26 02:21	1
4-Bromofluorobenzene (Surr)	101		56 - 136					02/28/26 02:21	1
Toluene-d8 (Surr)	92		78 - 122					02/28/26 02:21	1
Dibromofluoromethane (Surr)	104		73 - 120					02/28/26 02:21	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244028-1

**Client Sample ID: MW-40\_022326**

**Lab Sample ID: 240-244028-5**

Date Collected: 02/23/26 13:30

Matrix: Water

Date Received: 02/25/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/02/26 19:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	74		64 - 136					03/02/26 19:48	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/28/26 02:44	1
<b>cis-1,2-Dichloroethene</b>	<b>1.7</b>		1.0	0.46	ug/L			02/28/26 02:44	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/28/26 02:44	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/28/26 02:44	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/28/26 02:44	1
<b>Vinyl chloride</b>	<b>1.2</b>		1.0	0.45	ug/L			02/28/26 02:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		62 - 137					02/28/26 02:44	1
4-Bromofluorobenzene (Surr)	103		56 - 136					02/28/26 02:44	1
Toluene-d8 (Surr)	94		78 - 122					02/28/26 02:44	1
Dibromofluoromethane (Surr)	104		73 - 120					02/28/26 02:44	1

# Surrogate Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244028-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-244028-1	TRIP BLANK_106	112	100	90	105
240-244028-2	MW-30_022326	110	102	92	107
240-244028-2 MS	MW-30_022326	97	110	94	91
240-244028-2 MSD	MW-30_022326	96	109	95	95
240-244028-3	MW-208S_022326	110	103	95	104
240-244028-4	MW-31_022326	107	101	92	104
240-244028-5	MW-40_022326	108	103	94	104
LCS 240-691898/4	Lab Control Sample	98	110	96	96
MB 240-691898/8	Method Blank	106	100	94	103

**Surrogate Legend**

DCA = 1,2-Dichloroethane-d4 (Surr)  
BFB = 4-Bromofluorobenzene (Surr)  
TOL = Toluene-d8 (Surr)  
DBFM = Dibromofluoromethane (Surr)

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (64-136)
240-244028-2	MW-30_022326	74
240-244028-3	MW-208S_022326	75
240-244028-4	MW-31_022326	73
240-244028-5	MW-40_022326	74
240-244032-E-2 MS	Matrix Spike	71
240-244032-F-2 MSD	Matrix Spike Duplicate	72
LCS 240-692008/4	Lab Control Sample	85
MB 240-692008/6	Method Blank	83

**Surrogate Legend**

DCA = 1,2-Dichloroethane-d4 (Surr)

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244028-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-691898/8

Matrix: Water

Analysis Batch: 691898

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/28/26 00:03	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/28/26 00:03	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/28/26 00:03	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/28/26 00:03	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/28/26 00:03	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/28/26 00:03	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	106		62 - 137		02/28/26 00:03	1
4-Bromofluorobenzene (Surr)	100		56 - 136		02/28/26 00:03	1
Toluene-d8 (Surr)	94		78 - 122		02/28/26 00:03	1
Dibromofluoromethane (Surr)	103		73 - 120		02/28/26 00:03	1

Lab Sample ID: LCS 240-691898/4

Matrix: Water

Analysis Batch: 691898

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,1-Dichloroethene	25.0	24.5		ug/L		98	63 - 134
cis-1,2-Dichloroethene	25.0	25.1		ug/L		100	77 - 123
Tetrachloroethene	25.0	21.6		ug/L		86	76 - 123
trans-1,2-Dichloroethene	25.0	22.5		ug/L		90	75 - 124
Trichloroethene	25.0	23.9		ug/L		95	70 - 122
Vinyl chloride	12.5	9.77		ug/L		78	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	98		62 - 137
4-Bromofluorobenzene (Surr)	110		56 - 136
Toluene-d8 (Surr)	96		78 - 122
Dibromofluoromethane (Surr)	96		73 - 120

Lab Sample ID: 240-244028-2 MS

Matrix: Water

Analysis Batch: 691898

Client Sample ID: MW-30\_022326

Prep Type: Total/NA

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,1-Dichloroethene	1.0	U	25.0	20.9		ug/L		84	56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	22.4		ug/L		90	66 - 128
Tetrachloroethene	1.0	U	25.0	17.2		ug/L		69	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	19.3		ug/L		77	56 - 136
Trichloroethene	1.0	U	25.0	18.2		ug/L		73	61 - 124
Vinyl chloride	1.0	U	12.5	8.52		ug/L		68	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	110		56 - 136
Toluene-d8 (Surr)	94		78 - 122

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244028-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-244028-2 MS

Client Sample ID: MW-30\_022326

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 691898

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	91		73 - 120

Lab Sample ID: 240-244028-2 MSD

Client Sample ID: MW-30\_022326

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 691898

Analyte	Sample		Spike Added	MSD MSD		Unit	D	%Rec	%Rec		RPD	Limit
	Result	Qualifier		Result	Qualifier				Limits	RPD		
1,1-Dichloroethene	1.0	U	25.0	22.1		ug/L		88	56 - 135	5	26	
cis-1,2-Dichloroethene	1.0	U	25.0	22.9		ug/L		91	66 - 128	2	14	
Tetrachloroethene	1.0	U	25.0	18.1		ug/L		73	62 - 131	5	20	
trans-1,2-Dichloroethene	1.0	U	25.0	19.7		ug/L		79	56 - 136	2	15	
Trichloroethene	1.0	U	25.0	20.2		ug/L		81	61 - 124	10	15	
Vinyl chloride	1.0	U	12.5	9.34		ug/L		75	43 - 157	9	24	

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	109		56 - 136
Toluene-d8 (Surr)	95		78 - 122
Dibromofluoromethane (Surr)	95		73 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-692008/6

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 692008

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L		03/02/26 13:33	1	

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	83		64 - 136		03/02/26 13:33	1

Lab Sample ID: LCS 240-692008/4

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 692008

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1,4-Dioxane	10.0	7.75		ug/L		77	68 - 120

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	85		64 - 136

Lab Sample ID: 240-244032-E-2 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 692008

Analyte	Sample		Spike Added	MS MS		Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
1,4-Dioxane	2.0	U	10.0	7.50		ug/L		75	45 - 145

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244028-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	71		64 - 136

**Lab Sample ID: 240-244032-F-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 692008**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,4-Dioxane	2.0	U	10.0	7.57		ug/L		76	45 - 145	1	19

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	72		64 - 136



# QC Association Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244028-1

## GC/MS VOA

### Analysis Batch: 691898

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-244028-1	TRIP BLANK_106	Total/NA	Water	8260D	
240-244028-2	MW-30_022326	Total/NA	Water	8260D	
240-244028-3	MW-208S_022326	Total/NA	Water	8260D	
240-244028-4	MW-31_022326	Total/NA	Water	8260D	
240-244028-5	MW-40_022326	Total/NA	Water	8260D	
MB 240-691898/8	Method Blank	Total/NA	Water	8260D	
LCS 240-691898/4	Lab Control Sample	Total/NA	Water	8260D	
240-244028-2 MS	MW-30_022326	Total/NA	Water	8260D	
240-244028-2 MSD	MW-30_022326	Total/NA	Water	8260D	

### Analysis Batch: 692008

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-244028-2	MW-30_022326	Total/NA	Water	8260D SIM	
240-244028-3	MW-208S_022326	Total/NA	Water	8260D SIM	
240-244028-4	MW-31_022326	Total/NA	Water	8260D SIM	
240-244028-5	MW-40_022326	Total/NA	Water	8260D SIM	
MB 240-692008/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-692008/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-244032-E-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-244032-F-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

# Lab Chronicle

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244028-1

**Client Sample ID: TRIP BLANK\_106**

**Lab Sample ID: 240-244028-1**

Date Collected: 02/23/26 00:00

Matrix: Water

Date Received: 02/25/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	691898	LEE	EET CLE	02/28/26 01:13

**Client Sample ID: MW-30\_022326**

**Lab Sample ID: 240-244028-2**

Date Collected: 02/23/26 10:45

Matrix: Water

Date Received: 02/25/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	691898	LEE	EET CLE	02/28/26 01:35
Total/NA	Analysis	8260D SIM		1	692008	MDH	EET CLE	03/02/26 18:38

**Client Sample ID: MW-208S\_022326**

**Lab Sample ID: 240-244028-3**

Date Collected: 02/23/26 11:45

Matrix: Water

Date Received: 02/25/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	691898	LEE	EET CLE	02/28/26 01:58
Total/NA	Analysis	8260D SIM		1	692008	MDH	EET CLE	03/02/26 19:01

**Client Sample ID: MW-31\_022326**

**Lab Sample ID: 240-244028-4**

Date Collected: 02/23/26 12:40

Matrix: Water

Date Received: 02/25/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	691898	LEE	EET CLE	02/28/26 02:21
Total/NA	Analysis	8260D SIM		1	692008	MDH	EET CLE	03/02/26 19:25

**Client Sample ID: MW-40\_022326**

**Lab Sample ID: 240-244028-5**

Date Collected: 02/23/26 13:30

Matrix: Water

Date Received: 02/25/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	691898	LEE	EET CLE	02/28/26 02:44
Total/NA	Analysis	8260D SIM		1	692008	MDH	EET CLE	03/02/26 19:48

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# Accreditation/Certification Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244028-1

## Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	09-30-26
Illinois	NELAP	200004	08-31-26
Iowa	State	421	06-01-27
Kansas	NELAP	E-10336	01-31-26 *
Kentucky (WW)	State	KY98016	12-31-26
Michigan	State	9135	01-10-27
Minnesota	NELAP	039-999-348	12-31-26
New Hampshire	NELAP	2250	09-30-26
New Jersey	NELAP	OH001	06-30-26
New York	NELAP	10975	04-01-26
Oregon	NELAP	4062	02-27-26 *
Pennsylvania	NELAP	68-00340	08-31-26
Texas	NELAP	T104704517	08-31-26
USDA	US Federal Programs	525-24-5-34740	01-05-27
Virginia	NELAP	460175	09-30-26
West Virginia DEP	State	210	03-31-26
Wisconsin	State	399167560	08-31-26

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.



TestAmerica Laboratory location: Farmington Hills — 38855 Hills Tech Drive, Suite 600, Farmington Hills 48331

<b>Client Contact</b>		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other		TestAmerica Laboratories, Inc.	
Company Name: Arcadis		Client Project Manager: Megan Meckley		Site Contact: Samantha Szaichler	
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240		Telephone: 248-994-2240	
City/State/Zip: Novi, MI, 48377		Email: megan.meckley@arcadis.com		Telephone: 330-497-9396	
Phone: 248-994-2240		<b>Analysis Turnaround Time</b>		<b>Analyses</b>	
Project Name: Ford LTP		TAT if different from below		For lab use only	
Project Number: 30309849.401.04		10 day <input type="checkbox"/> 3 weeks <input type="checkbox"/>		Walk-in client <input type="checkbox"/>	
PO # US3460029524		2 weeks <input checked="" type="checkbox"/>		Lab sampling <input type="checkbox"/>	
Shipping/Tracking No:		1 week <input type="checkbox"/>		Job/SDG No:	
		2 days <input type="checkbox"/>			
		1 day <input type="checkbox"/>			
<b>Sample Identification</b>		<b>Matrix</b>		<b>Containers &amp; Preservatives</b>	
Sample Date		Sample Time		Filtered Sample (Y/N)	
				Composite-C / Grab-G	
		Air		1,1-DCE 8260D	
		Aqueous		cis-1,2-DCE 8260D	
		Sediment		Trans-1,2-DCE 8260D	
		Solid		PCE 8260D	
		Other:		TCE 8260D	
		H2SO4		Vinyl Chloride 8260D	
		HNO3		1,4-Dioxane 8260D SIM	
		HCl			
		NaOH			
		ZnAc/NaOH			
		Unpres			
		Other:			
TRIP BLANK_106		---		NG X X X X X X	
MW-30-022326		02/23/26 10:45		NG X X X X X X	
MW-2095-022326		02/23/26 11:45		NG X X X X X X	
MW-31-022326		02/23/26 12:40		NG X X X X X X	
MW-46-022326		02/23/26 13:30		NG X X X X X X	
<p style="text-align: center;">JM 02/23/26</p>					
<b>Possible Hazard Identification</b>		<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b>			
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown		<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For <input type="checkbox"/> Months			
<b>Special Instructions/QC Requirements &amp; Comments:</b> Onsite					
Submit all results through Cadena at <a href="mailto:jtomalia@cadenaco.com">jtomalia@cadenaco.com</a> . Cadena #E203728					
Level IV Reporting requested.					
Relinquished by:		Company: Arcadis		Date/Time: 02/23/26 15:00	
Relinquished by:		Company: ARCADIS		Date/Time: 2/24/26 1330	
Relinquished by:		Company: ECTA		Date/Time: 2/24/26 1340	
Received by:		Company: Arcadis		Date/Time: 02/23/26 15:00	
Received by:		Company: ECTA		Date/Time: 2/24/26 1330	
Received in Laboratory by:		Company: ECTA		Date/Time: 2/25/26 0800	



©2009 TestAmerica Laboratories, Inc. All rights reserved. TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14

Eurofins - Cleveland Sample Receipt Form/Narrative Login # \_\_\_\_\_

Barberton Facility

Client ARCADIS Site Name \_\_\_\_\_ Cooler unpacked by: SC

Cooler Received on 2-25-26 Opened on 2-25-26

FedEx: 1<sup>st</sup> Grd Exp UPS PAS Waypoint Client Drop Off Eurofins Courier Other \_\_\_\_\_

Receipt After-hours Drop-off Date/Time \_\_\_\_\_ Storage Location \_\_\_\_\_

Eurofins Cooler # CC Foam Box Client Cooler Box Other \_\_\_\_\_

Packing material used: Bubble Wrap Foam Plastic Bag None Other \_\_\_\_\_

COOLANT: Water Blue Ice Dry Ice Water None

1 Cooler temperature upon receipt \_\_\_\_\_ °C  See Multiple Cooler Form

IR GUN # \_\_\_\_\_ (CF) \_\_\_\_\_ °C Observed Cooler Temp \_\_\_\_\_ °C Corrected Cooler Temp \_\_\_\_\_ °C

2 Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity \_\_\_\_\_

-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA

-Were tamper/custody seals on the bottle(s) or bottle kits (LIHg/MeHg)? Yes No NA

-Were tamper/custody seals intact and uncompromised? Yes No NA

3 Shippers' packing slip attached to the cooler(s)? Yes No NA

4 Did custody papers accompany the sample(s)? Yes No NA

5 Were the custody papers relinquished & signed in the appropriate place? Yes No NA

6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes No NA

7 Did all bottles arrive in good condition (Unbroken)? Yes No NA

8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No NA

9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No NA

10 Were correct bottle(s) used for the test(s) indicated? Yes No NA

11 Sufficient quantity received to perform indicated analyses? Yes No NA

12 Are these work share samples and all listed on the COC? Yes No NA

If Yes, Questions 13-17 have been checked at the originating laboratory

13 Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC567196

14 Were VOAs on the COC? Yes No NA

15 Were air bubbles >6 mm in any VOA vials? Yes No NA

16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # NR

17 Was a LI-Hg or Me-Hg trip blank present? Yes No NA

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_

Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page

Labeled by: \_\_\_\_\_ Labels Verified by: \_\_\_\_\_

19. SAMPLE CONDITION

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired

Sample(s) \_\_\_\_\_ were received in a broken container.

Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) \_\_\_\_\_ were further preserved in the laboratory

Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s) \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen \_\_\_\_\_

Tests that are not checked for pH by Receiving:  
VOAs  
Oil and Grease  
TOC



Temperature readings

Client Sample ID	Lab ID	Container Type	Container pH	Preservation Temp	Preservation Added	Preservation Lot Number
TRIP BLANK_106	240-244028-A-1	Voa Vial 40ml - Hydrochloric Acid				
MW-30_022326	240-244028-A-2	Voa Vial 40ml - Hydrochloric Acid				
MW-30_022326	240-244028-B-2	Voa Vial 40ml - Hydrochloric Acid				
MW-30_022326	240-244028-C-2	Voa Vial 40ml - Hydrochloric Acid				
MW-30_022326	240-244028-D-2	Voa Vial 40ml - Hydrochloric Acid				
MW-30_022326	240-244028-E-2	Voa Vial 40ml - Hydrochloric Acid				
MW-30_022326	240-244028-F-2	Voa Vial 40ml - Hydrochloric Acid				
MW-208S_022326	240-244028-A-3	Voa Vial 40ml - Hydrochloric Acid				
MW-208S_022326	240-244028-B-3	Voa Vial 40ml - Hydrochloric Acid				
MW-208S_022326	240-244028-C-3	Voa Vial 40ml - Hydrochloric Acid				
MW-208S_022326	240-244028-D-3	Voa Vial 40ml - Hydrochloric Acid				
MW-208S_022326	240-244028-E-3	Voa Vial 40ml - Hydrochloric Acid				
MW-208S_022326	240-244028-F-3	Voa Vial 40ml - Hydrochloric Acid				
MW-31_022326	240-244028-A-4	Voa Vial 40ml - Hydrochloric Acid				
MW-31_022326	240-244028-B-4	Voa Vial 40ml - Hydrochloric Acid				
MW-31_022326	240-244028-C-4	Voa Vial 40ml - Hydrochloric Acid				
MW-31_022326	240-244028-D-4	Voa Vial 40ml - Hydrochloric Acid				
MW-31_022326	240-244028-E-4	Voa Vial 40ml - Hydrochloric Acid				
MW-31_022326	240-244028-F-4	Voa Vial 40ml - Hydrochloric Acid				
MW-40_022326	240-244028-A-5	Voa Vial 40ml - Hydrochloric Acid				
MW-40_022326	240-244028-B-5	Voa Vial 40ml - Hydrochloric Acid				
MW-40_022326	240-244028-C-5	Voa Vial 40ml - Hydrochloric Acid				
MW-40_022326	240-244028-D-5	Voa Vial 40ml - Hydrochloric Acid				
MW-40_022326	240-244028-E-5	Voa Vial 40ml - Hydrochloric Acid				
MW-40_022326	240-244028-F-5	Voa Vial 40ml - Hydrochloric Acid				

# DATA VERIFICATION REPORT



March 04, 2026

Megan Meckley  
Arcadis  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728  
Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil  
Project number: 30309849.401.04  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Cleveland  
Laboratory submittal: 244028-1  
Sample date: 2026-02-23  
Report received by CADENA: 2026-03-04  
Initial Data Verification completed by CADENA: 2026-03-04  
Number of Samples:5  
Sample Matrices:Water  
Test Categories:GCMS VOC  
**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

There were no significant QC anomalies or exceptions to report.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

## Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 244028-1

Analyte	Cas No.	Sample Name: TRIP BLANK_106				MW-30_022326				MW-208S_022326				MW-31_022326				MW-40_022326			
		Lab Sample ID: 2402440281				2402440282				2402440283				2402440284				2402440285			
		Sample Date: 2/23/2026				2/23/2026				2/23/2026				2/23/2026				2/23/2026			
		Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid		
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
<b>GC/MSVOC</b>																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	1.7	1.0	ug/l	---
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	1.2	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					7.5	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---	ND	2.0	ug/l	---