

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 3/3/2026 9:48:27 PM

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-244029-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
3/3/2026 9:48:27 PM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)966-9783



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	15
Lab Chronicle	16
Certification Summary	17
Chain of Custody	18

Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244029-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis US Inc.
Project: Ford LTP

Job ID: 240-244029-1

Job ID: 240-244029-1

Eurofins Cleveland

Job Narrative 240-244029-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 2/25/2026 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.6°C and 3.1°C.

GC/MS VOA

Method 8260D: The continuing calibration verification (CCV) associated with batch 240-691806 recovered above the upper control limit for Vinyl chloride. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are: TRIP BLANK_144 (240-244029-1) and MW-42_022326 (240-244029-2).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244029-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396



Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244029-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
240-244029-1	TRIP BLANK_144	Water	02/23/26 00:00	02/25/26 08:00	Michigan
240-244029-2	MW-42_022326	Water	02/23/26 09:30	02/25/26 08:00	Michigan

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244029-1

Client Sample ID: TRIP BLANK_144

Lab Sample ID: 240-244029-1

No Detections.

Client Sample ID: MW-42_022326

Lab Sample ID: 240-244029-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	2.0		2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	0.89	J	1.0	0.45	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland



Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244029-1

Client Sample ID: TRIP BLANK_144

Lab Sample ID: 240-244029-1

Date Collected: 02/23/26 00:00

Matrix: Water

Date Received: 02/25/26 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/27/26 13:47	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/27/26 13:47	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/27/26 13:47	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/27/26 13:47	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/27/26 13:47	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/27/26 13:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		62 - 137		02/27/26 13:47	1
4-Bromofluorobenzene (Surr)	98		56 - 136		02/27/26 13:47	1
Toluene-d8 (Surr)	102		78 - 122		02/27/26 13:47	1
Dibromofluoromethane (Surr)	100		73 - 120		02/27/26 13:47	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244029-1

Client Sample ID: MW-42_022326

Lab Sample ID: 240-244029-2

Date Collected: 02/23/26 09:30

Matrix: Water

Date Received: 02/25/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0		2.0	0.86	ug/L			03/02/26 20:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	77		64 - 136					03/02/26 20:12	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/27/26 18:31	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/27/26 18:31	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/27/26 18:31	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/27/26 18:31	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/27/26 18:31	1
Vinyl chloride	0.89	J	1.0	0.45	ug/L			02/27/26 18:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		62 - 137					02/27/26 18:31	1
4-Bromofluorobenzene (Surr)	100		56 - 136					02/27/26 18:31	1
Toluene-d8 (Surr)	103		78 - 122					02/27/26 18:31	1
Dibromofluoromethane (Surr)	104		73 - 120					02/27/26 18:31	1

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244029-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-244029-1	TRIP BLANK_144	102	98	102	100
240-244029-2	MW-42_022326	103	100	103	104
240-244032-B-2 MS	Matrix Spike	107	105	105	108
240-244032-B-2 MSD	Matrix Spike Duplicate	102	100	98	104
LCS 240-691806/3	Lab Control Sample	105	104	103	103
MB 240-691806/7	Method Blank	103	99	103	104

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(64-136)
240-244029-2	MW-42_022326	77
240-244032-E-2 MS	Matrix Spike	71
240-244032-F-2 MSD	Matrix Spike Duplicate	72
LCS 240-692008/4	Lab Control Sample	85
MB 240-692008/6	Method Blank	83

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244029-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-691806/7

Matrix: Water

Analysis Batch: 691806

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			02/27/26 12:12	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			02/27/26 12:12	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			02/27/26 12:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			02/27/26 12:12	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			02/27/26 12:12	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			02/27/26 12:12	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	103		62 - 137		02/27/26 12:12	1
4-Bromofluorobenzene (Surr)	99		56 - 136		02/27/26 12:12	1
Toluene-d8 (Surr)	103		78 - 122		02/27/26 12:12	1
Dibromofluoromethane (Surr)	104		73 - 120		02/27/26 12:12	1

Lab Sample ID: LCS 240-691806/3

Matrix: Water

Analysis Batch: 691806

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	26.7		ug/L		107	77 - 123
Tetrachloroethene	25.0	26.2		ug/L		105	76 - 123
trans-1,2-Dichloroethene	25.0	25.4		ug/L		102	75 - 124
Trichloroethene	25.0	26.1		ug/L		104	70 - 122
Vinyl chloride	25.0	30.6		ug/L		122	60 - 144

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	105		62 - 137
4-Bromofluorobenzene (Surr)	104		56 - 136
Toluene-d8 (Surr)	103		78 - 122
Dibromofluoromethane (Surr)	103		73 - 120

Lab Sample ID: 240-244032-B-2 MS

Matrix: Water

Analysis Batch: 691806

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	1.0	U	25.0	22.2		ug/L		89	66 - 128
Tetrachloroethene	1.0	U	25.0	18.5		ug/L		74	62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	19.8		ug/L		79	56 - 136
Trichloroethene	1.0	U	25.0	19.9		ug/L		80	61 - 124
Vinyl chloride	1.0	U	25.0	24.3		ug/L		97	43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	107		62 - 137
4-Bromofluorobenzene (Surr)	105		56 - 136
Toluene-d8 (Surr)	105		78 - 122

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244029-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-244032-B-2 MS
Matrix: Water
Analysis Batch: 691806

Client Sample ID: Matrix Spike
Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	108		73 - 120

Lab Sample ID: 240-244032-B-2 MSD
Matrix: Water
Analysis Batch: 691806

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample		Spike Added	MSD		Unit	D	%Rec	%Rec		RPD	
	Result	Qualifier		Result	Qualifier				Limits	RPD	Limit	
1,1-Dichloroethene	1.0	U	25.0	21.2		ug/L		85	56 - 135	8	26	
cis-1,2-Dichloroethene	1.0	U	25.0	23.6		ug/L		94	66 - 128	6	14	
Tetrachloroethene	1.0	U	25.0	20.4		ug/L		82	62 - 131	10	20	
trans-1,2-Dichloroethene	1.0	U	25.0	22.0		ug/L		88	56 - 136	11	15	
Trichloroethene	1.0	U	25.0	21.8		ug/L		87	61 - 124	9	15	
Vinyl chloride	1.0	U	25.0	27.7		ug/L		111	43 - 157	13	24	

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	102		62 - 137
4-Bromofluorobenzene (Surr)	100		56 - 136
Toluene-d8 (Surr)	98		78 - 122
Dibromofluoromethane (Surr)	104		73 - 120

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-692008/6
Matrix: Water
Analysis Batch: 692008

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/02/26 13:33	1

	MB	MB		Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits			
1,2-Dichloroethane-d4 (Surr)	83		64 - 136		03/02/26 13:33	1

Lab Sample ID: LCS 240-692008/4
Matrix: Water
Analysis Batch: 692008

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec	
		Result	Qualifier				Limits	RPD
1,4-Dioxane	10.0	7.75		ug/L		77	68 - 120	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	85		64 - 136

Lab Sample ID: 240-244032-E-2 MS
Matrix: Water
Analysis Batch: 692008

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample		Spike Added	MS		Unit	D	%Rec	%Rec	
	Result	Qualifier		Result	Qualifier				Limits	RPD
1,4-Dioxane	2.0	U	10.0	7.50		ug/L		75	45 - 145	

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244029-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	71		64 - 136

Lab Sample ID: 240-244032-F-2 MSD
Matrix: Water
Analysis Batch: 692008

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,4-Dioxane	2.0	U	10.0	7.57		ug/L		76	45 - 145	1	19

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	72		64 - 136

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244029-1

GC/MS VOA

Analysis Batch: 691806

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-244029-1	TRIP BLANK_144	Total/NA	Water	8260D	
240-244029-2	MW-42_022326	Total/NA	Water	8260D	
MB 240-691806/7	Method Blank	Total/NA	Water	8260D	
LCS 240-691806/3	Lab Control Sample	Total/NA	Water	8260D	
240-244032-B-2 MS	Matrix Spike	Total/NA	Water	8260D	
240-244032-B-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

Analysis Batch: 692008

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-244029-2	MW-42_022326	Total/NA	Water	8260D SIM	
MB 240-692008/6	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-692008/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-244032-E-2 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-244032-F-2 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244029-1

Client Sample ID: TRIP BLANK_144

Lab Sample ID: 240-244029-1

Date Collected: 02/23/26 00:00

Matrix: Water

Date Received: 02/25/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	691806	HMB	EET CLE	02/27/26 13:47

Client Sample ID: MW-42_022326

Lab Sample ID: 240-244029-2

Date Collected: 02/23/26 09:30

Matrix: Water

Date Received: 02/25/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	691806	HMB	EET CLE	02/27/26 18:31
Total/NA	Analysis	8260D SIM		1	692008	MDH	EET CLE	03/02/26 20:12

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-244029-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	09-30-26
Illinois	NELAP	200004	08-31-26
Iowa	State	421	06-01-27
Kansas	NELAP	E-10336	01-31-26 *
Kentucky (WW)	State	KY98016	12-31-26
Michigan	State	9135	01-10-27
Minnesota	NELAP	039-999-348	12-31-26
New Hampshire	NELAP	2250	09-30-26
New Jersey	NELAP	OH001	06-30-26
New York	NELAP	10975	04-01-26
Oregon	NELAP	4062	02-27-26 *
Pennsylvania	NELAP	68-00340	08-31-26
Texas	NELAP	T104704517	08-31-26
USDA	US Federal Programs	525-24-5-34740	01-05-27
Virginia	NELAP	460175	09-30-26
West Virginia DEP	State	210	03-31-26
Wisconsin	State	399167560	08-31-26

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



TestAmerica Laboratory location: Farmington Hills — 38855 Hills Tech Drive, Suite 600, Farmington Hills 48331

Client Contact		Regulatory program: <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other										TestAmerica Laboratories, Inc.														
Company Name: Arcadis		Client Project Manager: Megan Meckley			Site Contact: Samantha Szaichler			Lab Contact: Mike DelMonico			COC No:															
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240			Telephone: 248-994-2240			Telephone: 330-497-9396			1 of 1 COCs															
City/State/Zip: Novi, MI, 48377		Email: megan.meckley@arcadis.com			Analysis Turnaround Time			Analyses				For lab use only														
Phone: 248-994-2240		Sampler Name: <i>Zach Sullivan</i>			TAT if different from below							Walk-in client														
Project Name: Ford LTP		Method of Shipment/Carrier:			10 day <input checked="" type="checkbox"/> 3 weeks <input type="checkbox"/>							Lab sampling														
Project Number: 30309849.401.04		Shipping/Tracking No:			<input type="checkbox"/> 2 weeks <input type="checkbox"/>							Job/SDG No:														
PO # US3460029524					<input type="checkbox"/> 1 week <input type="checkbox"/>																					
					<input type="checkbox"/> 2 days <input type="checkbox"/>																					
					<input type="checkbox"/> 1 day <input type="checkbox"/>																					
Sample Identification		Sample Date	Sample Time	Matrix			Containers & Preservatives					Sample Specific Notes / Special Instructions:														
				Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Unpres	Other:	Filtered Sample (Y/N)	Composit=C/Grab=G	1,1-DCE 8260D	cis-1,2-DCE 8260D	Trans-1,2-DCE 8260D	PCE 8260D	TCE 8260D	Vinyl Chloride 8260D	1,4-Dioxane 8260D SIM		
TRIP BLANK 144		---	---	1						1						NG	X	X	X	X	X	X			1 Trip Blank	
MW-42-022326		2/23/26	9:30	6						6						X	X	X	X	X	X	X			3 VOAs for 8260D 3 VOAs for 8260D SIM	

Eurofins - Cleveland Sample Receipt Form/Narrative Login # _____

Barberton Facility Cooler unpacked by: JC

Client Acculis Site Name _____

Cooler Received on 2-25-26 Opened on 2-25-26

FedEx, 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other

Receipt After-hours Drop-off Date/Time _____ Storage Location

Eurofins Cooler # EC Foam Box Client Cooler Box Other

Packing material used Bubble Wrap Foam Plastic Bag None Other

COOLANT: Water Blue Ice Dry Ice Water None See Multiple Cooler Form

1 Cooler temperature upon receipt IR GUN # _____ (CF _____ °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity _____ Tests that are not checked for pH by Receiving. VOAs Oil and Grease TOC

-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA

-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA

-Were tamper/custody seals intact and uncompromised? Yes No NA

3 Shippers' packing slip attached to the cooler(s)? Yes No NA

4 Did custody papers accompany the sample(s)? Yes No NA

5 Were the custody papers relinquished & signed in the appropriate place? Yes No NA

6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes No NA

7 Did all bottles arrive in good condition (Unbroken)? Yes No NA

8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No NA

9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No NA

10 Were correct bottle(s) used for the test(s) indicated? Yes No NA

11 Sufficient quantity received to perform indicated analyses? Yes No NA

12 Are these work share samples and all listed on the COC? Yes No NA

If yes, Questions 13-17 have been checked at the originating laboratory

13 Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC567196

14 Were VOAs on the COC? Yes No NA

15 Were air bubbles >6 mm in any VOA vials? Yes No NA

16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # NA

17. Was a LL-Hg-or-Me-Hg-trip blank present? Yes No NA

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Labeled by _____ Labels Verified by _____

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory

Time preserved _____ Preservative(s) added/Lot number(s) _____

VOA Sample Preservation - Date/Time VOAs Frozen _____

Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u> pH	<u>Preservation</u> Temp	<u>Preservation</u> Added	<u>Preservation</u> Lot Number
TRIP BLANK_144	240-244029-A-1	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-42_022326	240-244029-A-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-42_022326	240-244029-B-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-42_022326	240-244029-C-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-42_022326	240-244029-D-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-42_022326	240-244029-E-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____
MW-42_022326	240-244029-F-2	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____	_____

DATA VERIFICATION REPORT



March 04, 2026

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728
Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil
Project number: 30309849.401.04
Event Specific Scope of Work References: Sample COC
Laboratory: Eurofins Environment Testing LLC - Cleveland
Laboratory submittal: 244029-1
Sample date: 2026-02-23
Report received by CADENA: 2026-03-04
Initial Data Verification completed by CADENA: 2026-03-04
Number of Samples:2
Sample Matrices:Water
Test Categories:GCMS VOC
Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch CCV response outliers as noted in the laboratory submittal case narrative were not used to qualify client sample results as part of this level 2 data package verification review.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

