

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Ms. Megan Meckley  
Arcadis US Inc.  
28550 Cabot Drive  
Suite 500  
Novi, Michigan 48377

Generated 3/5/2026 2:32:56 PM

## JOB DESCRIPTION

Ford LTP

## JOB NUMBER

240-244001-1

# Eurofins Cleveland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

## Authorization



Generated  
3/5/2026 2:32:56 PM

Authorized for release by  
Michael DeMonico, Project Manager I  
[Michael.DeMonico@et.eurofinsus.com](mailto:Michael.DeMonico@et.eurofinsus.com)  
(330)966-9783



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Method Summary . . . . .	6
Sample Summary . . . . .	7
Detection Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	14
QC Sample Results . . . . .	15
QC Association Summary . . . . .	20
Lab Chronicle . . . . .	21
Certification Summary . . . . .	22
Chain of Custody . . . . .	23

# Definitions/Glossary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Arcadis US Inc.  
Project: Ford LTP

Job ID: 240-244001-1

**Job ID: 240-244001-1**

**Eurofins Cleveland**

## Job Narrative 240-244001-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### Receipt

The samples were received on 2/26/2026 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 1.2°C, 2.2°C and 3.4°C.

### GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

# Method Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Sample Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
240-244001-1	TRIP BLANK_128	Water	02/24/26 00:00	02/26/26 08:00	Michigan
240-244001-2	MW-135S_022426	Water	02/24/26 09:33	02/26/26 08:00	Michigan
240-244001-3	MW-74_022426	Water	02/24/26 11:55	02/26/26 08:00	Michigan
240-244001-4	DUP-07	Water	02/24/26 00:00	02/26/26 08:00	Michigan
240-244001-5	MW-74S_022426	Water	02/24/26 12:50	02/26/26 08:00	Michigan

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Detection Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

## Client Sample ID: TRIP BLANK\_128

Lab Sample ID: 240-244001-1

No Detections.

## Client Sample ID: MW-135S\_022426

Lab Sample ID: 240-244001-2

No Detections.

## Client Sample ID: MW-74\_022426

Lab Sample ID: 240-244001-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	2.2		2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	6.3		1.0	0.45	ug/L	1		8260D	Total/NA

## Client Sample ID: DUP-07

Lab Sample ID: 240-244001-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	2.1		2.0	0.86	ug/L	1		8260D SIM	Total/NA
Vinyl chloride	5.3		1.0	0.45	ug/L	1		8260D	Total/NA

## Client Sample ID: MW-74S\_022426

Lab Sample ID: 240-244001-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.82	J	1.0	0.46	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

**Client Sample ID: TRIP BLANK\_128**

**Lab Sample ID: 240-244001-1**

Date Collected: 02/24/26 00:00

Matrix: Water

Date Received: 02/26/26 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/02/26 18:16	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/02/26 18:16	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 18:16	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/02/26 18:16	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 18:16	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/02/26 18:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		62 - 137		03/02/26 18:16	1
4-Bromofluorobenzene (Surr)	90		56 - 136		03/02/26 18:16	1
Toluene-d8 (Surr)	101		78 - 122		03/02/26 18:16	1
Dibromofluoromethane (Surr)	97		73 - 120		03/02/26 18:16	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

**Client Sample ID: MW-135S\_022426**

**Lab Sample ID: 240-244001-2**

Date Collected: 02/24/26 09:33

Matrix: Water

Date Received: 02/26/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/04/26 11:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		64 - 136					03/04/26 11:39	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/02/26 18:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/02/26 18:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 18:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/02/26 18:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 18:38	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/02/26 18:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		62 - 137					03/02/26 18:38	1
4-Bromofluorobenzene (Surr)	91		56 - 136					03/02/26 18:38	1
Toluene-d8 (Surr)	103		78 - 122					03/02/26 18:38	1
Dibromofluoromethane (Surr)	96		73 - 120					03/02/26 18:38	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

**Client Sample ID: MW-74\_022426**

**Lab Sample ID: 240-244001-3**

Date Collected: 02/24/26 11:55

Matrix: Water

Date Received: 02/26/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.2		2.0	0.86	ug/L			03/04/26 12:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		64 - 136					03/04/26 12:03	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/02/26 19:00	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/02/26 19:00	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 19:00	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/02/26 19:00	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 19:00	1
Vinyl chloride	6.3		1.0	0.45	ug/L			03/02/26 19:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137					03/02/26 19:00	1
4-Bromofluorobenzene (Surr)	91		56 - 136					03/02/26 19:00	1
Toluene-d8 (Surr)	103		78 - 122					03/02/26 19:00	1
Dibromofluoromethane (Surr)	95		73 - 120					03/02/26 19:00	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

**Client Sample ID: DUP-07**

**Lab Sample ID: 240-244001-4**

Date Collected: 02/24/26 00:00

Matrix: Water

Date Received: 02/26/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.1		2.0	0.86	ug/L			03/04/26 12:27	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	97		64 - 136					03/04/26 12:27	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/05/26 12:23	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/05/26 12:23	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/05/26 12:23	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/05/26 12:23	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/05/26 12:23	1
Vinyl chloride	5.3		1.0	0.45	ug/L			03/05/26 12:23	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	109		62 - 137					03/05/26 12:23	1
4-Bromofluorobenzene (Surr)	101		56 - 136					03/05/26 12:23	1
Toluene-d8 (Surr)	91		78 - 122					03/05/26 12:23	1
Dibromofluoromethane (Surr)	106		73 - 120					03/05/26 12:23	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

**Client Sample ID: MW-74S\_022426**

**Lab Sample ID: 240-244001-5**

Date Collected: 02/24/26 12:50

Matrix: Water

Date Received: 02/26/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/04/26 12:51	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	97		64 - 136					03/04/26 12:51	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/02/26 23:26	1
<b>cis-1,2-Dichloroethene</b>	<b>0.82</b>	<b>J</b>	1.0	0.46	ug/L			03/02/26 23:26	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 23:26	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/02/26 23:26	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 23:26	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/02/26 23:26	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	112		62 - 137					03/02/26 23:26	1
4-Bromofluorobenzene (Surr)	104		56 - 136					03/02/26 23:26	1
Toluene-d8 (Surr)	93		78 - 122					03/02/26 23:26	1
Dibromofluoromethane (Surr)	111		73 - 120					03/02/26 23:26	1

# Surrogate Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	TOL	DBFM
240-243865-C-10 MS	Matrix Spike				
<b>Surrogate Legend</b>					
DCA = 1,2-Dichloroethane-d4 (Surr)					
BFB = 4-Bromofluorobenzene (Surr)					
TOL = Toluene-d8 (Surr)					
DBFM = Dibromofluoromethane (Surr)					

## Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (62-137)	BFB (56-136)	TOL (78-122)	DBFM (73-120)
240-243865-C-10 MSD	Matrix Spike Duplicate	102	96	100	101
240-244001-1	TRIP BLANK_128	103	90	101	97
240-244001-2	MW-135S_022426	102	91	103	96
240-244001-3	MW-74_022426	100	91	103	95
240-244001-4	DUP-07	109	101	91	106
240-244001-5	MW-74S_022426	112	104	93	111
240-244006-B-3 MS	Matrix Spike	97	107	91	92
240-244006-B-3 MSD	Matrix Spike Duplicate	98	108	96	97
LCS 240-691972/3	Lab Control Sample	99	97	99	101
LCS 240-692050/4	Lab Control Sample	99	105	92	96
LCS 240-692453/4	Lab Control Sample	96	110	97	92
MB 240-691972/7	Method Blank	100	94	103	96
MB 240-692050/8	Method Blank	110	103	91	113
MB 240-692453/8	Method Blank	110	101	92	106
<b>Surrogate Legend</b>					
DCA = 1,2-Dichloroethane-d4 (Surr)					
BFB = 4-Bromofluorobenzene (Surr)					
TOL = Toluene-d8 (Surr)					
DBFM = Dibromofluoromethane (Surr)					

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		DCA (64-136)
240-244001-2	MW-135S_022426	95
240-244001-3	MW-74_022426	95
240-244001-4	DUP-07	97
240-244001-5	MW-74S_022426	97
240-244006-F-3 MS	Matrix Spike	93
240-244006-F-3 MSD	Matrix Spike Duplicate	92
LCS 240-692287/3	Lab Control Sample	94
MB 240-692287/5	Method Blank	94
<b>Surrogate Legend</b>		
DCA = 1,2-Dichloroethane-d4 (Surr)		

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-691972/7

Matrix: Water

Analysis Batch: 691972

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/02/26 11:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/02/26 11:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 11:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/02/26 11:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 11:38	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/02/26 11:38	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		03/02/26 11:38	1
4-Bromofluorobenzene (Surr)	94		56 - 136		03/02/26 11:38	1
Toluene-d8 (Surr)	103		78 - 122		03/02/26 11:38	1
Dibromofluoromethane (Surr)	96		73 - 120		03/02/26 11:38	1

Lab Sample ID: LCS 240-691972/3

Matrix: Water

Analysis Batch: 691972

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	25.0	25.2		ug/L		101	63 - 134
cis-1,2-Dichloroethene	25.0	24.6		ug/L		98	77 - 123
Tetrachloroethene	25.0	24.3		ug/L		97	76 - 123
trans-1,2-Dichloroethene	25.0	24.2		ug/L		97	75 - 124
Trichloroethene	25.0	24.4		ug/L		98	70 - 122
Vinyl chloride	25.0	27.9		ug/L		112	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	97		56 - 136
Toluene-d8 (Surr)	99		78 - 122
Dibromofluoromethane (Surr)	101		73 - 120

Lab Sample ID: 240-243865-C-10 MS

Matrix: Water

Analysis Batch: 691972

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	6500		10000	15800		ug/L		-	-
trans-1,2-Dichloroethene	400	U	10000	9180		ug/L		-	-
Trichloroethene	15000		10000	21800		ug/L		-	-
Vinyl chloride	400	U	10000	10500		ug/L		-	-

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)			
4-Bromofluorobenzene (Surr)			
Toluene-d8 (Surr)			
Dibromofluoromethane (Surr)			

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 240-243865-C-10 MSD**

**Matrix: Water**

**Analysis Batch: 691972**

**Client Sample ID: Matrix Spike Duplicate**

**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
cis-1,2-Dichloroethene	6500		10000	14800		ug/L		83	66 - 128	7	14
trans-1,2-Dichloroethene	400	U	10000	8650		ug/L		87	56 - 136	6	15
Trichloroethene	15000		10000	22000		ug/L		66	61 - 124	1	15
Vinyl chloride	400	U	10000	9550		ug/L		95	43 - 157	10	24
<b>MSD MSD</b>											
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>								
1,2-Dichloroethane-d4 (Surr)	102		62 - 137								
4-Bromofluorobenzene (Surr)	96		56 - 136								
Toluene-d8 (Surr)	100		78 - 122								
Dibromofluoromethane (Surr)	101		73 - 120								

**Lab Sample ID: MB 240-692050/8**

**Matrix: Water**

**Analysis Batch: 692050**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L		03/02/26 23:03	1	
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L		03/02/26 23:03	1	
Tetrachloroethene	1.0	U	1.0	0.44	ug/L		03/02/26 23:03	1	
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L		03/02/26 23:03	1	
Trichloroethene	1.0	U	1.0	0.44	ug/L		03/02/26 23:03	1	
Vinyl chloride	1.0	U	1.0	0.45	ug/L		03/02/26 23:03	1	
<b>MB MB</b>									
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>	<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>			
1,2-Dichloroethane-d4 (Surr)	110		62 - 137		03/02/26 23:03	1			
4-Bromofluorobenzene (Surr)	103		56 - 136		03/02/26 23:03	1			
Toluene-d8 (Surr)	91		78 - 122		03/02/26 23:03	1			
Dibromofluoromethane (Surr)	113		73 - 120		03/02/26 23:03	1			

**Lab Sample ID: LCS 240-692050/4**

**Matrix: Water**

**Analysis Batch: 692050**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec
		Result	Qualifier				Limits
1,1-Dichloroethene	25.0	25.6		ug/L		103	63 - 134
cis-1,2-Dichloroethene	25.0	26.3		ug/L		105	77 - 123
Tetrachloroethene	25.0	20.0		ug/L		80	76 - 123
trans-1,2-Dichloroethene	25.0	23.3		ug/L		93	75 - 124
Trichloroethene	25.0	23.0		ug/L		92	70 - 122
Vinyl chloride	12.5	10.4		ug/L		83	60 - 144
<b>LCS LCS</b>							
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				
1,2-Dichloroethane-d4 (Surr)	99		62 - 137				
4-Bromofluorobenzene (Surr)	105		56 - 136				
Toluene-d8 (Surr)	92		78 - 122				
Dibromofluoromethane (Surr)	96		73 - 120				

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 240-244006-B-3 MS**

**Matrix: Water**

**Analysis Batch: 692050**

**Client Sample ID: Matrix Spike**

**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier					
1,1-Dichloroethene	1.0	U	25.0	20.0		ug/L		80		56 - 135
cis-1,2-Dichloroethene	1.0	U	25.0	21.9		ug/L		87		66 - 128
Tetrachloroethene	1.0	U	25.0	16.9		ug/L		68		62 - 131
trans-1,2-Dichloroethene	1.0	U	25.0	19.4		ug/L		77		56 - 136
Trichloroethene	1.0	U F2	25.0	18.6		ug/L		74		61 - 124
Vinyl chloride	1.0	U	12.5	8.36		ug/L		67		43 - 157

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	97		62 - 137
4-Bromofluorobenzene (Surr)	107		56 - 136
Toluene-d8 (Surr)	91		78 - 122
Dibromofluoromethane (Surr)	92		73 - 120

**Lab Sample ID: 240-244006-B-3 MSD**

**Matrix: Water**

**Analysis Batch: 692050**

**Client Sample ID: Matrix Spike Duplicate**

**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	Limits	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier						Limit	
1,1-Dichloroethene	1.0	U	25.0	22.8		ug/L		91		56 - 135	13	26
cis-1,2-Dichloroethene	1.0	U	25.0	23.8		ug/L		95		66 - 128	9	14
Tetrachloroethene	1.0	U	25.0	19.3		ug/L		77		62 - 131	13	20
trans-1,2-Dichloroethene	1.0	U	25.0	21.0		ug/L		84		56 - 136	8	15
Trichloroethene	1.0	U F2	25.0	21.9	F2	ug/L		88		61 - 124	17	15
Vinyl chloride	1.0	U	12.5	9.41		ug/L		75		43 - 157	12	24

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	98		62 - 137
4-Bromofluorobenzene (Surr)	108		56 - 136
Toluene-d8 (Surr)	96		78 - 122
Dibromofluoromethane (Surr)	97		73 - 120

**Lab Sample ID: MB 240-692453/8**

**Matrix: Water**

**Analysis Batch: 692453**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil	Fac
	Result	Qualifier								
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/05/26 12:00		1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/05/26 12:00		1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/05/26 12:00		1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/05/26 12:00		1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/05/26 12:00		1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/05/26 12:00		1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil	Fac
	%Recovery	Qualifier					
1,2-Dichloroethane-d4 (Surr)	110		62 - 137		03/05/26 12:00		1
4-Bromofluorobenzene (Surr)	101		56 - 136		03/05/26 12:00		1
Toluene-d8 (Surr)	92		78 - 122		03/05/26 12:00		1

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: MB 240-692453/8**  
**Matrix: Water**  
**Analysis Batch: 692453**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Dibromofluoromethane (Surr)	106		73 - 120		03/05/26 12:00	1

**Lab Sample ID: LCS 240-692453/4**  
**Matrix: Water**  
**Analysis Batch: 692453**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
cis-1,2-Dichloroethene	25.0	25.5		ug/L		102	77 - 123
Tetrachloroethene	25.0	24.4		ug/L		98	76 - 123
trans-1,2-Dichloroethene	25.0	24.0		ug/L		96	75 - 124
Trichloroethene	25.0	24.2		ug/L		97	70 - 122
Vinyl chloride	12.5	10.3		ug/L		82	60 - 144

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	96		62 - 137
4-Bromofluorobenzene (Surr)	110		56 - 136
Toluene-d8 (Surr)	97		78 - 122
Dibromofluoromethane (Surr)	92		73 - 120

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 240-692287/5**  
**Matrix: Water**  
**Analysis Batch: 692287**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/04/26 11:15	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	94		64 - 136		03/04/26 11:15	1

**Lab Sample ID: LCS 240-692287/3**  
**Matrix: Water**  
**Analysis Batch: 692287**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	94		64 - 136

**Lab Sample ID: 240-244006-F-3 MS**  
**Matrix: Water**  
**Analysis Batch: 692287**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits

Eurofins Cleveland

# QC Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

## Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

<i>Surrogate</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	93		64 - 136

**Lab Sample ID: 240-244006-F-3 MSD**  
**Matrix: Water**  
**Analysis Batch: 692287**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
1,4-Dioxane	2.0	U	10.0	8.95		ug/L		90	45 - 145	3	19

<i>Surrogate</i>	<i>%Recovery</i>	<i>MSD MSD Qualifier</i>	<i>Limits</i>
1,2-Dichloroethane-d4 (Surr)	92		64 - 136



# QC Association Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

## GC/MS VOA

### Analysis Batch: 691972

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-244001-1	TRIP BLANK_128	Total/NA	Water	8260D	
240-244001-2	MW-135S_022426	Total/NA	Water	8260D	
240-244001-3	MW-74_022426	Total/NA	Water	8260D	
MB 240-691972/7	Method Blank	Total/NA	Water	8260D	
LCS 240-691972/3	Lab Control Sample	Total/NA	Water	8260D	
240-243865-C-10 MS	Matrix Spike	Total/NA	Water	8260D	
240-243865-C-10 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

### Analysis Batch: 692050

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-244001-5	MW-74S_022426	Total/NA	Water	8260D	
MB 240-692050/8	Method Blank	Total/NA	Water	8260D	
LCS 240-692050/4	Lab Control Sample	Total/NA	Water	8260D	
240-244006-B-3 MS	Matrix Spike	Total/NA	Water	8260D	
240-244006-B-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D	

### Analysis Batch: 692287

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-244001-2	MW-135S_022426	Total/NA	Water	8260D SIM	
240-244001-3	MW-74_022426	Total/NA	Water	8260D SIM	
240-244001-4	DUP-07	Total/NA	Water	8260D SIM	
240-244001-5	MW-74S_022426	Total/NA	Water	8260D SIM	
MB 240-692287/5	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-692287/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-244006-F-3 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-244006-F-3 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

### Analysis Batch: 692453

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-244001-4	DUP-07	Total/NA	Water	8260D	
MB 240-692453/8	Method Blank	Total/NA	Water	8260D	
LCS 240-692453/4	Lab Control Sample	Total/NA	Water	8260D	

# Lab Chronicle

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

**Client Sample ID: TRIP BLANK\_128**

**Lab Sample ID: 240-244001-1**

Date Collected: 02/24/26 00:00

Matrix: Water

Date Received: 02/26/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	691972	LEE	EET CLE	03/02/26 18:16

**Client Sample ID: MW-135S\_022426**

**Lab Sample ID: 240-244001-2**

Date Collected: 02/24/26 09:33

Matrix: Water

Date Received: 02/26/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	691972	LEE	EET CLE	03/02/26 18:38
Total/NA	Analysis	8260D SIM		1	692287	MDH	EET CLE	03/04/26 11:39

**Client Sample ID: MW-74\_022426**

**Lab Sample ID: 240-244001-3**

Date Collected: 02/24/26 11:55

Matrix: Water

Date Received: 02/26/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	691972	LEE	EET CLE	03/02/26 19:00
Total/NA	Analysis	8260D SIM		1	692287	MDH	EET CLE	03/04/26 12:03

**Client Sample ID: DUP-07**

**Lab Sample ID: 240-244001-4**

Date Collected: 02/24/26 00:00

Matrix: Water

Date Received: 02/26/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	692453	LEE	EET CLE	03/05/26 12:23
Total/NA	Analysis	8260D SIM		1	692287	MDH	EET CLE	03/04/26 12:27

**Client Sample ID: MW-74S\_022426**

**Lab Sample ID: 240-244001-5**

Date Collected: 02/24/26 12:50

Matrix: Water

Date Received: 02/26/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	692050	LEE	EET CLE	03/02/26 23:26
Total/NA	Analysis	8260D SIM		1	692287	MDH	EET CLE	03/04/26 12:51

**Laboratory References:**

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

# Accreditation/Certification Summary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

## Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	09-30-26
Illinois	NELAP	200004	08-31-26
Iowa	State	421	06-01-27
Kansas	NELAP	E-10336	01-31-26 *
Kentucky (WW)	State	KY98016	12-31-26
Michigan	State	9135	01-10-27
Minnesota	NELAP	039-999-348	12-31-26
New Hampshire	NELAP	2250	09-30-26
New Jersey	NELAP	OH001	06-30-26
New York	NELAP	10975	04-01-26
Oregon	NELAP	4062	02-27-26 *
Pennsylvania	NELAP	68-00340	08-31-26
Texas	NELAP	T104704517	08-31-26
USDA	US Federal Programs	525-24-5-34740	01-05-27
Virginia	NELAP	460175	09-30-26
West Virginia DEP	State	210	03-31-26
Wisconsin	State	399167560	08-31-26

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.



# Chain of Custody Record

2/19

TestAmerica Laboratory location: Farmington Hills — 38855 Hills Tech Drive, Suite 600, Farmington Hills 48331

<b>Client Contact</b>		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other		TestAmerica Laboratories, Inc.																										
Company Name: Arcadis		Client Project Manager: Megan Meckley		Site Contact: Samantha Szaichler																										
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240		Lab Contact: Mike DelMonico																										
City/State/Zip: Novi, MI, 48377		Email: megan.meckley@arcadis.com		Telephone: 330-497-9396																										
Phone: 248-994-2240		<b>Analysis Turnaround Time</b> TAT if different from below 10 day <input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day		<b>Analyses</b> Filtered Sample (V/N) Composite-C/ Grab-G 1,1-DCE 8260D Cis-1,2-DCE 8260D Trans-1,2-DCE 8260D PCE 8260D TCE 8260D Vinyl Chloride 8260D 1,4-Dioxane 8260D SIM																										
Project Name: Ford LTP						For lab use only Walk-in client Lab sampling Job/SDG No:																								
Project Number: 30309849.401.04		Method of Shipment/Carrier:		Sample Specific Notes / Special Instructions:																										
PO # US3460029524		Shipping/Tracking No:																												
Sample Identification	Sample Date	Sample Time	Matrix					Containers & Preservatives						Filtered Sample (V/N)	Composite-C/ Grab-G	1,1-DCE 8260D	Cis-1,2-DCE 8260D	Trans-1,2-DCE 8260D	PCE 8260D	TCE 8260D	Vinyl Chloride 8260D	1,4-Dioxane 8260D SIM								
			Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc	NaOH											Unpres	Other:					
TRIP BLANK_ 138 <sup>128</sup> 128	---	---	1					1							NG	X	X	X	X	X	X									1 Trip Blank
<del>AW</del> MW-1355-022426	2/24/26	9:33	6					6							NG	X	X	X	X	X	X									3 VOAs for 8260D 3 VOAs for 8260D SIM
MW-74-022426	2/24/26	11:55	6					6							NG	X	X	X	X	X	X									
Dup-07	2/24/26	-	6					6							NG	X	X	X	X	X	X									
MW-745-022426	2/24/26	12:50	6					6							NG	X	X	X	X	X	X									
ZS		2/24/26																												
<b>Possible Hazard Identification</b>		<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown		<b>Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)</b>																										
				<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																										
<b>Special Instructions/QC Requirements &amp; Comments:</b>		Stark rd row Belden Ct Row Submit all results through Cadena at jtomalia@cadenaco.com. Cadena #E203728 Level IV Reporting requested.																												
Relinquished by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 2/24/26 13:51	Received by: Novi cold storage		Company: Arcadis	Date/Time: 2/24/26 13:51																								
Relinquished by: <i>[Signature]</i>	Company: ARCADIS	Date/Time: 2/25/26 1633	Received by: <i>[Signature]</i>		Company: EETA	Date/Time: 2/25/26																								
Relinquished by: <i>[Signature]</i>	Company: EETA	Date/Time: 2/25/26 1633	Received in Laboratory by: <i>[Signature]</i>		Company: EETA	Date/Time: 2/25/26 0800																								



©2008 TestAmerica Laboratories, Inc. All rights reserved.  
TestAmerica & Design are trademarks of TestAmerica Laboratories, Inc.

Eurofins - Cleveland Sample Receipt Form/Narrative

Login # : \_\_\_\_\_

Barberton Facility

Client ARCADIS

Site Name \_\_\_\_\_

Cooler unpacked by: JE

Cooler Received on 2-26-26

Opened on 2-26-26

FedEx: 1st Grd Exp UPS

FAS Waypoint

Client Drop Off Eurofins Courier Other \_\_\_\_\_

Receipt After-hours/Prep-off Date/Time \_\_\_\_\_

Storage Location \_\_\_\_\_

Eurofins Cooler # \_\_\_\_\_

Prep-off Foam Box

Client Cooler \_\_\_\_\_

Box \_\_\_\_\_

Other \_\_\_\_\_

Packing material used: Bubble Wrap

Foam Plastic Bag

None

Other \_\_\_\_\_

COOLANT: Wet Ice

Blue Ice

Dry Ice

Water

None

1. Cooler temperature upon receipt \_\_\_\_\_

See Multiple Cooler Form

IR GUN # \_\_\_\_\_ (CF \_\_\_\_\_ °C) Observed Cooler Temp. \_\_\_\_\_ °C 32.2 °C 90 °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 2

-Were the seals on the outside of the cooler(s) signed & dated? Yes No

-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA

-Were tamper/custody seals intact and uncompromised? Yes No NA

3. Shipper's packing slip attached to the cooler(s)? Yes No

4. Did custody papers accompany the sample(s)? Yes No

5. Were the custody papers relinquished & signed in the appropriate place? Yes No

6. Was/were the person(s) who collected the samples clearly identified on the COC? Yes No

7. Did all bottles arrive in good condition (Unbroken)? Yes No

8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No

9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No

10. Were correct bottle(s) used for the test(s) indicated? Yes No

11. Sufficient quantity received to perform indicated analyses? Yes No

12. Are these work share samples and all listed on the COC? Yes No

If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HCS67196

14. Were VOAs on the COC? Yes No

15. Were air bubbles >6 mm in any VOA vials? Yes No NA

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # NA

17. Was a LL Hg or Me Hg trip blank present? Yes No

Contacted PM \_\_\_\_\_ Date \_\_\_\_\_ by \_\_\_\_\_ via Verbal Voice Mail Other \_\_\_\_\_

Concerning \_\_\_\_\_

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES  additional next page

Labeled by: \_\_\_\_\_

Labels Verified by: \_\_\_\_\_

19. SAMPLE CONDITION

Sample(s) \_\_\_\_\_ were received after the recommended holding time had expired.

Sample(s) \_\_\_\_\_ were received in a broken container.

Sample(s) \_\_\_\_\_ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) \_\_\_\_\_ were further preserved in the laboratory.

Time preserved: \_\_\_\_\_ Preservative(s) added/Lot number(s): \_\_\_\_\_

VOA Sample Preservation - Date/Time VOAs Frozen: \_\_\_\_\_

Tests that are not checked for pH by Receiving:  
VOAs  
Oil and Grease  
TOC



2/26/2026 Login Container Summary Report

240-244001

Temperature readings: \_\_\_\_\_

3/5/2026

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container pH</u>	<u>Preservation Temp</u>	<u>Preservation Added</u>	<u>Preservation Lot Number</u>
TRIP BLANK_128	240-244001-A-1	Voa Vial 40ml - Hydrochloric Acid				
MW-135S_022426	240-244001-A-2	Voa Vial 40ml - Hydrochloric Acid				
MW-135S_022426	240-244001-B-2	Voa Vial 40ml - Hydrochloric Acid				
MW-135S_022426	240-244001-C-2	Voa Vial 40ml - Hydrochloric Acid				
MW-135S_022426	240-244001-D-2	Voa Vial 40ml - Hydrochloric Acid				
MW-135S_022426	240-244001-E-2	Voa Vial 40ml - Hydrochloric Acid				
MW-135S_022426	240-244001-F-2	Voa Vial 40ml - Hydrochloric Acid				
MW-74_022426	240-244001-A-3	Voa Vial 40ml - Hydrochloric Acid				
MW-74_022426	240-244001-B-3	Voa Vial 40ml - Hydrochloric Acid				
MW-74_022426	240-244001-C-3	Voa Vial 40ml - Hydrochloric Acid				
MW-74_022426	240-244001-D-3	Voa Vial 40ml - Hydrochloric Acid				
MW-74_022426	240-244001-E-3	Voa Vial 40ml - Hydrochloric Acid				
MW-74_022426	240-244001-F-3	Voa Vial 40ml - Hydrochloric Acid				
DUP-01	240-244001-A-4	Voa Vial 40ml - Hydrochloric Acid				
DUP-01	240-244001-B-4	Voa Vial 40ml - Hydrochloric Acid				
DUP-01	240-244001-C-4	Voa Vial 40ml - Hydrochloric Acid				
DUP-01	240-244001-D-4	Voa Vial 40ml - Hydrochloric Acid				
DUP-01	240-244001-E-4	Voa Vial 40ml - Hydrochloric Acid				
DUP-01	240-244001-F-4	Voa Vial 40ml - Hydrochloric Acid				
MW-74S_022426	240-244001-A-5	Voa Vial 40ml - Hydrochloric Acid				
MW-74S_022426	240-244001-B-5	Voa Vial 40ml - Hydrochloric Acid				
MW-74S_022426	240-244001-C-5	Voa Vial 40ml - Hydrochloric Acid				
MW-74S_022426	240-244001-D-5	Voa Vial 40ml - Hydrochloric Acid				
MW-74S_022426	240-244001-E-5	Voa Vial 40ml - Hydrochloric Acid				
MW-74S_022426	240-244001-F-5	Voa Vial 40ml - Hydrochloric Acid				

# DATA VERIFICATION REPORT



March 06, 2026

Megan Meckley  
Arcadis  
28550 Cabot Drive  
Suite 500  
Novi, MI US 48377

CADENA project ID: E203728  
Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil  
Project number: 30309849.401.04  
Event Specific Scope of Work References: Sample COC  
Laboratory: Eurofins Environment Testing LLC - Cleveland  
Laboratory submittal: 244001-1  
Sample date: 2026-02-24  
Report received by CADENA: 2026-03-05  
Initial Data Verification completed by CADENA: 2026-03-06  
Number of Samples:5  
Sample Matrices:Water  
Test Categories:GCMS VOC  
**Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.**

The following minor QC exceptions or missing information were noted:

GCMS VOC QC batch MS/MSD recovery outliers were not determined using a client sample so qualification was not required based on these sample-specific QC outliers.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

## CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

## Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 244001-1

<b>Sample Name:</b>	TRIP BLANK_128	MW-135S_022426	MW-74_022426	DUP-07	MW-74S_022426
<b>Lab Sample ID:</b>	2402440011	2402440012	2402440013	2402440014	2402440015
<b>Sample Date:</b>	2/24/2026	2/24/2026	2/24/2026	2/24/2026	2/24/2026

Analyte	Cas No.	Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid	Report		Valid		
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
<b>GC/MSVOC</b>																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	0.82	1.0	ug/l	J
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	6.3	1.0	ug/l	---	5.3	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	2.2	2.0	ug/l	---	2.1	2.0	ug/l	---	ND	2.0	ug/l	---

## Ford Motor Company – Livonia Transmission Project

# DATA REVIEW

## Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-244001-1

CADENA Verification Report: 2026-03-06

Analyses Performed By:  
Eurofins Cleveland  
Barberton, Ohio

Report # 63472R  
Review Level: Stage-2b  
Project: 30309849.401.02

## DATA REVIEW

### Summary

This data quality assessment summarizes the review of Sample Delivery Group (SDG) # 240-244001-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Stage-2b validation in addition to a verification/Stage-2a validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Stage-2b validation effort (Stage-2b) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Stage-2a report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_128	240-244001-1	Water	02/24/2026		X	
MW-135S_022426	240-244001-2	Water	02/24/2026		X	X
MW-74_022426	240-244001-3	Water	02/24/2026		X	X
DUP-07	240-244001-4	Water	02/24/2026	MW-74_022426	X	X
MW-74S_022426	240-244001-5	Water	02/24/2026		X	X

## DATA REVIEW

# Analytical Data Package Documentation

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

## Organic Analysis Introduction

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
  - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
  - UB Analyte considered non-detect at the listed value due to associated blank contamination.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## Volatile Organic Compound (VOC) Analyses

### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

### 2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable, and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

### 3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

#### 3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

#### 3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the continuing calibrations were within the specified control limits.

### 4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

## DATA REVIEW

### 5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
MW-74_022426 / DUP-07	1,4-Dioxane	2.2	2.1	AC
	Vinyl chloride	6.3	5.3	17.2%

**Note:**

AC = Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

### 6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

All identified compounds met the specified criteria.

### 7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## Data Validation Checklist for VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
<b>GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)</b>					
<b>Stage-2a Validation</b>					
Holding times/Preservation		X		X	
<b>Stage-2b Validation</b>					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD		X		X	
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

**Notes:**

%RSD = Relative standard deviation

%R = Percent recovery


RPD = Relative percent difference

RRF = Relative retention factor

%D = Percent difference

**DATA REVIEW**

VALIDATION PERFORMED BY: Febin J S

SIGNATURE: 

DATE: March 10, 2026

PEER REVIEW: Andrew Korycinski

DATE: March 19, 2026


# CHAIN OF CUSTODY SAMPLE ANALYSIS DATA SHEETS



# Chain of Custody Record

2/19

TestAmerica Laboratory location: Farmington Hills — 38855 Hills Tech Drive, Suite 600, Farmington Hills 48331

<b>Client Contact</b>		<b>Regulatory program:</b> <input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other		TestAmerica Laboratories, Inc.																					
Company Name: Arcadis		Client Project Manager: Megan Meckley		Site Contact: Samantha Szaichler																					
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240		Lab Contact: Mike DelMonico																					
City/State/Zip: Novi, MI, 48377		Email: megan.meckley@arcadis.com		Telephone: 330-497-9396																					
Phone: 248-994-2240		<b>Analysis Turnaround Time</b> TAT if different from below 10 day <input type="checkbox"/> 3 weeks <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day		<b>Analyses</b> Filtered Sample (V/N) Composite-C/ Grab-G 1,1-DCE 8260D Cis-1,2-DCE 8260D Trans-1,2-DCE 8260D PCE 8260D TCE 8260D Vinyl Chloride 8260D 1,4-Dioxane 8260D SIM																					
Project Name: Ford LTP						For lab use only Walk-in client Lab sampling Job/SDG No:																			
Project Number: 30309849.401.04		Method of Shipment/Carrier:		Sample Specific Notes / Special Instructions:																					
PO # US3460029524		Shipping/Tracking No:																							
<b>Sample Identification</b> <i>128</i>		<b>Sample Date</b> <b>Sample Time</b>		<b>Matrix</b>																					
				<b>Containers &amp; Preservatives</b>																					
		Air	Aqueous	Sediment	Solid	Other:	H2SO4	HNO3	HCl	NaOH	ZnAc	NaOH	Unpres	Other:	Filtered Sample (V/N)	Composite-C/ Grab-G	1,1-DCE 8260D	Cis-1,2-DCE 8260D	Trans-1,2-DCE 8260D	PCE 8260D	TCE 8260D	Vinyl Chloride 8260D	1,4-Dioxane 8260D SIM		
TRIP BLANK_ <i>138</i> <i>128</i>		---		1										NG		X		X		X		X		1 Trip Blank	
<del>MW-1355-022426</del>		2/24/26 9:33		6										NG		X		X		X		X		3 VOAs for 8260D 3 VOAs for 8260D SIM	
MW-74-022426		2/24/26 11:55		6										NG		X		X		X		X		↓	
Dup-07		2/24/26 -		6										NG		X		X		X		X			
MW-745-022426		2/24/26 12:50		6										NG		X		X		X		X			
<div style="border: 1px solid black; padding: 5px; display: inline-block;">                       240-244001 COC                 </div>																									
<b>Possible Hazard Identification</b> <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown		<b>Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)</b> <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For <input type="text"/> Months																							
<b>Special Instructions/QC Requirements &amp; Comments:</b> Submit all results through Cadena at <a href="mailto:jtomalia@cadenaco.com">jtomalia@cadenaco.com</a> . Cadena #E203728 Level IV Reporting requested.		Starke rd row Belden ct Row																							
Relinquished by: <i>[Signature]</i>		Company: Arcadis		Date/Time: 2/24/26 13:51		Received by: <i>[Signature]</i>		Company: Arcadis		Date/Time: 2/24/26 13:51															
Relinquished by: <i>[Signature]</i>		Company: ARCADIS		Date/Time: 2/25/26 1633		Received by: <i>[Signature]</i>		Company: EETA		Date/Time: 2/25/26															
Relinquished by: <i>[Signature]</i>		Company: EETA		Date/Time: 2/25/26 1633		Received in Laboratory by: <i>[Signature]</i>		Company: EETA		Date/Time: 2/25/26 0800															

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

©2008 TestAmerica Laboratories, Inc. All rights reserved.  
TestAmerica and Design are trademarks of TestAmerica Laboratories, Inc.

# Definitions/Glossary

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

**Client Sample ID: TRIP BLANK\_128**

**Lab Sample ID: 240-244001-1**

Date Collected: 02/24/26 00:00

Matrix: Water

Date Received: 02/26/26 08:00

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/02/26 18:16	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/02/26 18:16	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 18:16	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/02/26 18:16	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 18:16	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/02/26 18:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		62 - 137		03/02/26 18:16	1
4-Bromofluorobenzene (Surr)	90		56 - 136		03/02/26 18:16	1
Toluene-d8 (Surr)	101		78 - 122		03/02/26 18:16	1
Dibromofluoromethane (Surr)	97		73 - 120		03/02/26 18:16	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

**Client Sample ID: MW-135S\_022426**

**Lab Sample ID: 240-244001-2**

Date Collected: 02/24/26 09:33

Matrix: Water

Date Received: 02/26/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/04/26 11:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		64 - 136					03/04/26 11:39	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/02/26 18:38	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/02/26 18:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 18:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/02/26 18:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 18:38	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/02/26 18:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		62 - 137					03/02/26 18:38	1
4-Bromofluorobenzene (Surr)	91		56 - 136					03/02/26 18:38	1
Toluene-d8 (Surr)	103		78 - 122					03/02/26 18:38	1
Dibromofluoromethane (Surr)	96		73 - 120					03/02/26 18:38	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

**Client Sample ID: MW-74\_022426**

**Lab Sample ID: 240-244001-3**

Date Collected: 02/24/26 11:55

Matrix: Water

Date Received: 02/26/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.2		2.0	0.86	ug/L			03/04/26 12:03	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	95		64 - 136					03/04/26 12:03	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/02/26 19:00	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/02/26 19:00	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 19:00	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/02/26 19:00	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 19:00	1
Vinyl chloride	6.3		1.0	0.45	ug/L			03/02/26 19:00	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	100		62 - 137					03/02/26 19:00	1
4-Bromofluorobenzene (Surr)	91		56 - 136					03/02/26 19:00	1
Toluene-d8 (Surr)	103		78 - 122					03/02/26 19:00	1
Dibromofluoromethane (Surr)	95		73 - 120					03/02/26 19:00	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

**Client Sample ID: DUP-07**

**Lab Sample ID: 240-244001-4**

Date Collected: 02/24/26 00:00

Matrix: Water

Date Received: 02/26/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.1		2.0	0.86	ug/L			03/04/26 12:27	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	97		64 - 136					03/04/26 12:27	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/05/26 12:23	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			03/05/26 12:23	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/05/26 12:23	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/05/26 12:23	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/05/26 12:23	1
Vinyl chloride	5.3		1.0	0.45	ug/L			03/05/26 12:23	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	109		62 - 137					03/05/26 12:23	1
4-Bromofluorobenzene (Surr)	101		56 - 136					03/05/26 12:23	1
Toluene-d8 (Surr)	91		78 - 122					03/05/26 12:23	1
Dibromofluoromethane (Surr)	106		73 - 120					03/05/26 12:23	1

# Client Sample Results

Client: Arcadis US Inc.  
Project/Site: Ford LTP

Job ID: 240-244001-1

**Client Sample ID: MW-74S\_022426**

**Lab Sample ID: 240-244001-5**

Date Collected: 02/24/26 12:50

Matrix: Water

Date Received: 02/26/26 08:00

**Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			03/04/26 12:51	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	97		64 - 136					03/04/26 12:51	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			03/02/26 23:26	1
<b>cis-1,2-Dichloroethene</b>	<b>0.82</b>	<b>J</b>	1.0	0.46	ug/L			03/02/26 23:26	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 23:26	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			03/02/26 23:26	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			03/02/26 23:26	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			03/02/26 23:26	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	112		62 - 137					03/02/26 23:26	1
4-Bromofluorobenzene (Surr)	104		56 - 136					03/02/26 23:26	1
Toluene-d8 (Surr)	93		78 - 122					03/02/26 23:26	1
Dibromofluoromethane (Surr)	111		73 - 120					03/02/26 23:26	1