

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Megan Meckley
Arcadis US Inc.
28550 Cabot Drive
Suite 500
Novi, Michigan 48377

Generated 5/28/2026 3:57:52 PM Revision 1

JOB DESCRIPTION

Ford LTP

JOB NUMBER

240-249335-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Authorized for release by
Michael DelMonico, Project Manager I
Michael.DelMonico@et.eurofinsus.com
(330)966-9783

Generated
5/28/2026 3:57:52 PM
Revision 1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	14
QC Sample Results	15
QC Association Summary	19
Lab Chronicle	20
Certification Summary	21
Chain of Custody	22



Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Arcadis US Inc.
Project: Ford LTP

Job ID: 240-249335-1

Job ID: 240-249335-1

Eurofins Cleveland

Job Narrative 240-249335-1

Report revised 5/28/2026 to correct the ID of sample 240-249335-7.

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 4/30/2026 8:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 0.4°C, 0.7°C and 0.9°C.

GC/MS VOA

Method 8260D: he MS/MSD for batch 240-700548 was not analyzed due to an instrument malfunction. The affect samples are TRIP BLANK_18 (240-249335-1) and MW-76_042826 (240-249335-2).

Method 8260D SIM: The matrix spike / matrix spike duplicate / sample duplicate (MS/MSD/DUP) precision for analytical batch 240-700692 was outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory control sample duplicate (LCS/LCSD) precision was within acceptance limits.

Method 8260D SIM: The method requirement for no headspace was not met. The following volatile samples were analyzed with significant headspace in the sample container(s): (240-249459-E-4), (240-249459-C-4 MS) and (240-249459-C-4 MSD). Significant headspace is defined as a bubble greater than 6 mm in diameter.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland

Method Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
8260D SIM	Volatile Organic Compounds (GC/MS)	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
240-249335-1	TRIP BLANK_18	Water	04/28/26 00:00	04/30/26 08:00	Michigan
240-249335-2	MW-76_042826	Water	04/28/26 09:14	04/30/26 08:00	Michigan
240-249335-3	MW-76S_042826	Water	04/28/26 10:02	04/30/26 08:00	Michigan
240-249335-4	MW-99S_042826	Water	04/28/26 11:17	04/30/26 08:00	Michigan
240-249335-5	DUP-04	Water	04/28/26 00:00	04/30/26 08:00	Michigan

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Detection Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Client Sample ID: TRIP BLANK_18

Lab Sample ID: 240-249335-1

No Detections.

Client Sample ID: MW-76_042826

Lab Sample ID: 240-249335-2

No Detections.

Client Sample ID: MW-76S_042826

Lab Sample ID: 240-249335-3

No Detections.

Client Sample ID: MW-99S_042826

Lab Sample ID: 240-249335-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,4-Dioxane	0.89	J	2.0	0.86	ug/L	1		8260D SIM	Total/NA

Client Sample ID: DUP-04

Lab Sample ID: 240-249335-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.51	J	1.0	0.46	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Client Sample ID: TRIP BLANK_18

Lab Sample ID: 240-249335-1

Date Collected: 04/28/26 00:00

Matrix: Water

Date Received: 04/30/26 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/05/26 17:09	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/05/26 17:09	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/05/26 17:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/05/26 17:09	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/05/26 17:09	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/05/26 17:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		62 - 137		05/05/26 17:09	1
4-Bromofluorobenzene (Surr)	91		56 - 136		05/05/26 17:09	1
Toluene-d8 (Surr)	96		78 - 122		05/05/26 17:09	1
Dibromofluoromethane (Surr)	100		73 - 120		05/05/26 17:09	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Client Sample ID: MW-76_042826

Lab Sample ID: 240-249335-2

Date Collected: 04/28/26 09:14

Matrix: Water

Date Received: 04/30/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/06/26 16:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		64 - 136					05/06/26 16:16	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/05/26 19:49	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/05/26 19:49	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/05/26 19:49	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/05/26 19:49	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/05/26 19:49	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/05/26 19:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		62 - 137					05/05/26 19:49	1
4-Bromofluorobenzene (Surr)	90		56 - 136					05/05/26 19:49	1
Toluene-d8 (Surr)	95		78 - 122					05/05/26 19:49	1
Dibromofluoromethane (Surr)	100		73 - 120					05/05/26 19:49	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Client Sample ID: MW-76S_042826

Lab Sample ID: 240-249335-3

Date Collected: 04/28/26 10:02

Matrix: Water

Date Received: 04/30/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U F2	2.0	0.86	ug/L			05/06/26 16:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		64 - 136					05/06/26 16:40	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/06/26 11:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/06/26 11:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/06/26 11:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/06/26 11:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/06/26 11:46	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/06/26 11:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		62 - 137					05/06/26 11:46	1
4-Bromofluorobenzene (Surr)	95		56 - 136					05/06/26 11:46	1
Toluene-d8 (Surr)	107		78 - 122					05/06/26 11:46	1
Dibromofluoromethane (Surr)	92		73 - 120					05/06/26 11:46	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Client Sample ID: MW-99S_042826

Lab Sample ID: 240-249335-4

Date Collected: 04/28/26 11:17

Matrix: Water

Date Received: 04/30/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	0.89	J	2.0	0.86	ug/L			05/06/26 17:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		64 - 136					05/06/26 17:03	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/06/26 13:16	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/06/26 13:16	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/06/26 13:16	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/06/26 13:16	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/06/26 13:16	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/06/26 13:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		62 - 137					05/06/26 13:16	1
4-Bromofluorobenzene (Surr)	95		56 - 136					05/06/26 13:16	1
Toluene-d8 (Surr)	106		78 - 122					05/06/26 13:16	1
Dibromofluoromethane (Surr)	92		73 - 120					05/06/26 13:16	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Client Sample ID: DUP-04

Lab Sample ID: 240-249335-5

Date Collected: 04/28/26 00:00

Matrix: Water

Date Received: 04/30/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/07/26 04:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		64 - 136					05/07/26 04:47	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/06/26 13:38	1
cis-1,2-Dichloroethene	0.51	J	1.0	0.46	ug/L			05/06/26 13:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/06/26 13:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/06/26 13:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/06/26 13:38	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/06/26 13:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		62 - 137					05/06/26 13:38	1
4-Bromofluorobenzene (Surr)	94		56 - 136					05/06/26 13:38	1
Toluene-d8 (Surr)	107		78 - 122					05/06/26 13:38	1
Dibromofluoromethane (Surr)	92		73 - 120					05/06/26 13:38	1

Surrogate Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	BFB	TOL	DBFM
		(62-137)	(56-136)	(78-122)	(73-120)
240-249335-1	TRIP BLANK_18	101	91	96	100
240-249335-2	MW-76_042826	101	90	95	100
240-249335-3	MW-76S_042826	97	95	107	92
240-249335-3 MS	MW-76S-MS_042826	98	98	105	103
240-249335-3 MSD	MW-76S-MSD_042826	98	96	105	103
240-249335-4	MW-99S_042826	96	95	106	92
240-249335-5	DUP-04	96	94	107	92
LCS 240-700548/4	Lab Control Sample	95	88	95	100
LCS 240-700637/3	Lab Control Sample	99	98	104	103
MB 240-700548/5	Method Blank	100	91	96	99
MB 240-700637/4	Method Blank	97	97	104	93

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA
		(64-136)
240-249335-2	MW-76_042826	93
240-249335-3	MW-76S_042826	93
240-249335-3 MS	MW-76S-MS_042826	93
240-249335-3 MSD	MW-76S-MSD_042826	100
240-249335-4	MW-99S_042826	94
240-249335-5	DUP-04	98
240-249459-C-4 MS	Matrix Spike	99
240-249459-C-4 MSD	Matrix Spike Duplicate	97
LCS 240-700692/3	Lab Control Sample	95
LCS 240-700754/4	Lab Control Sample	95
MB 240-700692/4	Method Blank	97
MB 240-700754/5	Method Blank	95

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-700548/5

Matrix: Water

Analysis Batch: 700548

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/05/26 13:09	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/05/26 13:09	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/05/26 13:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/05/26 13:09	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/05/26 13:09	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/05/26 13:09	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		62 - 137		05/05/26 13:09	1
4-Bromofluorobenzene (Surr)	91		56 - 136		05/05/26 13:09	1
Toluene-d8 (Surr)	96		78 - 122		05/05/26 13:09	1
Dibromofluoromethane (Surr)	99		73 - 120		05/05/26 13:09	1

Lab Sample ID: LCS 240-700548/4

Matrix: Water

Analysis Batch: 700548

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	50.0	52.1		ug/L		104	63 - 134
cis-1,2-Dichloroethene	50.0	50.1		ug/L		100	77 - 123
Tetrachloroethene	50.0	50.4		ug/L		101	76 - 123
trans-1,2-Dichloroethene	50.0	50.0		ug/L		100	75 - 124
Trichloroethene	50.0	50.1		ug/L		100	70 - 122
Vinyl chloride	50.0	42.2		ug/L		84	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	95		62 - 137
4-Bromofluorobenzene (Surr)	88		56 - 136
Toluene-d8 (Surr)	95		78 - 122
Dibromofluoromethane (Surr)	100		73 - 120

Lab Sample ID: MB 240-700637/4

Matrix: Water

Analysis Batch: 700637

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/06/26 09:32	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/06/26 09:32	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/06/26 09:32	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/06/26 09:32	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/06/26 09:32	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/06/26 09:32	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		62 - 137		05/06/26 09:32	1
4-Bromofluorobenzene (Surr)	97		56 - 136		05/06/26 09:32	1
Toluene-d8 (Surr)	104		78 - 122		05/06/26 09:32	1

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-700637/4

Matrix: Water

Analysis Batch: 700637

Client Sample ID: Method Blank

Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	93		73 - 120		05/06/26 09:32	1

Lab Sample ID: LCS 240-700637/3

Matrix: Water

Analysis Batch: 700637

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	50.0	58.1		ug/L		116	63 - 134
cis-1,2-Dichloroethene	50.0	51.6		ug/L		103	77 - 123
Tetrachloroethene	50.0	54.9		ug/L		110	76 - 123
trans-1,2-Dichloroethene	50.0	50.8		ug/L		102	75 - 124
Trichloroethene	50.0	52.5		ug/L		105	70 - 122
Vinyl chloride	50.0	38.4		ug/L		77	60 - 144

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		62 - 137
4-Bromofluorobenzene (Surr)	98		56 - 136
Toluene-d8 (Surr)	104		78 - 122
Dibromofluoromethane (Surr)	103		73 - 120

Lab Sample ID: 240-249335-3 MS

Matrix: Water

Analysis Batch: 700637

Client Sample ID: MW-76S-MS_042826

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	1.0	U	50.0	59.3		ug/L		119	56 - 135
cis-1,2-Dichloroethene	1.0	U	50.0	49.8		ug/L		100	66 - 128
Tetrachloroethene	1.0	U	50.0	53.5		ug/L		107	62 - 131
trans-1,2-Dichloroethene	1.0	U	50.0	51.4		ug/L		103	56 - 136
Trichloroethene	1.0	U	50.0	49.8		ug/L		100	61 - 124
Vinyl chloride	1.0	U	50.0	38.1		ug/L		76	43 - 157

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		62 - 137
4-Bromofluorobenzene (Surr)	98		56 - 136
Toluene-d8 (Surr)	105		78 - 122
Dibromofluoromethane (Surr)	103		73 - 120

Lab Sample ID: 240-249335-3 MSD

Matrix: Water

Analysis Batch: 700637

Client Sample ID: MW-76S-MSD_042826

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	1.0	U	50.0	60.6		ug/L		121	56 - 135	2	26
cis-1,2-Dichloroethene	1.0	U	50.0	51.1		ug/L		102	66 - 128	3	14
Tetrachloroethene	1.0	U	50.0	55.2		ug/L		110	62 - 131	3	20
trans-1,2-Dichloroethene	1.0	U	50.0	52.1		ug/L		104	56 - 136	1	15
Trichloroethene	1.0	U	50.0	50.6		ug/L		101	61 - 124	2	15

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-249335-3 MSD

Matrix: Water

Analysis Batch: 700637

Client Sample ID: MW-76S-MSD_042826

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Vinyl chloride	1.0	U	50.0	38.4		ug/L		77	43 - 157	1	24
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	98		62 - 137								
4-Bromofluorobenzene (Surr)	96		56 - 136								
Toluene-d8 (Surr)	105		78 - 122								
Dibromofluoromethane (Surr)	103		73 - 120								

Method: 8260D SIM - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-700692/4

Matrix: Water

Analysis Batch: 700692

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/06/26 11:35	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		64 - 136					05/06/26 11:35	1

Lab Sample ID: LCS 240-700692/3

Matrix: Water

Analysis Batch: 700692

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
1,4-Dioxane	10.0	7.46		ug/L		75	68 - 120		
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	95		64 - 136						

Lab Sample ID: 240-249335-3 MS

Matrix: Water

Analysis Batch: 700692

Client Sample ID: MW-76S-MS_042826

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
1,4-Dioxane	2.0	U F2	10.0	8.45		ug/L		84	45 - 145		
Surrogate	MS %Recovery	MS Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	93		64 - 136								

Lab Sample ID: 240-249335-3 MSD

Matrix: Water

Analysis Batch: 700692

Client Sample ID: MW-76S-MSD_042826

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	2.0	U F2	10.0	10.5	F2	ug/L		105	45 - 145	22	19

Eurofins Cleveland

QC Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Method: 8260D SIM - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 240-249335-3 MSD

Matrix: Water

Analysis Batch: 700692

Client Sample ID: MW-76S-MSD_042826

Prep Type: Total/NA

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	100		64 - 136

Lab Sample ID: MB 240-700754/5

Matrix: Water

Analysis Batch: 700754

Client Sample ID: Method Blank

Prep Type: Total/NA

	MB	MB								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/06/26 22:55	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
1,2-Dichloroethane-d4 (Surr)	95		64 - 136					05/06/26 22:55	1	

Lab Sample ID: LCS 240-700754/4

Matrix: Water

Analysis Batch: 700754

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

			Spike	LCS	LCS				%Rec	
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,4-Dioxane			10.0	7.57		ug/L		76	68 - 120	
Surrogate	%Recovery	Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)	95		64 - 136							

Lab Sample ID: 240-249459-C-4 MS

Matrix: Water

Analysis Batch: 700754

Client Sample ID: Matrix Spike

Prep Type: Total/NA

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,4-Dioxane	2.0	U	10.0	7.58		ug/L		76	45 - 145	
Surrogate	%Recovery	Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)	99		64 - 136							

Lab Sample ID: 240-249459-C-4 MSD

Matrix: Water

Analysis Batch: 700754

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

	Sample	Sample	Spike	MSD	MSD				%Rec	RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	Limit
1,4-Dioxane	2.0	U	10.0	8.15		ug/L		81	45 - 145	7 19
Surrogate	%Recovery	Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)	97		64 - 136							

Eurofins Cleveland

QC Association Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

GC/MS VOA

Analysis Batch: 700548

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-249335-1	TRIP BLANK_18	Total/NA	Water	8260D	
240-249335-2	MW-76_042826	Total/NA	Water	8260D	
MB 240-700548/5	Method Blank	Total/NA	Water	8260D	
LCS 240-700548/4	Lab Control Sample	Total/NA	Water	8260D	

Analysis Batch: 700637

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-249335-3	MW-76S_042826	Total/NA	Water	8260D	
240-249335-4	MW-99S_042826	Total/NA	Water	8260D	
240-249335-5	DUP-04	Total/NA	Water	8260D	
MB 240-700637/4	Method Blank	Total/NA	Water	8260D	
LCS 240-700637/3	Lab Control Sample	Total/NA	Water	8260D	
240-249335-3 MS	MW-76S-MS_042826	Total/NA	Water	8260D	
240-249335-3 MSD	MW-76S-MSD_042826	Total/NA	Water	8260D	

Analysis Batch: 700692

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-249335-2	MW-76_042826	Total/NA	Water	8260D SIM	
240-249335-3	MW-76S_042826	Total/NA	Water	8260D SIM	
240-249335-4	MW-99S_042826	Total/NA	Water	8260D SIM	
MB 240-700692/4	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-700692/3	Lab Control Sample	Total/NA	Water	8260D SIM	
240-249335-3 MS	MW-76S-MS_042826	Total/NA	Water	8260D SIM	
240-249335-3 MSD	MW-76S-MSD_042826	Total/NA	Water	8260D SIM	

Analysis Batch: 700754

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-249335-5	DUP-04	Total/NA	Water	8260D SIM	
MB 240-700754/5	Method Blank	Total/NA	Water	8260D SIM	
LCS 240-700754/4	Lab Control Sample	Total/NA	Water	8260D SIM	
240-249459-C-4 MS	Matrix Spike	Total/NA	Water	8260D SIM	
240-249459-C-4 MSD	Matrix Spike Duplicate	Total/NA	Water	8260D SIM	

Lab Chronicle

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Client Sample ID: TRIP BLANK_18

Lab Sample ID: 240-249335-1

Date Collected: 04/28/26 00:00

Matrix: Water

Date Received: 04/30/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	700548	MDH	EET CLE	05/05/26 17:09

Client Sample ID: MW-76_042826

Lab Sample ID: 240-249335-2

Date Collected: 04/28/26 09:14

Matrix: Water

Date Received: 04/30/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	700548	MDH	EET CLE	05/05/26 19:49
Total/NA	Analysis	8260D SIM		1	700692	MDH	EET CLE	05/06/26 16:16

Client Sample ID: MW-76S_042826

Lab Sample ID: 240-249335-3

Date Collected: 04/28/26 10:02

Matrix: Water

Date Received: 04/30/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	700637	MDH	EET CLE	05/06/26 11:46
Total/NA	Analysis	8260D SIM		1	700692	MDH	EET CLE	05/06/26 16:40

Client Sample ID: MW-99S_042826

Lab Sample ID: 240-249335-4

Date Collected: 04/28/26 11:17

Matrix: Water

Date Received: 04/30/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	700637	MDH	EET CLE	05/06/26 13:16
Total/NA	Analysis	8260D SIM		1	700692	MDH	EET CLE	05/06/26 17:03

Client Sample ID: DUP-04

Lab Sample ID: 240-249335-5

Date Collected: 04/28/26 00:00

Matrix: Water

Date Received: 04/30/26 08:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	700637	MDH	EET CLE	05/06/26 13:38
Total/NA	Analysis	8260D SIM		1	700754	MDH	EET CLE	05/07/26 04:47

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	09-30-26
Georgia	State	4062	02-27-27
Illinois	NELAP	200004	08-31-26
Iowa	State	421	06-01-27
Kansas	NELAP	E-10336	01-31-27
Kentucky (UST)	State	112225	02-28-27
Kentucky (VWV)	State	KY98016	12-31-26
Michigan	State	9135	01-10-27
Minnesota	NELAP	039-999-348	12-31-26
New Hampshire	NELAP	2250	09-30-26
New Jersey	NELAP	OH001	06-30-26
New York	NELAP	10975	04-01-27
Ohio	State	8303	02-28-27
Ohio VAP	State	ORELAP 4062	02-28-27
Oregon	NELAP	4062	02-27-27
Pennsylvania	NELAP	68-00340	08-31-26
Texas	NELAP	T104704517	08-31-26
US Fish & Wildlife	US Federal Programs	A26406	02-28-27
USDA	US Federal Programs	525-24-5-34740	01-05-27
Virginia	NELAP	460175	09-30-26
West Virginia DEP	State	210	12-31-26
Wisconsin	State	399167560	08-31-26

Chain of Custody Record

1/19

TestAmerica Laboratory location: Farmington Hills — 38855 Hills Tech Drive, Suite 600, Farmington Hills 48331

Client Contact		Regulatory program:		DW		NPDES		RCRA		Other		TestAmerica Laboratories, Inc.	
Company Name: Arcadis		Client Project Manager: Megan Meckley		Site Contact: Lottie Jay		Lab Contact: Mike DelMonico		COC No:					
Address: 28550 Cabot Drive, Suite 500		Telephone: 248-994-2240		Telephone: 248-819-4667		Telephone: 330-497-9396		1 of 1 COCs					
City/State/Zip: Novi, MI, 48377		Email: megan.meckley@arcadis.com		Analysis Turnaround Time		Analyses		For lab use only					
Phone: 248-994-2240		Sampler Name: <i>Ezek Sullivan</i>		TAT if different from below								Walk-in client	
Project Name: Ford LTP		Method of Shipment/Carrier:		10 day		3 weeks						Lab sampling	
Project Number: 30309849.401.04		Shipping/Tracking No:		1 week		2 weeks						Job/SDG No:	
PO # US 3460030921				2 days		1 day							
Sample Identification		Sample Date		Sample Time		Matrix		Containers & Preservatives		Filtered Sample (Y/N)		Sample Specific Notes / Special Instructions:	
						Air Aqueous Sediment Solid Other:		H2SO4 HNO3 HCl NaOH ZnAc/NaOH Unpres Other:		Composite-C/Grab-G			
										1,1-DCE 8260D			
										cis-1,2-DCE 8260D			
										Trans-1,2-DCE 8260D			
										PCE 8260D			
										TCE 8260D			
										Vinyl Chloride 8260D			
										1,4-Dioxane 8260D SIM			
TRIP BLANK_ 18	---	---	1				1			NG	X	X	1 Trip Blank
MW-76-042826	4/28/26	9:14	6				6			NG	X	X	3 VOAs for 8260D
MW-76S-042826	4/28/26	10:02	6				6			NG	X	X	3 VOAs for 8260D SIM
MW-76S-MS-042826	4/28/26	10:02	6				6			NG	X	X	Run MS/MSD
MW-76S-MSD-042826	4/28/26	10:02	6				6			NG	X	X	
MW-99S-042826	4/28/26	11:17	6				6			NG	X	X	3VOA 8260D
DUP-09	4/28/26	-	6				6			NG	X	X	3VOA 8260D SIM
													
Possible Hazard Identification				Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)									
☒ Non-Hazard ☐ Flammable ☐ Irritant ☐ Poison B ☐ Unknown				☐ Return to Client ☒ Disposal By Lab ☐ Archive For ☐ Months									
Special Instructions/QC Requirements & Comments:													
Submit all results through Cadena at jtomalia@cadenco.com . Cadena #E203728 Level IV Reporting requested.													
Belden Ct. Row, Plymouth ROW													
Relinquished by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 4/28/26 14:53	Received by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 4/28/26								
Relinquished by: <i>[Signature]</i>	Company: Arcadis	Date/Time: 4/28/26 1646	Received by: <i>[Signature]</i>	Company: 4-28-26 1650	Date/Time: <i>[Signature]</i>								
Relinquished by: <i>[Signature]</i>	Company: <i>[Signature]</i>	Date/Time: 4-28-26 1600	Received in Laboratory by: CHRIS ROAN	Company: EC	Date/Time: 4/30/26 8:50								

Eurofins - Cleveland Sample Receipt Form/Narrative		Labn #	
Barberton Facility		Cooler unpacked by: CHRIS ROAN	
Client <u>Alcoa</u>	Site Name _____		
Cooler Received on <u>4/30/26</u>	Opened on <u>4/30/26</u>		
FedEx: 1st Grd Exp <u>UPS</u> FAS <u>Waypoint</u>	Client Drop Off <u>Eurofins Courier</u>	Other _____	
Receipt After-hours Drop-off Date/Time _____		Storage Location _____	
Eurofins Cooler # <u>EC</u>	Roam Box _____	Client Cooler _____	Box _____
Packing material used: <u>Bubble Wrap</u>	Foam _____	Plastic Bag <u>None</u>	Other _____
COOLANT: <u>Wet Ice</u>	<u>Blue Ice</u>	<u>Dry Ice</u>	<u>Water</u>
	<u>None</u>		
1 Cooler Temperature upon receipt ☒ See Multiple Cooler Form			
IR GUN # <u>1</u> (CR <u>0</u> .Z °C)		Observed Cooler Temp. _____ °C	Corrected Cooler Temp _____ °C
2 Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity <u>3</u> Yes <u>No</u> No			
-Were the seals on the outside of the cooler(s) signed & dated? Yes <u>No</u> NA			
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes <u>No</u> NA			
-Were tamper/custody seals intact and uncompromised? Yes <u>No</u> NA			
3 Shippers' packing slip attached to the cooler(s)? Yes <u>No</u> NA			
4 Did custody papers accompany the sample(s)? Yes <u>No</u> NA			
5 Were the custody papers relinquished & signed in the appropriate place? Yes <u>No</u> NA			
6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes <u>No</u> NA			
7 Did all bottles arrive in good condition (Unbroken)? Yes <u>No</u> NA			
8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes <u>No</u> NA			
9 For each sample, does the COC specify preservative (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes <u>No</u> NA			
10 Were correct bottle(s) used for the test(s) indicated? Yes <u>No</u> NA			
11 Sufficient quantity received to perform indicated analyses? Yes <u>No</u> NA			
12 Are these work share samples and all listed on the COC? Yes <u>No</u> NA			
13 Were all preserved sample(s) at the correct pH upon receipt? Yes <u>No</u> NA pH Strip Lot# HC574455			
14. Were VOAs on the COC? Yes <u>No</u> NA			
15 Were air bubbles >6 mm in any VOA vials? Yes <u>No</u> NA			
16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # <u>NA</u> Yes <u>No</u> NA			
17 Was a LL Hg or Me Hg trip blank present? Yes <u>No</u> NA			
Contacted PM _____ Date _____ by _____ via <u>Verbal</u> Voice Mail Other _____			
Concerning _____			
18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page		Labeled by _____	
		Labels Verified by: _____	
19 SAMPLE CONDITION			
Sample(s) _____ were received after the recommended holding time had expired.			
Sample(s) _____ were received in a broken container			
Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)			
20. SAMPLE PRESERVATION			
Sample(s) _____ were further preserved in the laboratory			
Time preserved _____ Preservative(s) added/Lot number(s) _____			
VOA Sample Preservation - Date/Time VOAs Frozen _____			

W7-NC-099 Cooler Receipt Form Page 2 - Multiple Coolers

4/30/2026

Login Container Summary Report

240-249335

Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u> <u>pH</u>	<u>Preservation</u> <u>Temp</u>	<u>Added</u>	<u>Preservation</u> <u>Lot Number</u>
TRIP BLANK_18	240-249335-A-1	Voa Vial 40ml - Hydrochloric Acid				
MW-76_042826	240-249335-A-2	Voa Vial 40ml - Hydrochloric Acid				
MW-76_042826	240-249335-B-2	Voa Vial 40ml - Hydrochloric Acid				
MW-76_042826	240-249335-C-2	Voa Vial 40ml - Hydrochloric Acid				
MW-76_042826	240-249335-D-2	Voa Vial 40ml - Hydrochloric Acid				
MW-76_042826	240-249335-E-2	Voa Vial 40ml - Hydrochloric Acid				
MW-76_042826	240-249335-F-2	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-A-3	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-A-3 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-A-3 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-B-3	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-B-3 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-B-3 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-C-3	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-C-3 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-C-3 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-D-3	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-D-3 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-E-3	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-E-3 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-E-3 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-F-3	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-F-3 MS	Voa Vial 40ml - Hydrochloric Acid				
MW-76S_042826	240-249335-F-3 MSD	Voa Vial 40ml - Hydrochloric Acid				
MW-99S_042826	240-249335-A-4	Voa Vial 40ml - Hydrochloric Acid				
MW-99S_042826	240-249335-B-4	Voa Vial 40ml - Hydrochloric Acid				
MW-99S_042826	240-249335-C-4	Voa Vial 40ml - Hydrochloric Acid				
MW-99S_042826	240-249335-D-4	Voa Vial 40ml - Hydrochloric Acid				
MW-99S_042826	240-249335-E-4	Voa Vial 40ml - Hydrochloric Acid				
MW-99S_042826	240-249335-F-4	Voa Vial 40ml - Hydrochloric Acid				
DUP-09	240-249335-A-5	Voa Vial 40ml - Hydrochloric Acid				

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u> <u>pH</u>	<u>Preservation</u> <u>Temp</u>	<u>Added</u> <u>Lot Number</u>
DUP-09	240-249335-B-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
DUP-09	240-249335-C-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
DUP-09	240-249335-D-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
DUP-09	240-249335-E-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____
DUP-09	240-249335-F-5	Voa Vial 40ml - Hydrochloric Acid	_____	_____	_____

DATA VERIFICATION REPORT



Revision: Sample -005 ID change.

May 28, 2026

Megan Meckley
Arcadis
28550 Cabot Drive
Suite 500
Novi, MI US 48377

CADENA project ID: E203728

Project: Ford Livonia Transmission Plant - ON-SITE Soil Gas, Ground Water and Soil

Project number: 30309849.401.04

Event Specific Scope of Work References: Sample COC

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory submittal: 249335-1

Sample date: 2026-04-28

Report received by CADENA: 2026-05-08

Initial Data Verification completed by CADENA: 2026-05-08

Number of Samples:5

Sample Matrices:Water

Test Categories:GCMS VOC

Please see attached criteria report or sample result/qualified analytical result summary for qualifier flags assigned to sample data.

The following minor QC exceptions or missing information were noted:

GCMS VOC SIM sample -003 MS or MSD recoveries but not both or RPD only were outliers for 1,4-DIOXANE so client sample results were not qualified based on this QC outlier alone.

GCMS VOC SIM QC batch MS/MSD recovery outliers were not determined using a client sample so qualification was not required based on these sample-specific QC outliers.

Sample/MS/MSD Surrogate Recovery, Blank/LCS Surrogate Recovery, LCS/LCD Recovery, MS/MSD Recovery, MS/MSD RPD, Blank Contamination and Hold Time Exception were reviewed as part of our verification.

Data verification for the report specified above was completed using the Ford Motor Company Environmental Laboratory Technical Specification, the CADENA Standard Operating Procedure for the Verification of Environmental Analytical Data and the associated analytical methods as references for evaluating the batch QC, sample data and report content. The EPA National Functional Guidelines for validating organic and inorganic data were used as guidance when addressing out of control QC results and the associated data qualifiers.

Analytical results reported between RDL and MDL are flagged 'J' and considered estimated values.

The definitions of the qualifiers used for this data package are defined in the analytical report. CADENA valid qualifiers are defined in the table below. To view and download a PDF copy of the laboratory analytical report access the CADENA CLMS at <http://clms.cadenaco.com/index.cfm>.

Please contact me if you have any questions.

Sincerely,

Jim Tomalia

Project Scientist

CADENA Inc, 1099 Highland Drive, Suite E, Ann Arbor, MI 48108 517-819-0356

CADENA Valid Qualifiers

Valid Qualifiers	Description
<	Less than the reported concentration.
>	Greater than the reported concentration.
B	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was greater than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the reported concentration. For Inorganic methods the sample concentration was greater than the RDL and less than 10x the blank concentration and is considered non-detect at the reported concentration.
E	The analyte / Compound reported exceeds the calibration range and is considered estimated.
EMPC	Estimated Minimum Potential Contamination - Dioxin/Furan analyses only.
J	Indicates an estimated value. This flag is used either when estimating a concentration for a tentatively identified compound or when the data indicates the presence of an analyte / compound but the result is less than the sample Quantitation limit, but greater than zero. The flag is also used in data validation to indicate a reported value should be considered estimated due to associated quality assurance deficiencies.
J-	The result is an estimated quantity, but the result may be biased low.
JB	NON-DETECT AT THE CONCENTRATION REPORTED AND ESTIMATED
JH	The sample result is considered estimated and is potentially biased high.
JL	The sample result is considered estimated and is potentially biased low.
JUB	NON-DETECT AT THE REPORTING LIMIT AND ESTIMATED
NJ	Tentatively identified compound with approximated concentration.
R	Indicates the value is considered to be unusable. (Note: The analyte / compound may or may not be present.)
TNTC	Too Numerous to Count - Asbestos and Microbiological Results.
U	Indicates that the analyte / compound was analyzed for, but not detected.
UB	The analyte / compound was detected in the associated blank. For Organic methods the sample concentration was less than the RDL and less than 5x (or 10x for common lab contaminants) the blank concentration and is considered non-detect at the RDL. For Inorganic methods the sample concentration was less than the RDL and less than 10x the blank concentration and is considered non-detect at the RDL.
UJ	The analyte / compound was not detected above the reported sample Quantitation limit. However, the Quantitation limit is considered to be approximate due to associated quality assurance results and may or may not represent the actual limit of Quantitation to accurately and precisely report the analyte in the sample.

Analytical Results Summary

CADENA Project ID: E203728

Laboratory: Eurofins Environment Testing LLC - Cleveland

Laboratory Submittal: 249335-1

Analyte	Cas No.	Sample Name: TRIP BLANK_18				MW-76_042826				MW-76S_042826				MW-99S_042826				DUP-04			
		Lab Sample ID: 2402493351				2402493352				2402493353				2402493354				2402493355			
		Sample Date: 4/28/2026				4/28/2026				4/28/2026				4/28/2026				4/28/2026			
		Report		Valid		Report		Valid		Report		Valid		Report		Valid		Report		Valid	
		Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier	Result	Limit	Units	Qualifier
GC/MS VOC																					
<u>OSW-8260D</u>																					
1,1-Dichloroethene	75-35-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
cis-1,2-Dichloroethene	156-59-2	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	0.51	1.0	ug/l	J
Tetrachloroethene	127-18-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
trans-1,2-Dichloroethene	156-60-5	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Trichloroethene	79-01-6	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
Vinyl chloride	75-01-4	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---	ND	1.0	ug/l	---
<u>OSW-8260DSIM</u>																					
1,4-Dioxane	123-91-1					ND	2.0	ug/l	---	ND	2.0	ug/l	---	0.89	2.0	ug/l	J	ND	2.0	ug/l	---

Ford Motor Company – Livonia Transmission Project

DATA REVIEW

Livonia, Michigan

Volatile Organic Compounds (VOC) Analysis

SDG # 240-249335-1

CADENA Verification Report: 2026-05-08

Analyses Performed By:
Eurofins Cleveland
Barberton, Ohio

Report # 64317R
Review Level: Stage-2b
Project: 30309849.401.02

DATA REVIEW

Summary

This data quality assessment summarizes the review of Sample Delivery Group (SDG) #240-249335-1 for samples collected in association with the Ford – Livonia, Michigan site. The review was conducted as a Stage-2b validation in addition to a verification/Stage-2a validation review performed by CADENA Inc. and included review of level IV laboratory data package completeness. Only elements of a Stage-2b validation effort (Stage-2b) include a detailed review of laboratory raw data to check for errors in calculation, calibration review, internal standard review and compound identification) and omitted deviations from the CADENA verification/Stage-2a report are documented in this report. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis	
					VOC	VOC SIM
TRIP BLANK_18	240-249335-1	Water	04/28/2026		X	
MW-76_042826	240-249335-2	Water	04/28/2026		X	X
MW-76S_042826	240-249335-3	Water	04/28/2026		X	X
MW-99S_042826	240-249335-4	Water	04/28/2026		X	X
DUP-04	240-249335-5	Water	04/28/2026	MW-99S_042826	X	X

Analytical Data Package Documentation

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of Quality Assurance or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Organic Analysis Introduction

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Method 8260D and 8260D SIM. Data were reviewed in accordance with USEPA National Functional Guidelines for Organic Superfund Methods Data Review, EPA 540-R-20-005, November 2020 (with reference to the historical USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, OSWER 9240.1-05A-P, October 1999), as appropriate.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The analyte was analyzed for but was not detected above the level of the reported sample quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 - UJ The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
 - UB Analyte considered non-detect at the listed value due to associated blank contamination.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

Volatile Organic Compound (VOC) Analyses

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260D/8260D-SIM	Water	14 days from collection to analysis	Cool to < 6 °C; pH < 2 with HCl

All samples were analyzed within the specified holding time criteria.

2. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable, and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

3. Calibration

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

3.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (20%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

All compounds associated with the initial calibrations were within the specified control limits.

3.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits, with the exception of the compounds presented in the following table.

Sample IDs	Initial /Continuing	Compound	CCV (%D)
TRIP BLANK_18 MW-76_042826 MW-76S_042826 MW-99S_042826 DUP-04	Initial Calibration Verification %D	1,1-Dichloroethene	+21.0%

The criteria used to evaluate the initial and continuing calibration are presented in the following table. In the case of a calibration deviation, the sample results are qualified.

DATA REVIEW

Initial/Continuing	Criteria	Sample Result	Qualification
Initial and Continuing Calibration	RRF <0.05	Non-detect	R
		Detect	J
	RRF <0.01 ¹	Non-detect	R
		Detect	J
	RRF >0.05 or RRF >0.01 ¹	Non-detect	No Action
		Detect	
Initial Calibration	%RSD > 20% or a correlation coefficient <0.99	Non-detect	UJ
		Detect	J
	%RSD > 90%	Non-detect	R
		Detect	J
Continuing Calibration	%D >20% (increase in sensitivity)	Non-detect	UJ
		Detect	J
	%D >20% (decrease in sensitivity)	Non-detect	UJ
		Detect	J
	%D > 90% (increase/decrease in sensitivity)	Non-detect	R
		Detect	J

4. Internal Standard Performance

Internal standard performance criteria ensure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria require the internal standard compounds associated with the VOC exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

5. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
MW-99S_042826/ DUP-04	1,4-Dioxane	0.89 J	2.0 U	AC
	cis-1,2-Dichloroethene	1.0 U	0.51 J	AC

Notes:

AC- Acceptable

U- Non detect

The calculated RPDs between the parent sample and field duplicate were acceptable.

6. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

All identified compounds met the specified criteria.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

Data Validation Checklist for VOCs

VOCs: 8260D/8260D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Stage-2a Validation					
Holding times/Preservation		X		X	
Stage-2b Validation					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X	X		
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Field Duplicate RPD		X		X	
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculation errors present		X		X	
E. Reporting limits adjusted to reflect sample dilutions		X		X	

Notes:

%RSD = Relative standard deviation

%R = Percent recovery

RPD = Relative percent difference

RRF = Relative retention factor

%D = Percent difference

DATA REVIEW

VALIDATION PERFORMED BY: Pooja Parab

SIGNATURE: 

DATE: May 28, 2026

PEER REVIEW: Andrew Korycinski

DATE: May 29, 2026

CHAIN OF CUSTODY SAMPLE ANALYSIS DATA SHEETS



©2008, TestAmerica Laboratories, Inc. All rights reserved.
TestAmerica & Design™ are trademarks of TestAmerica Laboratories, Inc.

Definitions/Glossary

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Client Sample ID: TRIP BLANK_18

Lab Sample ID: 240-249335-1

Date Collected: 04/28/26 00:00

Matrix: Water

Date Received: 04/30/26 08:00

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/05/26 17:09	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/05/26 17:09	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/05/26 17:09	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/05/26 17:09	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/05/26 17:09	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/05/26 17:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		62 - 137		05/05/26 17:09	1
4-Bromofluorobenzene (Surr)	91		56 - 136		05/05/26 17:09	1
Toluene-d8 (Surr)	96		78 - 122		05/05/26 17:09	1
Dibromofluoromethane (Surr)	100		73 - 120		05/05/26 17:09	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Client Sample ID: MW-76_042826

Lab Sample ID: 240-249335-2

Date Collected: 04/28/26 09:14

Matrix: Water

Date Received: 04/30/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/06/26 16:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		64 - 136					05/06/26 16:16	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/05/26 19:49	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/05/26 19:49	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/05/26 19:49	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/05/26 19:49	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/05/26 19:49	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/05/26 19:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		62 - 137					05/05/26 19:49	1
4-Bromofluorobenzene (Surr)	90		56 - 136					05/05/26 19:49	1
Toluene-d8 (Surr)	95		78 - 122					05/05/26 19:49	1
Dibromofluoromethane (Surr)	100		73 - 120					05/05/26 19:49	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Client Sample ID: MW-76S_042826

Lab Sample ID: 240-249335-3

Date Collected: 04/28/26 10:02

Matrix: Water

Date Received: 04/30/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U F2	2.0	0.86	ug/L			05/06/26 16:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		64 - 136					05/06/26 16:40	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U UJ	1.0	0.49	ug/L			05/06/26 11:46	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/06/26 11:46	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/06/26 11:46	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/06/26 11:46	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/06/26 11:46	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/06/26 11:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		62 - 137					05/06/26 11:46	1
4-Bromofluorobenzene (Surr)	95		56 - 136					05/06/26 11:46	1
Toluene-d8 (Surr)	107		78 - 122					05/06/26 11:46	1
Dibromofluoromethane (Surr)	92		73 - 120					05/06/26 11:46	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Client Sample ID: MW-99S_042826

Lab Sample ID: 240-249335-4

Date Collected: 04/28/26 11:17

Matrix: Water

Date Received: 04/30/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	0.89	J	2.0	0.86	ug/L			05/06/26 17:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		64 - 136					05/06/26 17:03	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U JJ	1.0	0.49	ug/L			05/06/26 13:16	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.46	ug/L			05/06/26 13:16	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/06/26 13:16	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/06/26 13:16	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/06/26 13:16	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/06/26 13:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		62 - 137					05/06/26 13:16	1
4-Bromofluorobenzene (Surr)	95		56 - 136					05/06/26 13:16	1
Toluene-d8 (Surr)	106		78 - 122					05/06/26 13:16	1
Dibromofluoromethane (Surr)	92		73 - 120					05/06/26 13:16	1

Client Sample Results

Client: Arcadis US Inc.
Project/Site: Ford LTP

Job ID: 240-249335-1

Client Sample ID: DUP-04

Lab Sample ID: 240-249335-5

Date Collected: 04/28/26 00:00

Matrix: Water

Date Received: 04/30/26 08:00

Method: SW846 8260D SIM - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	2.0	U	2.0	0.86	ug/L			05/07/26 04:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		64 - 136					05/07/26 04:47	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.0	U	1.0	0.49	ug/L			05/06/26 13:38	1
cis-1,2-Dichloroethene	0.51	J	1.0	0.46	ug/L			05/06/26 13:38	1
Tetrachloroethene	1.0	U	1.0	0.44	ug/L			05/06/26 13:38	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.51	ug/L			05/06/26 13:38	1
Trichloroethene	1.0	U	1.0	0.44	ug/L			05/06/26 13:38	1
Vinyl chloride	1.0	U	1.0	0.45	ug/L			05/06/26 13:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		62 - 137					05/06/26 13:38	1
4-Bromofluorobenzene (Surr)	94		56 - 136					05/06/26 13:38	1
Toluene-d8 (Surr)	107		78 - 122					05/06/26 13:38	1
Dibromofluoromethane (Surr)	92		73 - 120					05/06/26 13:38	1